

ULR-TC596126300002321F

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To: TRP Tea Processors A-102, First Floor, Shlok Business HUB Opp. Kankuba Hall, Aslali-382427, Ahmedabad, Gujarat Phone No : 9723878419 Email : pateltejas9990@gmail.com	Test Report No : GTL/01260912001 Date of Receipt : 11/09/2026 Date of Issue : 12/09/2026 Customer's Ref. No : N.M
--	---

Sample Described as : Tea Sample Qty : 250gm Packing Mode : Sample Packed in Plastic Bags Sample Condition : Satisfactory Marking : Brand : Vhalam Tea Sample Drawn By : Customer Date of Starting of Test : 11/09/2026	Mfg. Date : Aug-2026 Exp. Date : July-2027 B.No : VT050826/HVT Date of Completion : 12/09/2026
---	---

Sr No	Quality Characteristics	Result	Test Method	Prescribed Standards as per Food Safety and Standards Regulations, 2011
Chemical Food And Agricultural Products				
1	Total Ash (m/m) (On dry basis)%	5.52	IS:13854:1994	4.0 to 8.0 %
2	Water Soluble Ash (on dry basis at 103 Deg.C)%	46.35	IS:13855:1993	Min.45.0 %
3	Alkalinity of Water Solu.Ash as KOH (m/m) (on dry basis) %	1.52	IS:13856:1993	1.0 to 3.0 %
4	Acid insoluble Ash (m/m) (on dry basis at 103 Deg.C) %	0.52	IS:13857:1993	Max.1.0%
5	Water extract (m/m) (on dry basis) %	34.05	IS:13862:1998	Min.32.0%
6	Crude Fiber (m/m) (on dry basis at 103 Deg.C.) %	10.24	IS:10226(P-1)-1982	Max.16.5%
7	Added Colouring Matter	Absent	FSSAI Manual of Food Additives 2016	Absent

Opinion : In the opinion of the undersigned, the submitted sample

Note : NM = Not Mentioned, Customer requested for the above test only



For NABL Scope



Mamta Bhavsar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD



Hemal Darji

Autho. Signatory

*** END OF REPORT ***