

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 3

ULR-TC596126300002141F

|                   |                                                                                                                                                                                                        |                    |                          |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------|
| Report Issued To: | <b>Shree Ranchhodray Masala Mill (Spyran)</b><br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br><b>Phone No : 9825011195</b><br><b>Email : spyranfactory@yahoo.in</b> | Test Report No     | : <b>GTL/01260825003</b> |
|                   |                                                                                                                                                                                                        | Date of Receipt    | : 14/08/2026             |
|                   |                                                                                                                                                                                                        | Date of Issue      | : 25/08/2026             |
|                   |                                                                                                                                                                                                        | Customer's Ref. No | : N.M                    |

|                          |                                                |                    |              |
|--------------------------|------------------------------------------------|--------------------|--------------|
| Sample Described as      | : <b>Compounded Asafoetida Powder ( Hing )</b> | Mfg. Date          | : 08-2026    |
| Sample Qty               | : 200 gm                                       | Exp. Date          | : 01-2029    |
| Packing Mode             | : Sample Packed in Plastic Container           | B.No               | : U2/08      |
| Sample Condition         | : Satisfactory                                 |                    |              |
| Marking                  | : Brand : Spyran                               |                    |              |
| Sample Drawn By          | : Customer                                     |                    |              |
| Date of Starting of Test | : 14/08/2026                                   | Date of Completion | : 25/08/2026 |

| Sr No                                                         | Quality Characteristics                                      | Result            | Test Method      | F.S.S.R-2011 / Customer Specification |
|---------------------------------------------------------------|--------------------------------------------------------------|-------------------|------------------|---------------------------------------|
| <b>Chemical</b>                                               |                                                              |                   |                  |                                       |
| <b>Food And Agricultural Products</b>                         |                                                              |                   |                  |                                       |
| 1                                                             | Total Ash %                                                  | 2.16              | IS : 1797 :2017  | Max. 10                               |
| 2                                                             | Ash in soluble Ash in Dilute HCL %                           | 0.23              | IS : 1797 :2017  | Max.1.5%                              |
| 3                                                             | Alcoholic Extract %                                          | 8.83              | IS : 7807 : 1975 | Min. 5                                |
| 4                                                             | Test for Colophony Resin                                     | Absent            | IS : 7807 : 1975 | Absent                                |
| 5                                                             | Test for Galbanum Resin                                      | Absent            | IS : 7807 : 1975 | Absent                                |
| 6                                                             | Test for mineral pigment                                     | Absent            | IS : 7807 : 1975 | Absent                                |
| 7                                                             | Test for Ammonicum Resin                                     | Absent            | IS : 7807 : 1975 | Absent                                |
| <b>Residues and Contaminants in Food &amp; Agri. Products</b> |                                                              |                   |                  |                                       |
| 8                                                             | 2,4-Dichlorophenoxy Acetic Acid mg/kg                        | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.05                             |
| 9                                                             | Acephate mg/kg                                               | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.02                             |
| 10                                                            | Acetamidiprid mg/kg                                          | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.02                             |
| 11                                                            | Azoxystrobin mg/kg                                           | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.01                             |
| 12                                                            | Sum of Benomyl and Cabendazim expressed as carbendazim mg/kg | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.1                              |
| 13                                                            | Bifenthrin mg/kg                                             | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.2                              |
| 14                                                            | Bitertanol mg/kg                                             | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.05                             |
| 15                                                            | Buprofenzin mg/Kg                                            | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.01                             |
| 16                                                            | Carbaryl mg/kg                                               | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.5                              |
| 17                                                            | Carbendazim mg/kg                                            | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.1                              |
| 18                                                            | Carbofuran mg/kg                                             | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020     | Max. 0.05                             |

Test Report No : GTL/01260825003

Doc. No : GTL/D/7.5/02

Page 2 of 3

| Sr No | Quality Characteristics                           | Result            | Test Method  | F.S.S.R-2011 / Customer Specification |
|-------|---------------------------------------------------|-------------------|--------------|---------------------------------------|
| 19    | Chlorantraniliprole mg/kg                         | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 20    | Chlorothalonil mg/kg                              | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.07                             |
| 21    | Chlorpyrifos mg/kg                                | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.02                             |
| 22    | Chlothianidin mg/kg                               | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.02                             |
| 23    | Cypermethrin mg/kg                                | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 24    | Deltamethrin mg/kg                                | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 25    | Dichlorvos mg/kg                                  | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 26    | Mancozeb mg/kg                                    | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 27    | Metiram as CS2 mg/kg                              | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 28    | Edifenphos mg/kg                                  | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 29    | Emamectin Benzoate mg/kg                          | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 30    | Ethion mg/kg                                      | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.5                              |
| 31    | Ethofenprox (Etofenprox) mg/kg                    | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.02                             |
| 32    | Fenproparthrin mg/kg                              | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.1                              |
| 33    | Fenvalerate mg/kg                                 | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.1                              |
| 34    | Fipronil mg/kg                                    | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.02                             |
| 35    | Flubendiamide mg/kg                               | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.1                              |
| 36    | Flusilazole mg/kg                                 | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 37    | Glufosinate ammonium mg/kg                        | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.02                             |
| 38    | Imidacloprid mg/kg                                | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.1                              |
| 39    | Indoxacarb mg/kg                                  | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.1                              |
| 40    | Kresoxim Methyl mg/kg                             | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 41    | Methomyl mg/kg                                    | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.02                             |
| 42    | methyl chloro-phenoxy-acetic acid (M.C.P.A) mg/kg | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.04                             |
| 43    | Metolachlor mg/kg                                 | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max.0.02                              |
| 44    | Monocrotophos mg/kg                               | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.02                             |
| 45    | Oxydemeton Methyl mg/kg                           | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 46    | Paraquat Dichloride mg/kg                         | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 47    | Penconazole mg/kg                                 | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 48    | Phenthoate mg/kg                                  | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 49    | Phorate mg/kg                                     | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 50    | Primiphos methyl mg/kg                            | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 51    | Propiconazole mg/kg                               | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 52    | Pyraclostrobin mg/kg                              | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.03                             |
| 53    | Tebuconazole mg/kg                                | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 54    | Thiacloprid mg/kg                                 | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 55    | Thiamethoxam mg/kg                                | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |

Test Report No : GTL/01260825003

Doc. No : GTL/D/7.5/02

Page 3 of 3

| Sr No | Quality Characteristics              | Result             | Test Method  | F.S.S.R-2011 / Customer Specification |
|-------|--------------------------------------|--------------------|--------------|---------------------------------------|
| 56    | Thiophanate-Methyl mg/kg             | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.05                             |
| 57    | Trichlorfon mg/kg                    | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.05                             |
| 58    | Triaccontanol mg/kg                  | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.01                             |
| 59    | Triadimefon mg/kg                    | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.01                             |
| 60    | Aflatoxin B1 mcg/kg                  | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051 | Max. 10                               |
| 61    | Total Aflatoxin (B1+B2+G1+G2) mcg/kg | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051 | Max. 20                               |
| 62    | Lead (as Pb) mg/kg                   | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054 | Max. 2.5                              |
| 63    | Copper (as Cu) mg/kg                 | 2.38               | GL/SOP/I-055 | Max. 30                               |
| 64    | Arsenic (as As ) mg/kg               | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054 | Max. 1.1                              |
| 65    | Tin (as Sn) mg/kg                    | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-056 | Max. 250                              |
| 66    | Cadmium (as Cd) mg/kg                | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054 | Max. 1.5                              |
| 67    | Mercury (as Hg) mg/kg                | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054 | Max. 1.0                              |
| 68    | Methyl Mercury (as Hg) mg/kg         | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-054 | Max. 0.25                             |
| 69    | Melamine, mg/kg                      | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-048 | Max. 2.5                              |
| 70    | Difenoconazole mg/kg                 | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.02                             |
| 71    | Dimethoate mg/kg                     | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.05                             |
| 72    | Dinotefuran mg/kg                    | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.1                              |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only



For NABL Scope

**Rupesh Desai**  
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

**Hemal Darji-Trupti Thakor**

Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                                                                                                                                                                                                                                 |                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To:</b> <b>Shree Ranchhodray Masala Mill (Spyran)</b><br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br><b>Phone No : 9825011195</b><br><b>Email : spyranfactory@yahoo.in</b> | <b>Test Report No</b> : GTL/01260825003/NS<br><b>Date of Receipt</b> : 14/08/2026<br><b>Date of Issue</b> : 25/08/2026<br><b>Customer's Ref. No</b> : N.M |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                           |                                        |
|---------------------------------------------------------------------------|----------------------------------------|
| <b>Sample Described as</b> : <b>Compounded Asafoetida Powder ( Hing )</b> |                                        |
| <b>Sample Qty</b> : 200 gm                                                |                                        |
| <b>Packing Mode</b> : Sample Packed in Plastic Container                  | <b>Mfg. Date</b> : 08-2026             |
| <b>Sample Condition</b> : Satisfactory                                    | <b>Exp. Date</b> : 01-2029             |
| <b>Marking</b> : Brand : Spyran                                           | <b>B.No</b> : U2/08                    |
| <b>Sample Drawn By</b> : Customer                                         |                                        |
| <b>Date of Starting of Test</b> : 14/08/2026                              | <b>Date of Completion</b> : 25/08/2026 |

| Sr No                                 | Quality Characteristics | Result | Test Method      | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|-------------------------|--------|------------------|---------------------------------------|
| <b>Chemical</b>                       |                         |        |                  |                                       |
| <b>Food And Agricultural Products</b> |                         |        |                  |                                       |
| 1                                     | Test for coal tar dyes  | Absent | IS : 7807 : 1975 | Absent                                |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only

**Rupesh Desai**

**Reviewed By**



For Verification

**FOR, GUJARAT TESTLAB PVT. LTD**

**Hemal Darji**

**Autho. Signatory**

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126300002142F

|                   |                                                                                                                                                                                      |                    |                   |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------|
| Report Issued To: | Shree Ranchhodray Masala Mill<br>(Spyran)<br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br>Phone No : 9825011195<br>Email : spyranfactory@yahoo.in | Test Report No     | : GTL/01260825004 |
|                   |                                                                                                                                                                                      | Date of Receipt    | : 14/08/2026      |
|                   |                                                                                                                                                                                      | Date of Issue      | : 25/08/2026      |
|                   |                                                                                                                                                                                      | Customer's Ref. No | : N.M             |

|                          |                                 |                    |              |
|--------------------------|---------------------------------|--------------------|--------------|
| Sample Described as      | : Refined Iodised Salt          | Mfg. Date          | : June-2026  |
| Sample Qty               | : 500 gm                        | Exp. Date          | : May-2028   |
| Packing Mode             | : Sample Packed in Plastic Bags | B.No               | : S-0626     |
| Sample Condition         | : Satisfactory                  |                    |              |
| Marking                  | : Brand : Spyran                |                    |              |
| Sample Drawn By          | : Customer                      |                    |              |
| Date of Starting of Test | : 14/08/2026                    | Date of Completion | : 25/08/2026 |

| Sr No                                                         | Quality Characteristics                                  | Result             | Test Method               | F.S.S.R-2011 / Customer Specification |
|---------------------------------------------------------------|----------------------------------------------------------|--------------------|---------------------------|---------------------------------------|
| <b>Chemical</b>                                               |                                                          |                    |                           |                                       |
| <b>Food And Agricultural Products</b>                         |                                                          |                    |                           |                                       |
| 1                                                             | Moisture %                                               | 0.33               | Annex A of IS : 7224      | Max.0.5                               |
| 2                                                             | Water Insoluble Matter (On dry Basis) %                  | 0.21               | Annex C of IS : 7224      | Max.1.0                               |
| 3                                                             | Chloride Content (as NaCl) on dry Basis %                | 99.38              | Annex D of IS : 7224      | Min.98.5                              |
| 4                                                             | Matter soluble in water other than NaCl (On dry Basis) % | 0.41               | Annex E of IS : 7224      | Max.1.0                               |
| 5                                                             | Iodine Content, mg/kg                                    | 21.74              | Annex H of IS : 7224      | 15-30                                 |
| <b>Residues and Contaminants in Food &amp; Agri. Products</b> |                                                          |                    |                           |                                       |
| 6                                                             | Melamine, mg/kg                                          | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-048              | Max. 2.5 mg/kg                        |
| 7                                                             | Lead (as Pb) mg/kg                                       | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054              | Max. 2.0                              |
| 8                                                             | Copper (as Cu) mg/kg                                     | B.L.Q. (Q.L.=1.0)  | GL/SOP/I-055              | Max. 30 mg/kg                         |
| 9                                                             | Arsenic (as As ) mg/kg                                   | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054              | Max. 1.1 mg/kg                        |
| 10                                                            | Tin (as Sn) mg/kg                                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-056              | Max. 250 mg/kg                        |
| 11                                                            | Cadmium (as Cd) mg/kg                                    | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054              | Max. 1.5 mg/kg                        |
| 12                                                            | Mercury (as Hg) mg/kg                                    | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054              | Max. 1.0 mg/kg                        |
| 13                                                            | Methyl Mercury (as Hg) mg/kg                             | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-054              | Max. 0.25 mg/kg                       |
| <b>Biological</b>                                             |                                                          |                    |                           |                                       |
| <b>Industrial and Fine Chemicals</b>                          |                                                          |                    |                           |                                       |
| 1                                                             | Salmonella/25 gm                                         | Absent             | IS:5887(P-3/Sec-1) : 2020 | Absent                                |

Test Report No : GTL/01260825004

Doc. No : GTL/D/7.5/02

Page 2 of 2

| Sr No | Quality Characteristics | Result | Test Method | F.S.S.R-2011 / Customer Specification |
|-------|-------------------------|--------|-------------|---------------------------------------|
|-------|-------------------------|--------|-------------|---------------------------------------|

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only



For NABL Scope

Rupesh Desai

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji-Trupti Thakor

Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                          |                                                                                                                                                                                                        |                           |                             |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------------|
| <b>Report Issued To:</b> | <b>Shree Ranchhodray Masala Mill (Spyran)</b><br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br><b>Phone No : 9825011195</b><br><b>Email : spyranfactory@yahoo.in</b> | <b>Test Report No</b>     | <b>: GTL/01260825004/NS</b> |
|                          |                                                                                                                                                                                                        | <b>Date of Receipt</b>    | <b>: 14/08/2026</b>         |
|                          |                                                                                                                                                                                                        | <b>Date of Issue</b>      | <b>: 25/08/2026</b>         |
|                          |                                                                                                                                                                                                        | <b>Customer's Ref. No</b> | <b>: N.M</b>                |

|                                 |                                        |                           |                     |
|---------------------------------|----------------------------------------|---------------------------|---------------------|
| <b>Sample Described as</b>      | <b>: Refined Iodised Salt</b>          | <b>Mfg. Date</b>          | <b>: June-2026</b>  |
| <b>Sample Qty</b>               | <b>: 500 gm</b>                        | <b>Exp. Date</b>          | <b>: May-2028</b>   |
| <b>Packing Mode</b>             | <b>: Sample Packed in Plastic Bags</b> | <b>B.No</b>               | <b>: S-0626</b>     |
| <b>Sample Condition</b>         | <b>: Satisfactory</b>                  |                           |                     |
| <b>Marking</b>                  | <b>: Brand : Spyran</b>                |                           |                     |
| <b>Sample Drawn By</b>          | <b>: Customer</b>                      |                           |                     |
| <b>Date of Starting of Test</b> | <b>: 14/08/2026</b>                    | <b>Date of Completion</b> | <b>: 25/08/2026</b> |

| Sr No                                                         | Quality Characteristics | Result            | Test Method  | F.S.S.R-2011 / Customer Specification |
|---------------------------------------------------------------|-------------------------|-------------------|--------------|---------------------------------------|
| <b>Chemical</b>                                               |                         |                   |              |                                       |
| <b>Residues and Contaminants in Food &amp; Agri. Products</b> |                         |                   |              |                                       |
| 1                                                             | Aflatoxin B1 mcg/kg     | B.L.Q. (Q.L.=0.5) | GL/SOP/I-051 | Max. 30 mcg/kg                        |
| 2                                                             | Aflatoxin B2 mcg/kg     | B.L.Q. (Q.L.=0.5) | GL/SOP/I-051 | Max. 30 mcg/kg                        |
| 3                                                             | Aflatoxin G1 mcg/kg     | B.L.Q. (Q.L.=0.5) | GL/SOP/I-051 | Max. 30 mcg/kg                        |
| 4                                                             | Aflatoxin G2 mcg/kg     | B.L.Q. (Q.L.=0.5) | GL/SOP/I-051 | Max. 30 mcg/kg                        |
| 5                                                             | Agaric Acid mg/kg       | B.L.Q.(Q.L.=10.0) | GL/SOP/I-115 | Max. 100 mg/kg                        |
| 6                                                             | Hydrocyanic Acid mg/kg  | B.L.Q.(Q.L.=2.0)  | GL/SOP/I-126 | Max. 5.0 mg/kg                        |
| 7                                                             | Hypericine mg/kg        | B.L.Q. (Q.L.=0.5) | GL/SOP/I-116 | Max. 1.0 mg/kg                        |
| 8                                                             | Saffrole mg/kg          | B.L.Q.(Q.L.=1.0)  | GL/SOP/I-117 | Max. 10 mg/kg                         |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only

**Rupesh Desai**  
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

**Hemal Darji**  
Autho. Signatory

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 3

ULR-TC596126300002143F

|                   |                                                                                                                                                                                      |                    |                   |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------|
| Report Issued To: | Shree Ranchhodray Masala Mill<br>(Spyran)<br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br>Phone No : 9825011195<br>Email : spyranfactory@yahoo.in | Test Report No     | : GTL/01260825005 |
|                   |                                                                                                                                                                                      | Date of Receipt    | : 14/08/2026      |
|                   |                                                                                                                                                                                      | Date of Issue      | : 25/08/2026      |
|                   |                                                                                                                                                                                      | Customer's Ref. No | : N.M             |

|                          |                                 |                    |              |
|--------------------------|---------------------------------|--------------------|--------------|
| Sample Described as      | : Garam Masala                  | Mfg. Date          | : 08-2026    |
| Sample Qty               | : 500 gm                        | Exp. Date          | : 10-2027    |
| Packing Mode             | : Sample Packed in Plastic Bags | B.No               | : U2/08      |
| Sample Condition         | : Satisfactory                  |                    |              |
| Marking                  | : Brand : Spyran                |                    |              |
| Sample Drawn By          | : Customer                      |                    |              |
| Date of Starting of Test | : 14/08/2026                    | Date of Completion | : 25/08/2026 |

| Sr No                                                         | Quality Characteristics                    | Result             | Test Method                         | F.S.S.R-2011 / Customer Specification |
|---------------------------------------------------------------|--------------------------------------------|--------------------|-------------------------------------|---------------------------------------|
| <b>Chemical</b>                                               |                                            |                    |                                     |                                       |
| <b>Food And Agricultural Products</b>                         |                                            |                    |                                     |                                       |
| 1                                                             | Moisture %                                 | 5.85               | IS:1797:2017                        | Max.12.0                              |
| 2                                                             | Ash insoluble in dilute HCl on dry basis % | 0.51               | IS:1797:2017                        | Max. 2.0                              |
| 3                                                             | Added Colouring Matter                     | Absent             | FSSAI Manual of Food Additives 2016 | Absent                                |
| <b>Residues and Contaminants in Food &amp; Agri. Products</b> |                                            |                    |                                     |                                       |
| 4                                                             | Total Aflatoxin (B1+B2+G1+G2) mcg/kg       | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                        | Max.30.0                              |
| 5                                                             | Aflatoxin B1 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                        | Max. 15.0                             |
| 6                                                             | Aflatoxin B2 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                        | Max. 15.0                             |
| 7                                                             | Aflatoxin G1 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                        | Max. 15.0                             |
| 8                                                             | Aflatoxin G2 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                        | Max. 15.0                             |
| 9                                                             | Lead (as Pb) mg/kg                         | 0.37               | GL/SOP/I-054                        | Max. 2.5                              |
| 10                                                            | Copper (as Cu) mg/kg                       | 15.77              | GL/SOP/I-055                        | Max.30                                |
| 11                                                            | Arsenic (as As ) mg/kg                     | 0.076              | GL/SOP/I-054                        | Max. 1.1                              |
| 12                                                            | Tin (as Sn) mg/kg                          | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-056                        | Max.250                               |
| 13                                                            | Cadmium (as Cd) mg/kg                      | 0.092              | GL/SOP/I-054                        | Max. 1.5                              |
| 14                                                            | Mercury (as Hg) mg/kg                      | 0.023              | GL/SOP/I-054                        | Max.1.0                               |
| 15                                                            | Methyl Mercury (as Hg) mg/kg               | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-054                        | Max.0.25                              |
| 16                                                            | Carbaryl mg/kg                             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020                        | Max. 0.01                             |
| 17                                                            | Dicofol (Sum of p,p and o,p isomers) mg/kg | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020                        | Max. 0.01                             |
| 18                                                            | Dimethoate mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020                        | Max. 0.01                             |

Test Report No : GTL/01260825005

Doc. No : GTL/D/7.5/02

Page 2 of 3

| Sr No | Quality Characteristics   | Result             | Test Method  | F.S.S.R-2011 / Customer Specification |
|-------|---------------------------|--------------------|--------------|---------------------------------------|
| 19    | Metalaxyl mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 20    | Monocrotophos mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 21    | Triazophos mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 22    | Acetamiprid mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 23    | Azoxystrobin mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 24    | Buprofezin mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 25    | Carbosulfan mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 26    | Chlorantraniliprole mg/kg | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 27    | Chlorfenapyr mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 28    | Deltamethrin, mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 29    | Daifenthiuron mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 30    | Difenoconazole mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 31    | Dithiocarbamates, mg/kg   | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 32    | Metiram as CS2 mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 33    | Fenazaquin mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 34    | Fenpyroximate mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 35    | Fipronil mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 36    | Flubendiamide mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 37    | Flusilazole mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 38    | Hexythiazox mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 39    | Hexaconazole mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 40    | Imidacloprid mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 41    | Indoxacarb mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 42    | Kresoxim Methyl mg/kg     | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 43    | Lambda-Cyhalothrin mg/kg  | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 44    | Lufenuron mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 45    | Methomyl mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 46    | Myclobutanil mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 47    | Novaluron mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 48    | Oxydemeton-Methyl mg/kg   | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 49    | Pendimethalin mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 50    | Picoxystrobin mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 51    | Propargite mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 52    | Propineb mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 53    | Pyraclostrobin mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 54    | Pyriproxyfen mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 55    | Quinalphos, mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 56    | Spinosad mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |

Test Report No : GTL/01260825005

| Sr No | Quality Characteristics      | Result             | Test Method  | F.S.S.R-2011 / Customer Specification |
|-------|------------------------------|--------------------|--------------|---------------------------------------|
| 57    | Spiromesifen mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 58    | Tebuconazole mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 59    | Thiacloprid mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 60    | Thiodicarb mg/kg             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 61    | Thiamethoxam mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 62    | Triadimefon mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 63    | Trifloxystrobin mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 64    | Trichlorfon mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 65    | Spinetoram mg/kg             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 66    | Spirotetramate mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 67    | Abamectin mg/kg              | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 68    | 1- Naphthylacetic acid mg/kg | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 69    | Melamine, mg/kg              | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-048 | Max. 2.5                              |

### Biological

#### Food And Agricultural Products

|   |                            |           |                           |                   |
|---|----------------------------|-----------|---------------------------|-------------------|
| 1 | Total Plate Count cfu/ gm  | 13000 cfu | IS:5402 (P-1): 2021       | Max. 10000000 cfu |
| 2 | Yeast & Mould Count cfu/gm | <10 cfu   | IS: 5403:1999             | Max. 100000 cfu   |
| 3 | Salmonella/25 gm           | Absent    | IS:5887(P-3/Sec-1) : 2020 | Absent            |
| 4 | S.aureus cfu/gm            | <10 cfu   | IS:5887(P-8/Sec-1) : 2023 | Max. 1000 cfu     |
| 5 | Enterobacteriaceae cfu/gm  | <10 cfu   | ISO:21528-2:2017          | Max. 1000 cfu     |
| 6 | Bacillus cereus/gm         | <10 cfu   | IS:5887 (P-6) : 2012      | Max. 1000 cfu     |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only



For NABL Scope

Rupesh Desai

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT, LTD

Hemal Darji-Trupti Thakor

Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126300002144F

Page 1 of 3

|                                                                                                                                                                                                                                 |                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To:</b> <b>Shree Ranchhodray Masala Mill (Spyran)</b><br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br><b>Phone No :</b> 9825011195<br><b>Email :</b> spyranfactory@yahoo.in | <b>Test Report No</b> : GTL/01260825006<br><b>Date of Receipt</b> : 14/08/2026<br><b>Date of Issue</b> : 25/08/2026<br><b>Customer's Ref. No</b> : N.M |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                 |                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Sample Described as</b> : Coriander Powder<br><b>Sample Qty</b> : 500 gm<br><b>Packing Mode</b> : Sample Packed in Plastic Bags<br><b>Sample Condition</b> : Satisfactory<br><b>Marking</b> : Brand : Spyran | <b>Mfg. Date</b> : 07-2026<br><b>Exp. Date</b> : 02-2027<br><b>B.No</b> : U2/07 |
| <b>Sample Drawn By</b> : Customer<br><b>Date of Starting of Test</b> : 14/08/2026                                                                                                                               | <b>Date of Completion</b> : 25/08/2026                                          |

| Sr No                                                         | Quality Characteristics                    | Result            | Test Method                                              | F.S.S.R-2011 / Customer Specification |
|---------------------------------------------------------------|--------------------------------------------|-------------------|----------------------------------------------------------|---------------------------------------|
| <b>Chemical</b>                                               |                                            |                   |                                                          |                                       |
| <b>Food And Agricultural Products</b>                         |                                            |                   |                                                          |                                       |
| 1                                                             | Moisture %                                 | 6.12              | FSSAI Manual for Spices and Condiments Method No. 10.003 | Max. 9.0                              |
| 2                                                             | Total Ash on dry basis %                   | 6.42              | FSSAI Manual for Spices and Condiments Method No. 10.006 | Max. 7.0                              |
| 3                                                             | Ash insoluble in dilute HCl on dry basis % | 0.50              | FSSAI Manual for Spices and Condiments Method No. 10.007 | Max.1.5                               |
| 4                                                             | Volatile Oil content on dry basis %        | 0.18              | FSSAI Manual for Spices and Condiments Method No. 10.013 | Min. 0.09                             |
| 5                                                             | Rodent Contamination                       | Absent            | ASTAs Analytical Methods Manual, 4th Edition             | Absent                                |
| 6                                                             | Added Colouring Matter                     | Absent            | FSSAI Manual for Food Additives, Method No. 4.2          | Absent                                |
| <b>Residues and Contaminants in Food &amp; Agri. Products</b> |                                            |                   |                                                          |                                       |
| 7                                                             | Total Aflatoxin (B1+B2+G1+G2) mcg/kg       | B.L.Q. (Q.L.=0.5) | GL/SOP/I-051                                             | Max.30.0                              |
| 8                                                             | Aflatoxin B1 mcg/kg                        | B.L.Q. (Q.L.=0.5) | GL/SOP/I-051                                             | Max. 15.0                             |
| 9                                                             | Aflatoxin B2 mcg/kg                        | B.L.Q. (Q.L.=0.5) | GL/SOP/I-051                                             | Max. 15.0                             |
| 10                                                            | Aflatoxin G1 mcg/kg                        | B.L.Q. (Q.L.=0.5) | GL/SOP/I-051                                             | Max. 15.0                             |
| 11                                                            | Aflatoxin G2 mcg/kg                        | B.L.Q. (Q.L.=0.5) | GL/SOP/I-051                                             | Max. 15.0                             |
| 12                                                            | Lead (as Pb) mg/kg                         | 0.081             | GL/SOP/I-054                                             | Max. 2.5                              |
| 13                                                            | Copper (as Cu) mg/kg                       | 21.09             | GL/SOP/I-055                                             | Max.30                                |
| 14                                                            | Arsenic (as As ) mg/kg                     | 0.047             | GL/SOP/I-054                                             | Max. 1.1                              |

Test Report No : GTL/01260825006

Doc. No : GTL/D/7.5/02

Page 2 of 3

| Sr No | Quality Characteristics                    | Result             | Test Method  | F.S.S.R-2011 / Customer Specification |
|-------|--------------------------------------------|--------------------|--------------|---------------------------------------|
| 15    | Tin (as Sn) mg/kg                          | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-056 | Max.250                               |
| 16    | Cadmium (as Cd) mg/kg                      | 0.068              | GL/SOP/I-054 | Max. 1.5                              |
| 17    | Mercury (as Hg) mg/kg                      | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054 | Max.1.0                               |
| 18    | Methyl Mercury (as Hg) mg/kg               | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-054 | Max.0.25                              |
| 19    | Carbaryl mg/kg                             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 20    | Dicofol (Sum of p,p and o,p isomers) mg/kg | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 21    | Dimethoate mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 22    | Metalaxyl mg/kg                            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 23    | Monocrotophos mg/kg                        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 24    | Triazophos mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 25    | Acetamiprid mg/kg                          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 26    | Azoxystrobin mg/kg                         | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.01                             |
| 27    | Buprofezin mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 28    | Carbosulfan mg/kg                          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 29    | Chlorantraniliprole mg/kg                  | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 30    | Chlorfenapyr mg/kg                         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 31    | Deltamethrin, mg/kg                        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 32    | Daifenthuron mg/kg                         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 33    | Difenoconazole mg/kg                       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 34    | Dithiocarbamates, mg/kg                    | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 35    | Metiram as CS <sub>2</sub> mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 36    | Fenazaquin mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 37    | Fenpyroximate mg/kg                        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 38    | Fipronil mg/kg                             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 39    | Flubendiamide mg/kg                        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 40    | Flusilazole mg/kg                          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 41    | Hexythiazox mg/kg                          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 42    | Hexaconazole mg/kg                         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 43    | Imidacloprid mg/kg                         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 44    | Indoxacarb mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 45    | Kresoxim Methyl mg/kg                      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 46    | Lambda-Cyhalothrin mg/kg                   | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 47    | Lufenuron mg/kg                            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 48    | Methomyl mg/kg                             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 49    | Myclobutanil mg/kg                         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 50    | Novaluron mg/kg                            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 51    | Oxydemeton-Methyl mg/kg                    | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 52    | Pendimethalin mg/kg                        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 53    | Picoxystrobin mg/kg                        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 54    | Propargite mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 55    | Propineb mg/kg                             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |

Test Report No : GTL/01260825006

Doc. No : GTL/D/7.5/02

Page 3 of 3

| Sr No                                 | Quality Characteristics    | Result             | Test Method               | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|----------------------------|--------------------|---------------------------|---------------------------------------|
| 56                                    | Pyraclostrobin mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 57                                    | Pyriproxyfen mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 58                                    | Quinalphos, mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 59                                    | Spinosad mg/kg             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 60                                    | Spiromesifen mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 61                                    | Tebuconazole mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 62                                    | Thiacloprid mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 63                                    | Thiodicarb mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 64                                    | Thiamethoxam mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 65                                    | Triadimefon mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 66                                    | Trifloxystrobin mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 67                                    | Trichlorfon mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 68                                    | Spinetoram mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 69                                    | Spirotetramate mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 70                                    | Abamectin mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 71                                    | Chlorpyrifos mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 72                                    | Melamine, mg/kg            | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-048              | Max. 2.5                              |
| <b>Biological</b>                     |                            |                    |                           |                                       |
| <b>Food And Agricultural Products</b> |                            |                    |                           |                                       |
| 1                                     | Aerobic Plate Count cfu/gm | 18000 cfu          | IS:5402 (P-1): 2021       | Max. 10000000 cfu                     |
| 2                                     | Yeast & Mould Count cfu/gm | <10 cfu            | IS: 5403:1999             | Max. 10000 cfu                        |
| 3                                     | Salmonella/25 gm           | Absent             | IS:5887(P-3/Sec-1) : 2020 | Absent                                |
| 4                                     | S.aureus cfu/gm            | <10 cfu            | IS:5887(P-8/Sec-1) : 2023 | Max. 1000 cfu                         |
| 5                                     | Enterobacteriaceae cfu/gm  | <10 cfu            | ISO:21528-2:2017          | Max. 1000 cfu                         |
| 6                                     | Bacillus cereus/gm         | <10 cfu            | IS:5887 (P-6) : 2012      | Max. 1000 cfu                         |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only



For NABL Scope

Rupesh Desai

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji-Trupti Thakor

Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                                                                                                                                                                                                            |                                                                                                                               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Report Issued To: <b>Shree Ranchhodray Masala Mill (Spyran)</b><br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br>Phone No : 9825011195<br>Email : spyranfactory@yahoo.in | Test Report No : GTL/01260825006/NS<br>Date of Receipt : 14/08/2026<br>Date of Issue : 25/08/2026<br>Customer's Ref. No : N.M |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|

|                                               |                                 |
|-----------------------------------------------|---------------------------------|
| Sample Described as : <b>Coriander Powder</b> | Mfg. Date : 07-2026             |
| Sample Qty : 500 gm                           | Exp. Date : 02-2027             |
| Packing Mode : Sample Packed in Plastic Bags  | B.No : U2/07                    |
| Sample Condition : Satisfactory               |                                 |
| Marking : Brand : Spyran                      |                                 |
| Sample Drawn By : Customer                    |                                 |
| Date of Starting of Test : 14/08/2026         | Date of Completion : 25/08/2026 |

| Sr No                                 | Quality Characteristics | Result | Test Method  | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|-------------------------|--------|--------------|---------------------------------------|
| <b>Chemical</b>                       |                         |        |              |                                       |
| <b>Food And Agricultural Products</b> |                         |        |              |                                       |
| 1                                     | Free From Mould         | Absent | GL/SOP/C-266 | Absent                                |
| 2                                     | Living and Dead Insects | Absent | GL/SOP/C-266 | Absent                                |
| 3                                     | Insect Fragments        | Absent | GL/SOP/C-266 | Absent                                |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only

  
Rupesh Desai  
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

  
Hemal Darji  
Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126300002145F

Page 1 of 3

|                                                                                                                                                                                                                                    |                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To:</b><br><b>Shree Ranchhodray Masala Mill (Spyran)</b><br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br><b>Phone No : 9825011195</b><br><b>Email : spyranfactory@yahoo.in</b> | <b>Test Report No</b> : GTL/01260825007<br><b>Date of Receipt</b> : 14/08/2026<br><b>Date of Issue</b> : 25/08/2026<br><b>Customer's Ref. No</b> : N.M |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                          |                                                                                                                                                                                                      |                                                                                      |                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>Sample Described as</b><br><b>Sample Qty</b><br><b>Packing Mode</b><br><br><b>Sample Condition</b><br><b>Marking</b><br><br><b>Sample Drawn By</b><br><b>Date of Starting of Test</b> | <b>: Coriander Cumin Powder</b><br><b>: 500 gm</b><br><b>: Sample Packed in Plastic Bags</b><br><br><b>: Satisfactory</b><br><b>: Brand : Spyran</b><br><br><b>: Customer</b><br><b>: 14/08/2026</b> | <b>Mfg. Date</b><br><b>Exp. Date</b><br><b>B.No</b><br><br><b>Date of Completion</b> | <b>: 08-2026</b><br><b>: 03-2027</b><br><b>: U2/08</b><br><br><b>: 25/08/2026</b> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|

| Sr No                                                         | Quality Characteristics                    | Result             | Test Method                                              | F.S.S.R-2011 / Customer Specification |
|---------------------------------------------------------------|--------------------------------------------|--------------------|----------------------------------------------------------|---------------------------------------|
| <b>Chemical</b>                                               |                                            |                    |                                                          |                                       |
| <b>Food And Agricultural Products</b>                         |                                            |                    |                                                          |                                       |
| 1                                                             | Moisture %                                 | 6.08               | FSSAI Manual for Spices and Condiments Method No. 10.003 | Max.12.0                              |
| 2                                                             | Ash insoluble in dilute HCl on dry basis % | 0.53               | FSSAI Manual for Spices and Condiments Method No. 10.007 | Max.2.0                               |
| 3                                                             | Added Colouring Matter                     | Absent             | FSSAI Manual of Food Additives 2016                      | Absent                                |
| <b>Residues and Contaminants in Food &amp; Agri. Products</b> |                                            |                    |                                                          |                                       |
| 4                                                             | Total Aflatoxin (B1+B2+G1+G2) mcg/kg       | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                                             | Max.30.0                              |
| 5                                                             | Aflatoxin B1 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                                             | Max. 15.0                             |
| 6                                                             | Aflatoxin B2 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                                             | Max. 15.0                             |
| 7                                                             | Aflatoxin G1 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                                             | Max. 15.0                             |
| 8                                                             | Aflatoxin G2 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                                             | Max. 15.0                             |
| 9                                                             | Lead (as Pb) mg/kg                         | 0.066              | GL/SOP/I-054                                             | Max. 2.5                              |
| 10                                                            | Copper (as Cu) mg/kg                       | 21.21              | GL/SOP/I-055                                             | Max.30                                |
| 11                                                            | Arsenic (as As ) mg/kg                     | 0.061              | GL/SOP/I-054                                             | Max. 1.1                              |
| 12                                                            | Tin (as Sn) mg/kg                          | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-056                                             | Max.250                               |
| 13                                                            | Cadmium (as Cd) mg/kg                      | 0.097              | GL/SOP/I-054                                             | Max. 1.5                              |
| 14                                                            | Mercury (as Hg) mg/kg                      | 0.025              | GL/SOP/I-054                                             | Max.1.0                               |
| 15                                                            | Methyl Mercury (as Hg) mg/kg               | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-054                                             | Max.0.25                              |
| 16                                                            | Carbaryl mg/kg                             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020                                             | Max. 0.01                             |
| 17                                                            | Dicofol (Sum of p,p and o,p isomers) mg/kg | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020                                             | Max. 0.01                             |
| 18                                                            | Dimethoate mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020                                             | Max. 0.01                             |
| 19                                                            | Metalaxyl mg/kg                            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020                                             | Max. 0.01                             |

Test Report No : GTL/01260825007

Doc. No : GTL/D/7.5/02

Page 2 of 3

| Sr No | Quality Characteristics   | Result             | Test Method  | F.S.S.R-2011 / Customer Specification |
|-------|---------------------------|--------------------|--------------|---------------------------------------|
| 20    | Monocrotophos mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 21    | Triazophos mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 22    | Acetamiprid mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 23    | Azoxystrobin mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 24    | Buprofezin mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 25    | Carbosulfan mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 26    | Chlorantraniliprole mg/kg | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 27    | Chlorfenapyr mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 28    | Deltamethrin, mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 29    | Daifenthion mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 30    | Difenoconazole mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 31    | Dithiocarbamates, mg/kg   | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 32    | Metiram as CS2 mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 33    | Fenazaquin mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 34    | Fenpyroximate mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 35    | Fipronil mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 36    | Flubendiamide mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 37    | Flusilazole mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 38    | Hexythiazox mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 39    | Hexaconazole mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 40    | Imidacloprid mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 41    | Indoxacarb mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 42    | Kresoxim Methyl mg/kg     | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 43    | Lambda-Cyhalothrin mg/kg  | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 44    | Lufenuron mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 45    | Methomyl mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 46    | Myclobutanil mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 47    | Novaluron mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 48    | Oxydemeton-Methyl mg/kg   | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 49    | Pendimethalin mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 50    | Picoxystrobin mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 51    | Propargite mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 52    | Propineb mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 53    | Pyraclostrobin mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 54    | Pyriproxyfen mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 55    | Quinalphos, mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 56    | Spinosad mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 57    | Spiromesifen mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 58    | Tebuconazole mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 59    | Thiacloprid mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 60    | Thiodicarb mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |

Test Report No : GTL/01260825007

Doc. No : GTL/D/7.5/02

Page 3 of 3

| Sr No                                 | Quality Characteristics      | Result             | Test Method               | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|------------------------------|--------------------|---------------------------|---------------------------------------|
| 61                                    | Thiamethoxam mg/kg           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 62                                    | Triadimefon mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 63                                    | Trifloxystrobin mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 64                                    | Trichlorfon mg/kg            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 65                                    | Spinetoram mg/kg             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 66                                    | Spirotetramate mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 67                                    | Abamectin mg/kg              | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 68                                    | 1- Naphthylacetic acid mg/kg | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020              | Max. 0.01                             |
| 69                                    | Melamine, mg/kg              | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-048              | Max. 2.5                              |
| <b>Biological</b>                     |                              |                    |                           |                                       |
| <b>Food And Agricultural Products</b> |                              |                    |                           |                                       |
| 1                                     | Total Plate Count cfu/ gm    | 16000 cfu          | IS:5402 (P-1): 2021       | Max. 10000000 cfu                     |
| 2                                     | Yeast & Mould Count cfu/gm   | <10 cfu            | IS: 5403:1999             | Max. 100000 cfu                       |
| 3                                     | Salmonella/25 gm             | Absent             | IS:5887(P-3/Sec-1) : 2020 | Absent                                |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only



For NABL Scope

**Rupesh Desai**  
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

**Hemal Darji-Trupti Thakor**  
Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 4

ULR-TC596126300002146F

|                                                                                                                                                                                                                                    |                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To:</b><br><b>Shree Ranchhodray Masala Mill (Spyran)</b><br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br><b>Phone No : 9825011195</b><br><b>Email : spyranfactory@yahoo.in</b> | <b>Test Report No</b> : GTL/01260825008<br><b>Date of Receipt</b> : 14/08/2026<br><b>Date of Issue</b> : 25/08/2026<br><b>Customer's Ref. No</b> : N.M |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                              |                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Sample Described as</b> : Chilli Powder<br><b>Sample Qty</b> : 200 gm<br><b>Packing Mode</b> : Sample Packed in Plastic Bags<br><b>Sample Condition</b> : Satisfactory<br><b>Marking</b> : Brand : Spyran | <b>Mfg. Date</b> : 07-2026<br><b>Exp. Date</b> : 06-2027<br><b>B.No</b> : U1/07 |
| <b>Sample Drawn By</b> : Customer<br><b>Date of Starting of Test</b> : 14/08/2026                                                                                                                            | <b>Date of Completion</b> : 25/08/2026                                          |

| Sr No                                                         | Quality Characteristics                    | Result            | Test Method                                              | F.S.S.R-2011 / Customer Specification |
|---------------------------------------------------------------|--------------------------------------------|-------------------|----------------------------------------------------------|---------------------------------------|
| <b>Chemical</b>                                               |                                            |                   |                                                          |                                       |
| <b>Food And Agricultural Products</b>                         |                                            |                   |                                                          |                                       |
| 1                                                             | Moisture %                                 | 6.23              | FSSAI Manual for Spices and Condiments Method No. 10.003 | Max.11.0                              |
| 2                                                             | Total Ash on dry basis %                   | 6.18              | FSSAI Manual for Spices and Condiments Method No. 10.006 | Max.8.0                               |
| 3                                                             | Ash insoluble in dilute HCl on dry basis % | 0.48              | FSSAI Manual for Spices and Condiments Method No. 10.007 | Max.1.3                               |
| 4                                                             | Crude Fibre on dry basis %                 | 20.53             | Cl. 13 of IS:1797                                        | Max.30.0                              |
| 5                                                             | Non-Volatile ether extract on dry basis %  | 17.09             | FSSAI Manual for Spices and Condiments Method No. 10.012 | Min.12.0                              |
| 6                                                             | Added Colouring Matter                     | Absent            | FSSAI Manual of Food Additives 2016                      | Absent                                |
| 7                                                             | Foreign Starch                             | Absent            | FSSAI Manual for Spices and Condiments Method No. 10.039 | Absent                                |
| 8                                                             | Rodent Contamination                       | Absent            | ASTAs Analytical Methods Manual, 4th Edition             | Absent                                |
| 9                                                             | Extraneous Colouring Matter                | Absent            | ASTAs Analytical Methods Manual, 4th Edition             | Absent                                |
| 10                                                            | Extraneous matter                          | Absent            | FSSAI Manual for Spices & Condiments Method No. 10.002   | Absent                                |
| <b>Residues and Contaminants in Food &amp; Agri. Products</b> |                                            |                   |                                                          |                                       |
| 11                                                            | Total Aflatoxin (B1+B2+G1+G2) mcg/kg       | B.L.Q. (Q.L.=0.5) | GL/SOP/I-051                                             | Max.30.0                              |

Test Report No : GTL/01260825008

Doc. No : GTL/D/7.5/02

Page 2 of 4

| Sr No | Quality Characteristics                    | Result             | Test Method  | F.S.S.R-2011 / Customer Specification |
|-------|--------------------------------------------|--------------------|--------------|---------------------------------------|
| 12    | Aflatoxin B1 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051 | Max. 15.0                             |
| 13    | Aflatoxin B2 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051 | Max. 15.0                             |
| 14    | Aflatoxin G1 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051 | Max. 15.0                             |
| 15    | Aflatoxin G2 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051 | Max. 15.0                             |
| 16    | Lead (as Pb) mg/kg                         | 0.055              | GL/SOP/I-054 | Max. 2.5                              |
| 17    | Copper (as Cu) mg/kg                       | 9.19               | GL/SOP/I-055 | Max.30                                |
| 18    | Arsenic (as As ) mg/kg                     | 0.037              | GL/SOP/I-054 | Max. 1.1                              |
| 19    | Tin (as Sn) mg/kg                          | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-056 | Max.250                               |
| 20    | Cadmium (as Cd) mg/kg                      | 0.11               | GL/SOP/I-054 | Max. 1.5                              |
| 21    | Mercury (as Hg) mg/kg                      | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054 | Max.1.0                               |
| 22    | Methyl Mercury (as Hg) mg/kg               | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-054 | Max.0.25                              |
| 23    | Carbaryl mg/kg                             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 50                               |
| 24    | Dicofol (Sum of p,p and o,p isomers) mg/kg | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 10                               |
| 25    | Dimethoate mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max.5.0                               |
| 26    | Metalaxyl-M mg/kg                          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.2                              |
| 27    | Monocrotophos mg/kg                        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 2.0                              |
| 28    | Triazophos mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 2.0                              |
| 29    | Acetamiprid mg/kg                          | 0.045              | GL/SOP/I-020 | Max. 2.0                              |
| 30    | Azoxystrobin mg/kg                         | 0.013              | GL/SOP/I-020 | Max. 1.0                              |
| 31    | Buprofezin mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 2.0                              |
| 32    | Carbosulfan mg/kg                          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 2.0                              |
| 33    | Chlorantraniliprole mg/kg                  | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.6                              |
| 34    | Chlorfenapyr mg/kg                         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 35    | Deltamethrin, mg/kg                        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 36    | Daifenthuron mg/kg                         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.5                              |
| 37    | Difenoconazole mg/kg                       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 38    | Dithiocarbamates, mg/kg                    | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 1.0                              |
| 39    | Metiram as CS2 mg/kg                       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 40    | Fenazaquin mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.5                              |
| 41    | Fenpyroximate mg/kg                        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 10                               |
| 42    | Fipronil mg/kg                             | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.01                             |
| 43    | Flubendiamide mg/kg                        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.02                             |
| 44    | Flusilazole mg/kg                          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max.0.01                              |
| 45    | Hexythiazox mg/kg                          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 46    | Hexaconazole mg/kg                         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.5                              |
| 47    | Imidacloprid mg/kg                         | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.3                              |
| 48    | Indoxacarb mg/kg                           | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 49    | Kresoxim Methyl mg/kg                      | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020 | Max. 0.15                             |
| 50    | Lambda-Cyhalothrin mg/kg                   | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 51    | Lufenuron mg/kg                            | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 52    | Methomyl mg/kg                             | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |

Test Report No : GTL/01260825008

Doc. No : GTL/D/7.5/02

Page 3 of 4

| Sr No | Quality Characteristics | Result             | Test Method  | F.S.S.R-2011 / Customer Specification |
|-------|-------------------------|--------------------|--------------|---------------------------------------|
| 53    | Myclobutanil mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.2                              |
| 54    | Novaluron mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 55    | Oxydemeton-Methyl mg/kg | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 2.0                              |
| 56    | Pendimethalin mg/kg     | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 57    | Picoxystrobin mg/kg     | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 58    | Propargite mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 2.0                              |
| 59    | Propineb mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 2.0                              |
| 60    | Pyraclostrobin mg/kg    | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 61    | Pyriproxyfen mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.02                             |
| 62    | Quinalphos, mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.2                              |
| 63    | Spinosad mg/kg          | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 64    | Spiromesifen mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.1                              |
| 65    | Tebuconazole mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.4                              |
| 66    | Thiacloprid mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.02                             |
| 67    | Thiodicarb mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 68    | Thiamethoxam mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.5                              |
| 69    | Triadimefon mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 4.0                              |
| 70    | Trifloxystrobin mg/kg   | 0.049              | GL/SOP/I-020 | Max. 0.4                              |
| 71    | Trichlorfon mg/kg       | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 72    | Spinetoram mg/kg        | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 73    | Spirotetramat mg/kg     | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 2.0                              |
| 74    | Abamectin mg/kg         | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.05                             |
| 75    | Chlorpyrifos mg/kg      | B.L.Q. (Q.L.=0.01) | GL/SOP/I-020 | Max. 0.01                             |
| 76    | Melamine, mg/kg         | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-048 | Max. 2.5                              |

### Biological

#### Food And Agricultural Products

|   |                            |           |                           |                   |
|---|----------------------------|-----------|---------------------------|-------------------|
| 1 | Aerobic Plate Count cfu/gm | 20000 cfu | IS:5402 (P-1): 2021       | Max. 10000000 cfu |
| 2 | Yeast & Mould Count cfu/gm | <10 cfu   | IS: 5403:1999             | Max. 10000 cfu    |
| 3 | Salmonella/25 gm           | Absent    | IS:5887(P-3/Sec-1) : 2020 | Absent            |
| 4 | S.aureus cfu/gm            | <10 cfu   | IS:5887(P-8/Sec-1) : 2023 | Max. 1000 cfu     |
| 5 | Enterobacteriaceae cfu/gm  | <10 cfu   | ISO:21528-2:2017          | Max. 1000 cfu     |
| 6 | Bacillus cereus/gm         | <10 cfu   | IS:5887 (P-6) : 2012      | Max. 1000 cfu     |

Test Report No : GTL/01260825008

Doc. No : GTL/D/7.5/02

Page 4 of 4

| Sr No | Quality Characteristics | Result | Test Method | F.S.S.R-2011 / Customer Specification |
|-------|-------------------------|--------|-------------|---------------------------------------|
|-------|-------------------------|--------|-------------|---------------------------------------|

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only



For NABL Scope

  
**Rupesh Desai**  
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

  
**Hemal Darji-Trupti Thakor**  
Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                          |                                                                                                                                                                                                        |                           |                             |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------------|
| <b>Report Issued To:</b> | <b>Shree Ranchhodray Masala Mill (Spyran)</b><br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br><b>Phone No : 9825011195</b><br><b>Email : spyranfactory@yahoo.in</b> | <b>Test Report No</b>     | <b>: GTL/01260825008/NS</b> |
|                          |                                                                                                                                                                                                        | <b>Date of Receipt</b>    | <b>: 14/08/2026</b>         |
|                          |                                                                                                                                                                                                        | <b>Date of Issue</b>      | <b>: 25/08/2026</b>         |
|                          |                                                                                                                                                                                                        | <b>Customer's Ref. No</b> | <b>: N.M</b>                |

|                                 |                                        |                           |                     |
|---------------------------------|----------------------------------------|---------------------------|---------------------|
| <b>Sample Described as</b>      | <b>: Chilli Powder</b>                 | <b>Mfg. Date</b>          | <b>: 07-2026</b>    |
| <b>Sample Qty</b>               | <b>: 200 gm</b>                        | <b>Exp. Date</b>          | <b>: 06-2027</b>    |
| <b>Packing Mode</b>             | <b>: Sample Packed in Plastic Bags</b> | <b>B.No</b>               | <b>: U1/07</b>      |
| <b>Sample Condition</b>         | <b>: Satisfactory</b>                  |                           |                     |
| <b>Marking</b>                  | <b>: Brand : Spyran</b>                |                           |                     |
| <b>Sample Drawn By</b>          | <b>: Customer</b>                      |                           |                     |
| <b>Date of Starting of Test</b> | <b>: 14/08/2026</b>                    | <b>Date of Completion</b> | <b>: 25/08/2026</b> |

| Sr No                                 | Quality Characteristics | Result | Test Method  | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|-------------------------|--------|--------------|---------------------------------------|
| <b>Chemical</b>                       |                         |        |              |                                       |
| <b>Food And Agricultural Products</b> |                         |        |              |                                       |
| 1                                     | Free From Mould         | Absent | GL/SOP/C-266 | Absent                                |
| 2                                     | Living and Dead Insects | Absent | GL/SOP/C-266 | Absent                                |
| 3                                     | Insect Fragments        | Absent | GL/SOP/C-266 | Absent                                |
| 4                                     | Free From Dirt          | Absent | GL/SOP/C-266 | Absent                                |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only

**Rupesh Desai**

**Reviewed By**



For Verification

**FOR, GUJARAT TESTLAB PVT. LTD**

**Hemal Darji**

**Autho. Signatory**

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126300002147F

Page 1 of 4

|                                                                                                                                                                                                                          |                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Report Issued To: <b>Shree Ranchhodray Masala Mill (Spyran)</b><br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br><b>Phone No : 9825011195</b><br><b>Email : spyranfactory@yahoo.in</b> | Test Report No : <b>GTL/01260825009</b><br>Date of Receipt : <b>14/08/2026</b><br>Date of Issue : <b>25/08/2026</b><br>Customer's Ref. No : <b>N.M</b> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                   |                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| Sample Described as : <b>Turmeric Powder</b><br>Sample Qty : <b>200 gm</b><br>Packing Mode : <b>Sample Packed in Plastic Bags</b> | Mfg. Date : <b>08-2026</b><br>Exp. Date : <b>07-2027</b><br>B.No : <b>U1/08</b> |
| Sample Condition : <b>Satisfactory</b><br>Marking : <b>Brand : Spyran</b>                                                         |                                                                                 |
| Sample Drawn By : <b>Customer</b><br>Date of Starting of Test : <b>14/08/2026</b>                                                 | Date of Completion : <b>25/08/2026</b>                                          |

| Sr No                                          | Quality Characteristics                                         | Result | Test Method                                              | F.S.S.R-2011 / Customer Specification |
|------------------------------------------------|-----------------------------------------------------------------|--------|----------------------------------------------------------|---------------------------------------|
| <b>Chemical Food And Agricultural Products</b> |                                                                 |        |                                                          |                                       |
| 1                                              | Moisture %                                                      | 6.32   | FSSAI Manual for Spices and Condiments Method No. 10.003 | Max. 10.0                             |
| 2                                              | Total Ash on dry basis %                                        | 6.57   | FSSAI Manual for Spices and Condiments Method No. 10.006 | Max. 9.0                              |
| 3                                              | Ash insoluble in dilute HCl on dry basis %                      | 0.45   | FSSAI Manual for Spices and Condiments Method No. 10.007 | Max.1.5                               |
| 4                                              | Rodent Contamination                                            | Absent | ASTAs Analytical Methods Manual, 4th Edition             | Absent                                |
| 5                                              | Added Colouring Matter                                          | Absent | FSSAI Manual for Food Additives, Method No. 4.2          | Absent                                |
| 6                                              | Extraneous matter                                               | Absent | FSSAI Manual for Spices and Condiments Method No. 10.002 | Absent                                |
| 7                                              | Foreign Starch                                                  | Absent | FSSAI Manual for Spices and Condiments Method No. 10.039 | Absent                                |
| 8                                              | Colouring power expressed as curcuminoid content % on dry basis | 3.16   | FSSAI Manual for Spices and Condiments Method No. 10.031 | Min. 2.0                              |
| 9                                              | Total Starch% (On dry basis)                                    | 50.67  | Cl. 9 of IS : 4702 (P-2)                                 | Max. 60.0                             |

Test Report No : GTL/01260825009

Doc. No : GTL/D/7.5/02

Page 2 of 4

| Sr No                                                         | Quality Characteristics                    | Result             | Test Method                                              | F.S.S.R-2011 / Customer Specification |
|---------------------------------------------------------------|--------------------------------------------|--------------------|----------------------------------------------------------|---------------------------------------|
| 10                                                            | Test for Lead Chromate                     | Negative           | FSSAI Manual for Spices and Condiments Method No. 10.033 | Negative                              |
| <b>Residues and Contaminants in Food &amp; Agri. Products</b> |                                            |                    |                                                          |                                       |
| 11                                                            | Total Aflatoxin (B1+B2+G1+G2) mcg/kg       | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                                             | Max.30.0                              |
| 12                                                            | Aflatoxin B1 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                                             | Max. 15.0                             |
| 13                                                            | Aflatoxin B2 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                                             | Max. 15.0                             |
| 14                                                            | Aflatoxin G1 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                                             | Max. 15.0                             |
| 15                                                            | Aflatoxin G2 mcg/kg                        | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-051                                             | Max. 15.0                             |
| 16                                                            | Lead (as Pb) mg/kg                         | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054                                             | Max. 10.0                             |
| 17                                                            | Copper (as Cu) mg/kg                       | 4.32               | GL/SOP/I-055                                             | Max. 5.0                              |
| 18                                                            | Arsenic (as As ) mg/kg                     | 0.021              | GL/SOP/I-054                                             | Max. 0.1                              |
| 19                                                            | Tin (as Sn) mg/kg                          | B.L.Q. (Q.L.=0.5)  | GL/SOP/I-056                                             | Max. 0.01                             |
| 20                                                            | Cadmium (as Cd) mg/kg                      | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054                                             | Max. 0.1                              |
| 21                                                            | Mercury (as Hg) mg/kg                      | B.L.Q. (Q.L.=0.02) | GL/SOP/I-054                                             | Max. 1.0                              |
| 22                                                            | Methyl Mercury (as Hg) mg/kg               | B.L.Q. (Q.L.=0.1)  | GL/SOP/I-054                                             | Max.0.25                              |
| 23                                                            | Carbaryl mg/kg                             | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 24                                                            | Dicofol (Sum of p,p and o,p isomers) mg/kg | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 25                                                            | Dimethoate mg/kg                           | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 26                                                            | Metalaxyl mg/kg                            | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 27                                                            | Monocrotophos mg/kg                        | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 28                                                            | Triazophos mg/kg                           | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 29                                                            | Acetamiprid mg/kg                          | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 30                                                            | Azoxystrobin mg/kg                         | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 31                                                            | Buprofezin mg/kg                           | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 32                                                            | Carbosulfan mg/kg                          | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 33                                                            | Chlorantraniliprole mg/kg                  | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 34                                                            | Chlorfenapyr mg/kg                         | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 35                                                            | Deltamethrin, mg/kg                        | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 36                                                            | Daifenthion mg/kg                          | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 37                                                            | Difenoconazole mg/kg                       | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 38                                                            | Dithiocarbamates, mg/kg                    | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 39                                                            | Metiram as CS2 mg/kg                       | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 40                                                            | Fenazaquin mg/kg                           | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 41                                                            | Fenpyroximate mg/kg                        | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 42                                                            | Fipronil mg/kg                             | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |
| 43                                                            | Flubendiamide mg/kg                        | B.L.Q.(Q.L.=0.01)  | GL/SOP/I-020                                             | Max. 0.01                             |

Test Report No : GTL/01260825009

Doc. No : GTL/D/7.5/02

Page 3 of 4

| Sr No                                 | Quality Characteristics    | Result            | Test Method         | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|----------------------------|-------------------|---------------------|---------------------------------------|
| 44                                    | Flusilazole mg/kg          | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 45                                    | Hexythiazox mg/kg          | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 46                                    | Hexaconazole mg/kg         | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 47                                    | Imidacloprid mg/kg         | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 48                                    | Indoxacarb mg/kg           | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 49                                    | Kresoxim Methyl mg/kg      | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 50                                    | Lambda-Cyhalothrin mg/kg   | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 51                                    | Lufenuron mg/kg            | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 52                                    | Methomyl mg/kg             | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 53                                    | Myclobutanil mg/kg         | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 54                                    | Novaluron mg/kg            | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 55                                    | Oxydemeton-Methyl mg/kg    | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 56                                    | Pendimethalin mg/kg        | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 57                                    | Picoxystrobin mg/kg        | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 58                                    | Propargite mg/kg           | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 59                                    | Propineb mg/kg             | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 60                                    | Pyraclostrobin mg/kg       | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 61                                    | Pyriproxyfen mg/kg         | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 62                                    | Quinalphos, mg/kg          | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 63                                    | Spinosad mg/kg             | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 64                                    | Spiromesifen mg/kg         | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 65                                    | Tebuconazole mg/kg         | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 66                                    | Thiacloprid mg/kg          | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 67                                    | Thiodicarb mg/kg           | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 68                                    | Thiamethoxam mg/kg         | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 69                                    | Triadimefon mg/kg          | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 70                                    | Trifloxystrobin mg/kg      | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 71                                    | Trichlorfon mg/kg          | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 72                                    | Spinetoram mg/kg           | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 73                                    | Spirotetramate mg/kg       | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 74                                    | Abamectin mg/kg            | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 75                                    | Chlorpyrifos mg/kg         | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 0.01                             |
| 76                                    | Melamine, mg/kg            | B.L.Q. (Q.L.=0.1) | GL/SOP/I-048        | Max. 2.5                              |
| 77                                    | Zineb mg/kg                | B.L.Q.(Q.L.=0.01) | GL/SOP/I-020        | Max. 2.0                              |
| <b>Biological</b>                     |                            |                   |                     |                                       |
| <b>Food And Agricultural Products</b> |                            |                   |                     |                                       |
| 1                                     | Aerobic Plate Count cfu/gm | 17000 cfu         | IS:5402 (P-1): 2021 | Max. 10000000 cfu                     |
| 2                                     | Yeast & Mould Count cfu/gm | <10 cfu           | IS: 5403:1999       | Max. 10000 cfu                        |

Test Report No : GTL/01260825009

Doc. No : GTL/D/7.5/02

Page 4 of 4

| Sr No | Quality Characteristics   | Result  | Test Method               | F.S.S.R-2011 / Customer Specification |
|-------|---------------------------|---------|---------------------------|---------------------------------------|
| 3     | Salmonella/25 gm          | Absent  | IS:5887(P-3/Sec-1) : 2020 | Absent                                |
| 4     | S.aureus cfu/gm           | <10 cfu | IS:5887(P-8/Sec-1) : 2023 | Max. 1000 cfu                         |
| 5     | Enterobacteriaceae cfu/gm | <10 cfu | ISO:21528-2:2017          | Max. 1000 cfu                         |
| 6     | Bacillus cereus/gm        | <10 cfu | IS:5887 (P-6) : 2012      | Max. 1000 cfu                         |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only



For NABL Scope

  
Rupesh Desai  
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

  
Hemal Darji-Trupti Thakor  
Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                          |                                                                                                                                                                                                        |                           |                             |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------------|
| <b>Report Issued To:</b> | <b>Shree Ranchhodray Masala Mill (Spyran)</b><br>R.M. Square C-57, Sardar Estate,<br>New VIP, Ajwa Road, Vadodara,<br>Gujarat<br><b>Phone No : 9825011195</b><br><b>Email : spyranfactory@yahoo.in</b> | <b>Test Report No</b>     | <b>: GTL/01260825009/NS</b> |
|                          |                                                                                                                                                                                                        | <b>Date of Receipt</b>    | <b>: 14/08/2026</b>         |
|                          |                                                                                                                                                                                                        | <b>Date of Issue</b>      | <b>: 25/08/2026</b>         |
|                          |                                                                                                                                                                                                        | <b>Customer's Ref. No</b> | <b>: N.M</b>                |

|                                 |                                        |                           |                     |
|---------------------------------|----------------------------------------|---------------------------|---------------------|
| <b>Sample Described as</b>      | <b>: Turmeric Powder</b>               | <b>Mfg. Date</b>          | <b>: 08-2026</b>    |
| <b>Sample Qty</b>               | <b>: 200 gm</b>                        | <b>Exp. Date</b>          | <b>: 07-2027</b>    |
| <b>Packing Mode</b>             | <b>: Sample Packed in Plastic Bags</b> | <b>B.No</b>               | <b>: U1/08</b>      |
| <b>Sample Condition</b>         | <b>: Satisfactory</b>                  |                           |                     |
| <b>Marking</b>                  | <b>: Brand : Spyran</b>                |                           |                     |
| <b>Sample Drawn By</b>          | <b>: Customer</b>                      |                           |                     |
| <b>Date of Starting of Test</b> | <b>: 14/08/2026</b>                    | <b>Date of Completion</b> | <b>: 25/08/2026</b> |

| Sr No                                 | Quality Characteristics | Result | Test Method  | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|-------------------------|--------|--------------|---------------------------------------|
| <b>Chemical</b>                       |                         |        |              |                                       |
| <b>Food And Agricultural Products</b> |                         |        |              |                                       |
| 1                                     | Free From Mould         | Absent | GL/SOP/C-266 | Absent                                |
| 2                                     | Living and Dead Insects | Absent | GL/SOP/C-266 | Absent                                |
| 3                                     | Insect Fragments        | Absent | GL/SOP/C-266 | Absent                                |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,  
Q.L.=Quantification Limit, Customer requested for the above test only

**Rupesh Desai**  
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

**Hemal Darji**  
Autho. Signatory

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.