



TC-5961

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126300002280F

|                          |                                                                                                                                                                |                           |                          |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------------|
| <b>Report Issued To:</b> | <b>Mahe Enterprise</b><br>01, Milkat No.1023, Rabari Vas Hirapur,<br>Ahmedabad, Gujarat<br><b>Phone No :</b> 7229036107<br><b>Email :</b> zalads2510@gmail.com | <b>Test Report No</b>     | <b>: GTL/01260909017</b> |
|                          |                                                                                                                                                                | <b>Date of Receipt</b>    | <b>: 07/09/2026</b>      |
|                          |                                                                                                                                                                | <b>Date of Issue</b>      | <b>: 09/09/2026</b>      |
|                          |                                                                                                                                                                | <b>Customer's Ref. No</b> | <b>: N.M</b>             |

|                                 |                                             |                           |                     |
|---------------------------------|---------------------------------------------|---------------------------|---------------------|
| <b>Sample Described as</b>      | <b>: Ghee</b>                               | <b>Mfg. Date</b>          | <b>: N.M.</b>       |
| <b>Sample Qty</b>               | <b>: 200 gm</b>                             | <b>Exp. Date</b>          | <b>: N.M.</b>       |
| <b>Packing Mode</b>             | <b>: Sample Packed in Plastic Container</b> | <b>B.No</b>               | <b>: N.M.</b>       |
| <b>Sample Condition</b>         | <b>: Satisfactory</b>                       |                           |                     |
| <b>Marking</b>                  | <b>: N.M</b>                                |                           |                     |
| <b>Sample Drawn By</b>          | <b>: Customer</b>                           |                           |                     |
| <b>Date of Starting of Test</b> | <b>: 07/09/2026</b>                         | <b>Date of Completion</b> | <b>: 09/09/2026</b> |

| Sr No                                                         | Quality Characteristics         | Result | Test Method  | Prescribed Standards as per Food Safety and Standards Regulations, 2011 |
|---------------------------------------------------------------|---------------------------------|--------|--------------|-------------------------------------------------------------------------|
| <b>Chemical</b>                                               |                                 |        |              |                                                                         |
| <b>Residues and Contaminants in Food &amp; Agri. Products</b> |                                 |        |              |                                                                         |
| 1                                                             | Butyric Acid (C4:0) %           | 1.88   | FSSAI 01.093 | 1.0 to 5.0                                                              |
| 2                                                             | Caproic Acid (C6:0) %           | 1.23   | FSSAI 01.093 | 0.5 to 2.2                                                              |
| 3                                                             | Caprylic Acid (C8:0)%           | 0.81   | FSSAI 01.093 | 0.4 to 1.5                                                              |
| 4                                                             | Capric Acid (C10:0) %           | 2.14   | FSSAI 01.093 | 0.8 to 5.0                                                              |
| 5                                                             | Lauric Acid (C12:0) %           | 2.88   | FSSAI 01.093 | 1.5 to 4.0                                                              |
| 6                                                             | Myristic Acid (C14:0) %         | 12.07  | FSSAI 01.093 | 6.0 to 13.0                                                             |
| 7                                                             | Palmitic Acid (C16:0) %         | 36.90  | FSSAI 01.093 | 22 to 38                                                                |
| 8                                                             | Stearic Acid (C18:0) %          | 11.50  | FSSAI 01.093 | 8.0 to 19.0                                                             |
| 9                                                             | Palmitoleic Acid (C16:1)%       | 1.17   | FSSAI 01.093 | 0.9 to 2.8                                                              |
| 10                                                            | Oleic Acid (18:1) %             | 23.23  | FSSAI 01.093 | 19 to 32                                                                |
| 11                                                            | Linoleic Acid (C18:2) %         | 2.30   | FSSAI 01.093 | 0.5 to 3.5                                                              |
| 12                                                            | Octadecatrienoic Acid (C18:3) % | 0.87   | FSSAI 01.093 | 0.3 to 1.0                                                              |

Test Report No : GTL/01260909017

Doc. No : GTL/D/7.5/02

Page 2 of 2

| Sr No | Quality Characteristics | Result | Test Method | Prescribed Standards as per Food Safety and Standards Regulations, 2011 |
|-------|-------------------------|--------|-------------|-------------------------------------------------------------------------|
|-------|-------------------------|--------|-------------|-------------------------------------------------------------------------|

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

  
Rupesh Desai  
Reviewed By



For Verification

  
Hemal Darji  
Autho. Signatory

**Disclaimer Note**

\*\*\* END OF REPORT \*\*\*

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.