

TEST REPORT

ULR-TC596126700006966F

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To : Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/03260729005 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Drinking Water Sample Qty : 2 Liter Packing Mode : Sample Packed in Plastic Bottle Sample Condition : Satisfactory Marking : R.O Water Sample Drawn By : Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd) . Sampling Location : Gateway Ahmedabad Date of Starting of Test : 21/07/2026	Sampling Plan : as per GTL/GP/SOP/055-02 Sampling Date : 21.07.2026 Environ. Condition : Ambient Date of Completion : 29/07/2026
--	---

Sr No	Test Parameters	IS:10500 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absense of Alternate Source	Result	Q. L.	Test Method
Chemical Water						
1	Colour, Hazen Unit	Max. 5	Max. 15.0	<1	1	IS:3025(P-4)
2	Odour	Agreeable	Agreeable	Agreeable	--	IS:3025(P-5)
3	pH at 25 Deg C	6.5 to 8.5	No Relaxation	6.59	1	IS:3025(P-11)
4	Taste	Agreeable	Agreeable	Agreeable	--	IS:3025(P-7 & 8)
5	Turbidity, NTU	Max. 1.0	Max. 5.0	<0.1	0.1	IS:3025(P-10)
6	Total Dissolved Solids, mg/l	Max.500	Max.2000	18	5	IS:3025(P-16)
7	Calcium (as Ca), mg/l	Max.75	Max.200	2.50	0.1	IS:3025(P-40)
8	Chloride (as Cl), mg/l	Max.250	Max. 1000	5.95	0.5	IS:3025(P-32)
9	Fluoride (as F) mg/l	Max. 1.0	Max. 1.5	B.L.Q.	0.01	IS:3025(P-75)
10	Magnesium (as Mg), mg/l	Max. 30	Max. 100	0.72	0.1	IS:3025(P-46)
11	Nitrate (as NO3) mg/l	Max. 45.0	No Relaxation	B.L.Q.	1	IS:3025(P-34)
12	Phenolic Compounds (as C6H5OH) mg/l	Max. 0.001	Max. 0.002	B.L.Q.	0.001	IS:3025(P-43) Sec 1
13	Sulphate (as SO4), mg/l	Max. 200	Max. 400	B.L.Q.	0.5	IS:3025(P-24 Sec-1)
14	Total Hardness (as CaCO3), mg/l	Max. 200	Max. 600	8.40	1	IS:3025(P-21)
Biological Water						

Test Report No : GTL/03260729005

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Test Parameters	IS:10500 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absense of Alternate Source	Result	Q. L.	Test Method
1	Total Coliform per 100 ml	Shall not be Detectable	Shall not be Detectable	Absent	---	IS 15185 : 2016
2	E.coli per 100 ml	Shall not be Detectable	Shall not be Detectable	Absent	----	IS 15185 : 2016

Remark : Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only



For NABL Scope

Mamta Bhavsar
Mamta Bhavsar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji-Krishna Amin
Hemal Darji-Krishna Amin
Autho. Signatory

ULR-TC596126400016305F

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To: Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729109 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Paneer Lababdar Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Cooked paneer Sampling Location : Gateway Ahmedabad Sample Drawn By : Mr. Mayank Solankii (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 21/07/2026	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 21.07.2026 Environ. Condition : 6.2 Deg Date of Completion : 29/07/2026
--	--

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	1120 cfu	IS : 5402 (P-1) : 2021	Max. 10000 cfu/gm
2	E.coli /gm	Absent	IS: 5887 (P-1) 1976	Absent
3	S.aureus/25gm	Absent	IS : 5887(P-2) : 1976	Absent
4	Salmonella/25 gm	Absent	IS : 5887(P-3/Sec-1) : 2020	Absent
5	Listeria monocytogens/25gm	Absent	IS : 14988 (p-1) : 2020	Absent
6	Sulphite Reducing Clostridea cfu/gm	<10 cfu	ISO :15213 - 1 - 2023	Max. 100 cfu/gm
7	Yeast & Mould cfu/gm	<10 cfu	IS : 5403 : 1999	Not Prescribed
8	Coliform cfu/gm	<10 cfu	IS:5401 (P-1) : 2012	Not Prescribed
9	Bacillus Cereus cfu/gm	<10 cfu	Is : 5887 (P-6) : 2012	Not Prescribed
10	Enterobacter Sakazaki / 10gm	Absent	ISO : 22964 : 2017	Absent

Test Report No : GTL/04260729109

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
-------	-------------------------	--------	-------------	--

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin

Autho. Signatory

TEST REPORT

ULR-TC596126400016308F

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To:	Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729112 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
--------------------------	--	--

Sample Described as	: Chicken curry	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 21.07.2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 6.3 Deg
Sample Condition Marking	: Satisfactory : Cooked Non veg food poultry		
Sampling Location	: Gateway Ahmedabad		
Sample Drawn By	: Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd)		
Date of Starting of Test	: 21/07/2026	Date of Completion	: 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological Food And Agricultural Products				
1	Aerobic Plate Count cfu/gm	1800 cfu	IS : 5402 (P-1) : 2021	Max. 10000 cfu/gm
2	E.coli /gm	Absent	IS: 5887 (P-1) 1976	Absent
3	S.aureus/25gm	Absent	IS : 5887(P-2) : 1976	Absent
4	Salmonella/25 gm	Absent	IS : 5887(P-3/Sec-1) : 2020	Absent
5	Sulphite Reducing Clostridea cfu/gm	<10 cfu	ISO : 15213-1 : 2023	Max. 100 cfu/gm
6	Clostridium botulinum/25gm	Absent	IS : 5887 (P-4) : 1999	Absent
7	Camphylobacter spp. / 25gm	Absent	ISO : 10272-1 : 2017	Absent
8	Yeast & Mould cfu/gm	<10 cfu	IS : 5403 : 1999	Not Prescribed

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketui
Ketui Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

g.m.m.
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400016310F

Page 1 of 2

Report Issued To:	Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729114 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
--------------------------	---	--

Sample Described as	: Gried Fish	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 21.07.2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 6.5 Deg
Sample Condition	: Satisfactory		
Marking	: Cooked Non veg food - Sea Food		
Sampling Location	: Gateway Ahmedabad		
Sample Drawn By	: Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd)		
Date of Starting of Test	: 21/07/2026	Date of Completion	: 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Aerobic Plate Count cfu/gm	1920 cfu	IS : 5402 (P-1) : 2021	Max. 10000 cfu/gm
2	E.coli /gm	Absent	IS: 5887 (P-1) 1976	Absent
3	S.aureus/25gm	Absent	IS : 5887(P-2) : 1976	Absent
4	Salmonella/25 gm	Absent	IS : 5887(P-3/Sec-1) : 2020	Absent
5	Yeast & Mould cfu/gm	<10 cfu	IS : 5403 : 1999	Not Prescribed
6	Vibrio Cholera/ 25gm	Absent	IS:5887(P-5/Sec - 1):2023	Absent
7	Vibrio parahaemolyticus/25 gm	Absent	IS:5887(P-5/Sec - 1):2023	Absent
8	Shigella/25gm	Absent	IS:5887(P-7):1999	Absent
9	Listeria monocytogens/gm	Absent	IS:14988(P-1):2020	Absent

Test Report No : GTL/04260729114

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
-------	-------------------------	--------	-------------	--

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Sofia
Krishna Amin
Autho. Signatory

TEST REPORT

ULR-TC596126400016313F

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To: Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729117 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Mix Veg Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Cooked - Veg Food Sampling Location : Gateway Ahmedabad Sample Drawn By : Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd) Date of Starting of Test : 21/07/2026	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 21.07.2026 Environ. Condition : 6.5 Deg Date of Completion : 29/07/2026
---	--

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	1180 cfu	IS : 5402 (P-1) : 2021	Max. 10000 cfu/gm
2	E.coli /gm	Absent	IS: 5887 (P-1) 1976	Absent
3	S.aureus/25gm	Absent	IS : 5887(P-2) : 1976	Absent
4	Salmonella/25 gm	Absent	IS : 5887(P-3/Sec-1) : 2020	Absent
5	Listeria monocytogens/25gm	Absent	IS : 14988 (p-1) : 2020	Absent
6	Sulphite Reducing Clostridea cfu/gm	<10 cfu	ISO :15213 (P-1): 2023	Max. 100 cfu/gm
7	Yeast & Mould cfu/gm	<10 cfu	IS : 5403 : 1999	Not Prescribed
8	Enterobacteriaceae/gm	Absent	ISO:21528-1:2017	Absent
9	Vibrio Cholerae/25gm	Absent	IS:5887(P-5/Sec - 1):2023	Absent

Test Report No : GTL/04260729117

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
-------	-------------------------	--------	-------------	--

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope



Ketul Padhiyar


Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD



Krishna Amin

Autho. Signatory

TEST REPORT

ULR-TC596126400016318F

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To: Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729122 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Donut Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Bakery Product Sampling Location : Gateway Ahmedabad Sample Drawn By : Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd) Date of Starting of Test : 21/07/2026	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 21.07.2026 Environ. Condition : 6.5 Deg Date of Completion : 29/07/2026
--	--

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	E.coli /gm	Absent	IS: 5887 (P-1) 1976	Absent
2	S.aureus/25gm	Absent	IS : 5887(P-2) : 1976	Absent
3	Salmonella/25 gm	Absent	IS : 5887(P-3/Sec-1) : 2020	Absent
4	Listeria monocytogens/25gm	Absent	IS : 14988 (p-1) : 2020	Absent
5	Yeast & Mould cfu/gm	<10 cfu	IS : 5403 : 1999	Not Prescribed

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketui
Ketui Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400016320F

Page 1 of 1

Report Issued To:	Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729124 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
--------------------------	---	--

Sample Described as	: Denis	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 21.07.2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 6.7Deg
Sample Condition	: Satisfactory		
Marking	: Bakery Product		
Sampling Location	: Gateway Ahmedabad		
Sample Drawn By	: Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd)		
Date of Starting of Test	: 21/07/2026	Date of Completion	: 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	E.coli /gm	Absent	IS: 5887 (P-1) 1976	Absent
2	S.aureus/25gm	Absent	IS : 5887(P-2) : 1976	Absent
3	Salmonella/25 gm	Absent	IS : 5887(P-3/Sec-1) : 2020	Absent
4	Listeria monocytogens/25gm	Absent	IS : 14988 (p-1) : 2020	Absent
5	Yeast & Mould cfu/gm	<10 cfu	IS : 5403 : 1999	Not Prescribed

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

S. Mohan
Krishna Amin

Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400016321F

Page 1 of 1

Report Issued To:	Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729125 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
--------------------------	---	--

Sample Described as	: Croissants	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 21.07.2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 6.7Deg
Sample Condition	: Satisfactory		
Marking	: Bakery Product		
Sampling Location	: Gateway Ahmedabad		
Sample Drawn By	: Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd)		
Date of Starting of Test	: 21/07/2026	Date of Completion	: 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	E.coli /gm	Absent	IS: 5887 (P-1) 1976	Absent
2	S.aureus/25gm	Absent	IS : 5887(P-2) : 1976	Absent
3	Salmonella/25 gm	Absent	IS : 5887(P-3/Sec-1) : 2020	Absent
4	Listeria monocytogens/25gm	Absent	IS : 14988 (p-1) : 2020	Absent
5	Yeast & Mould cfu/gm	<10 cfu	IS : 5403 : 1999	Not Prescribed

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

S.A.R.
Krishna Amin
Autho. Signatory

ULR-TC596126400016322F

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To:	Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No	: GTL/04260729126
		Date of Receipt	: 21/07/2026
		Date of Issue	: 29/07/2026
		Customer's Ref. No	: N.M

Sample Described as	: Salad...	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 21.07.2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 6.7Deg.
Sample Condition	: Satisfactory		
Marking	: Raw Veg food		
Sampling Location	: Gateway Ahmedabad		
Sample Drawn By	: Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd)		
Date of Starting of Test	: 21/07/2026	Date of Completion	: 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Food And Agricultural Products				
1	E.coli /gm	Absent	IS: 5887 (P-1) 1976	Absent
2	Listeria monocytogens/25gm	Absent	IS : 14988 (p-1) : 2020	Absent
3	Aerobic Plate Count cfu/gm	650 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
4	Yeast & Mould Count cfu/gm	<10 cfu	IS:5403: 1999	Not Prescribed
5	Staphylococcus aureus/25gm	Absent	IS:5887(P-2):1976	Absent
6	Salmonella/25 gm	Absent	IS:5887(P-3/Sec - 1):2020	Absent
7	Sulphite Reducing Clostridea cfu/gm	<10 cfu	ISO:15213-1:2023	Max. 100 cfu/gm
8	Vibrio Cholera/ 25gm	Absent	IS:5887(P-5/Sec - 1):2023	Absent
9	Enterobacteriaceae/gm	Absent	ISO:21528-1:2017	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <10 cfu = Absent , Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

S.M.A.
Krishna Amin

Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400016323F

Report Issued To: Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729127 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Equipment Swab . Sample Qty : 1 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 21.07.2026 Environ. Condition : 6.8Deg
Sample Condition : Satisfactory Marking : Knife	
Sampling Location : Gateway Ahmedabad Sample Drawn By : Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd) Date of Starting of Test : 21/07/2026	Date of Completion : 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	11 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent
6	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

g.m.a
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

ULR-TC596126400016324F

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To: Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729128 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Equipment Swab . Sample Qty : 1 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 21.07.2026 Environ. Condition : 6.8Deg
Sample Condition : Satisfactory Marking : Chopping board	
Sampling Location : Gateway Ahmedabad Sample Drawn By : Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd) Date of Starting of Test : 21/07/2026	Date of Completion : 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	10 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent
6	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin

Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400016325F

Report Issued To: Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729129 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Hand Swab. Sample Qty : 1 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 21.07.2026 Environ. Condition : 6.8Deg
Sample Condition : Satisfactory Marking : Khusal (F813)	
Sampling Location : Gateway Ahmedabad Sample Drawn By : Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd) Date of Starting of Test : 21/07/2026	Date of Completion : 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	E.coli/Swab	Absent	GL/WI/M-119	Absent
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max 10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent
5	Total Plate count cfu/Swab	12 cfu	GL/WI/M-119	Max.20 cfu
6	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400016326F

Page 1 of 1

Report Issued To: Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729130 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Hand Swab. Sample Qty : 1 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 21.07.2026 Environ. Condition : 6.8Deg
Sample Condition : Satisfactory Marking : Irfan (F813)	
Sampling Location : Gateway Ahmedabad Sample Drawn By : Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd) Date of Starting of Test : 21/07/2026	Date of Completion : 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	E.coli/Swab	Absent	GL/WI/M-119	Absent
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max 10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent
5	Total Plate count cfu/Swab	10 cfu	GL/WI/M-119	Max.20 cfu
6	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Ketul

Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

g.m.m.

Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400016327F

Page 1 of 1

Report Issued To:	Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No	: GTL/04260729131
		Date of Receipt	: 21/07/2026
		Date of Issue	: 29/07/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab.	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 21.07.2026
Packing Mode	: ---	Environ. Condition	: 6.9 Deg
Sample Condition	: Satisfactory		
Marking	: Hardip (Chef)		
Sampling Location	: Gateway Ahmedabad		
Sample Drawn By	: Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd)		
Date of Starting of Test	: 21/07/2026	Date of Completion	: 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	E.coli/Swab	Absent	GL/WI/M-119	Absent
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max 10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent
5	Total Plate count cfu/Swab	09 cfu	GL/WI/M-119	Max.20 cfu
6	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Ketul Padhiyar

Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin

Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400016328F

Page 1 of 1

Report Issued To: Gateway Ahmedabad Survey No : 64/1, Sindhu Bhavan Road ,Behind ICIC Bank Off S G Highway, Opp PRL Colony , Ahmedabad, Ahmedabad, Gujarat Phone No : 9176597875 Email :	Test Report No : GTL/04260729132 Date of Receipt : 21/07/2026 Date of Issue : 29/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Hand Swab. Sample Qty : 1 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 21.07.2026 Environ. Condition : 6.9 Deg
Sample Condition : Satisfactory Marking : Mandip(Chef)	
Sampling Location : Gateway Ahmedabad Sample Drawn By : Mr.Mayank solanki (Representative of Gujarat Testlab Pvt Ltd) Date of Starting of Test : 21/07/2026	Date of Completion : 29/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	E.coli/Swab	Absent	GL/WI/M-119	Absent
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max 10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent
5	Total Plate count cfu/Swab	14 cfu	GL/WI/M-119	Max.20 cfu
6	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***