



TC-5961

F-16,17, Madhavpura Market,  
Shahibaug, Ahmedabad-380004

Ph. : 079-25626040, 25624821

M : 7486086091, 9601389681

E : gujlab@gmail.com/gujlab.info@gmail.com

Web : www.gujaratlaboratory.com

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126700017715F

|                    |                                                                                                                                                                         |                                                                                                                            |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Report Issued To : | Gujarat Adani Institute of Medical Sciences<br>GK General Hospital, Opp Lotus Colony, Bhuj, Bhuj, Gujarat<br>Phone No : 9099987506<br>Email : yunus.mansuri@gaims.ac.in | Test Report No : GTL/03260819041<br>Date of Receipt : 17/08/2026<br>Date of Issue : 19/08/2026<br>Customer's Ref. No : N.M |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|

|                          |                                   |                    |              |
|--------------------------|-----------------------------------|--------------------|--------------|
| Sample Described as      | : Drinking Water.                 | Mfg. Date          | : N.M.       |
| Sample Qty               | : 2 Ltr                           | Exp. Date          | : N.M.       |
| Packing Mode             | : Sample Packed in Plastic Bottle | B.No               | : N.M.       |
| Sample Condition         | : Satisfactory                    |                    |              |
| Marking                  | : Hospital Canteen R.O.Water      |                    |              |
| Sample Drawn By          | : Customer                        |                    |              |
| Date of Starting of Test | : 17/08/2026                      | Date of Completion | : 19/08/2026 |

| Sr No | Test Parameters                     | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absence of Alternate Source | Result | Quant. Limit | Test Method   |
|-------|-------------------------------------|-----------------------------------------|---------------------------------------------------------------|--------|--------------|---------------|
|       | Chemical Water                      |                                         |                                                               |        |              |               |
| 1     | Sulphide (as H <sub>2</sub> S) mg/l | Max 0.05                                | No Relaxation                                                 | B.L.Q. | 0.05         | IS:3025(P-29) |

Remark : Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only



For NABL Scope

Mamta Bhavsar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji

Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.



TC-5961

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126700017716F

|                           |                                                                                                                                                                                              |                                                                                                                                                        |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> | <b>Gujarat Adani Institute of Medical Sciences</b><br>GK General Hospital, Opp Lotus Colony, Bhuj, Bhuj, Gujarat<br><b>Phone No :</b> 9099987506<br><b>Email :</b> yunus.mansuri@gaims.ac.in | <b>Test Report No :</b> GTL/03260819042<br><b>Date of Receipt :</b> 17/08/2026<br><b>Date of Issue :</b> 19/08/2026<br><b>Customer's Ref. No :</b> N.M |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                 |                                            |                           |                     |
|---------------------------------|--------------------------------------------|---------------------------|---------------------|
| <b>Sample Described as</b>      | <b>: Drinking Water.</b>                   | <b>Mfg. Date</b>          | <b>: N.M.</b>       |
| <b>Sample Qty</b>               | <b>: 2 Ltr</b>                             | <b>Exp. Date</b>          | <b>: N.M.</b>       |
| <b>Packing Mode</b>             | <b>: Sample Packed in Plastic Bottle</b>   | <b>B.No</b>               | <b>: N.M</b>        |
| <b>Sample Condition</b>         | <b>: Satisfactory</b>                      |                           |                     |
| <b>Marking</b>                  | <b>: Hospital Drinking Water R.O.Plant</b> |                           |                     |
| <b>Sample Drawn By</b>          | <b>: Customer</b>                          | <b>Date of Completion</b> | <b>: 19/08/2026</b> |
| <b>Date of Starting of Test</b> | <b>: 17/08/2026</b>                        |                           |                     |

| Sr No | Test Parameters                     | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absense of Alternate Source | Result | Quant. Limit | Test Method   |
|-------|-------------------------------------|-----------------------------------------|---------------------------------------------------------------|--------|--------------|---------------|
|       | <b>Chemical Water</b>               |                                         |                                                               |        |              |               |
| 1     | Sulphide (as H <sub>2</sub> S) mg/l | Max 0.05                                | No Relaxation                                                 | B.L.Q. | 0.05         | IS:3025(P-29) |

**Remark :** Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only



For NABL Scope

**Mamta Bhavsar**  
**Reviewed By**



For Verification

**FOR, GUJARAT TESTLAB PVT. LTD**

**Hemal Darji**  
**Autho. Signatory**

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.



TC-5961

F-16,17, Madhavpura Market,  
Shahibaug, Ahmedabad-380004

Ph. : 079-25626040, 25624821

M : 7486086091, 9601389681

E : gujlab@gmail.com/gujlab.info@gmail.com

Web : www.gujaratlaboratory.com

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126700017718F

|                           |                                                                                                                                                                                              |                                                                                                                                                        |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> | <b>Gujarat Adani Institute of Medical Sciences</b><br>GK General Hospital, Opp Lotus Colony, Bhuj, Bhuj, Gujarat<br><b>Phone No :</b> 9099987506<br><b>Email :</b> yunus.mansuri@gaims.ac.in | <b>Test Report No :</b> GTL/03260819044<br><b>Date of Receipt :</b> 17/08/2026<br><b>Date of Issue :</b> 19/08/2026<br><b>Customer's Ref. No :</b> N.M |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                 |                                          |                           |                     |
|---------------------------------|------------------------------------------|---------------------------|---------------------|
| <b>Sample Described as</b>      | <b>: Drinking Water.</b>                 | <b>Mfg. Date</b>          | <b>: N.M.</b>       |
| <b>Sample Qty</b>               | <b>: 2 Ltr</b>                           | <b>Exp. Date</b>          | <b>: N.M.</b>       |
| <b>Packing Mode</b>             | <b>: Sample Packed in Plastic Bottle</b> | <b>B.No</b>               | <b>: N.M</b>        |
| <b>Sample Condition</b>         | <b>: Satisfactory</b>                    |                           |                     |
| <b>Marking</b>                  | <b>: Hostel-B-Mess R.o.Water</b>         |                           |                     |
| <b>Sample Drawn By</b>          | <b>: Customer</b>                        |                           |                     |
| <b>Date of Starting of Test</b> | <b>: 17/08/2026</b>                      | <b>Date of Completion</b> | <b>: 19/08/2026</b> |

| Sr No                 | Test Parameters                     | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absence of Alternate Source | Result | Quant. Limit | Test Method   |
|-----------------------|-------------------------------------|-----------------------------------------|---------------------------------------------------------------|--------|--------------|---------------|
| <b>Chemical Water</b> |                                     |                                         |                                                               |        |              |               |
| 1                     | Sulphide (as H <sub>2</sub> S) mg/l | Max.0.05                                | No Relaxation                                                 | B.L.Q. | 0.05         | IS:3025(P-29) |

**Remark :** Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only



For NABL Scope

**Mamta Bhavsar**

**Reviewed By**



For Verification

**FOR, GUJARAT TESTLAB PVT. LTD**

**Hemal Darji**

**Autho. Signatory**

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                           |                                                                                                                                                                                              |                                                                                                                                                           |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> | <b>Gujarat Adani Institute of Medical Sciences</b><br>GK General Hospital, Opp Lotus Colony, Bhuj, Bhuj, Gujarat<br><b>Phone No :</b> 9099987506<br><b>Email :</b> yunus.mansuri@gaims.ac.in | <b>Test Report No :</b> GTL/03260819045/NS<br><b>Date of Receipt :</b> 17/08/2026<br><b>Date of Issue :</b> 19/08/2026<br><b>Customer's Ref. No :</b> N.M |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                   |                                 |                             |            |
|-----------------------------------|---------------------------------|-----------------------------|------------|
| <b>Sample Described as :</b>      | <b>STP Water</b>                | <b>Mfg. Date :</b>          | N.M.       |
| <b>Sample Qty :</b>               | 2 Ltr                           | <b>Exp. Date :</b>          | N.M.       |
| <b>Packing Mode :</b>             | Sample Packed in Plastic Bottle | <b>B.No :</b>               | N.M.       |
| <b>Sample Condition :</b>         | Satisfactory                    |                             |            |
| <b>Marking :</b>                  | STP Inlet Water                 |                             |            |
| <b>Sample Drawn By :</b>          | Customer                        |                             |            |
| <b>Date of Starting of Test :</b> | 17/08/2026                      | <b>Date of Completion :</b> | 19/08/2026 |

| Sr No                 | Quality Characteristics       | Result | Test Method             |
|-----------------------|-------------------------------|--------|-------------------------|
| <b>Chemical Water</b> |                               |        |                         |
| 1                     | Biological Oxygen Demand mg/l | 244    | IS:3025(P-44)           |
| 2                     | Chemical Oxygen Demand mg/l   | 750    | IS : 3025 (P-58) : 2003 |

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

Mamta Bhavsar

Reviewed By



For Verification

Hemal Darji

Autho. Signatory

#### Disclaimer Note

\*\*\* END OF REPORT \*\*\*

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                                                                                                                                                                                                           |                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> Gujarat Adani Institute of Medical Sciences<br>GK General Hospital, Opp Lotus Colony, Bhuj, Gujarat<br><b>Phone No :</b> 9099987506<br><b>Email :</b> yunus.mansuri@gaims.ac.in | <b>Test Report No :</b> GTL/03260819046/NS<br><b>Date of Receipt :</b> 17/08/2026<br><b>Date of Issue :</b> 19/08/2026<br><b>Customer's Ref. No :</b> N.M |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                       |                                        |
|-------------------------------------------------------|----------------------------------------|
| <b>Sample Described as :</b> STP Water                | <b>Mfg. Date :</b> N.M.                |
| <b>Sample Qty :</b> 2 Ltr                             | <b>Exp. Date :</b> N.M.                |
| <b>Packing Mode :</b> Sample Packed in Plastic Bottle | <b>B.No :</b> N.M                      |
| <b>Sample Condition :</b> Satisfactory                |                                        |
| <b>Marking :</b> STP Treated Water                    |                                        |
| <b>Sample Drawn By :</b> Customer                     |                                        |
| <b>Date of Starting of Test :</b> 17/08/2026          | <b>Date of Completion :</b> 19/08/2026 |

| Sr No                 | Quality Characteristics       | Result | Test Method             |
|-----------------------|-------------------------------|--------|-------------------------|
| <b>Chemical Water</b> |                               |        |                         |
| 1                     | Biological Oxygen Demand mg/l | 10     | IS:3025(P-44)           |
| 2                     | Chemical Oxygen Demand mg/l   | 28     | IS : 3025 (P-58) : 2003 |

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

  
**Mamta Bhavsar**  
Reviewed By



For Verification

  
**Hemal Darji**  
Autho. Signatory

#### Disclaimer Note

\*\*\* END OF REPORT \*\*\*

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.