

### TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126700017976F

Page 1 of 2

|                                                                                                                                                                                                                                                |                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> <b>Oncowin Cancer Center</b><br>7th Floor, HR Elanza, Vikas Gruh Road,<br>Nr. Mahalaxmi Five Road, Paldi, Pin<br>Code-380007, Ahmedabad, Gujarat<br><b>Phone No :</b> 6353657665<br><b>Email :</b> admin@oncowin.com | <b>Test Report No :</b> GTL/03260824027<br><b>Date of Receipt :</b> 18/08/2026<br><b>Date of Issue :</b> 24/08/2026<br><b>Customer's Ref. No :</b> N.M |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                      |                                                 |
|--------------------------------------------------------------------------------------|-------------------------------------------------|
| <b>Sample Described as</b> : Drinking Water                                          | <b>Sampling Plan</b> : as per GTL/GP/SOP/055-02 |
| <b>Sample Qty</b> : 1 Ltr                                                            | <b>Sampling Date</b> : 18.08.2026               |
| <b>Packing Mode</b> : Sample Packed in Plastic Bottle                                | <b>Environ. Condition</b> : Ambient             |
| <b>Sample Condition</b> : Satisfactory                                               |                                                 |
| <b>Marking</b> : OPD Area                                                            |                                                 |
| <b>Sample Drawn By</b> : Mr.Sahil Patni( Representative of Gujarat TestLab Pvt. Ltd) |                                                 |
| <b>Sampling Location</b> : Oncowin Cancer Center                                     |                                                 |
| <b>Date of Starting of Test</b> : 18/08/2026                                         | <b>Date of Completion</b> : 24/08/2026          |

| Sr No                 | Test Parameters                 | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absense of Alternate Source | Result | Q. L. | Test Method   |
|-----------------------|---------------------------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|---------------|
| <b>Chemical Water</b> |                                 |                                         |                                                               |        |       |               |
| 1                     | pH at 25 Deg C                  | 6.5 to 8.5                              | No Relaxation                                                 | 6.74   | 1     | IS:3025(P-11) |
| 2                     | Total Dissolved Solids, mg/l    | Max.500                                 | Max.2000                                                      | 96     | 5     | IS:3025(P-16) |
| 3                     | Total Hardness (as CaCO3), mg/l | Max. 200                                | Max. 600                                                      | 16.16  | 0.5   | IS:3025(P-21) |

Test Report No : GTL/03260824027

| Sr No | Test Parameters | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absence of Alternate Source | Result | Q. L. | Test Method |
|-------|-----------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|-------------|
|       |                 |                                         |                                                               |        |       |             |

**Remark :** Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

  
**Mamta Bhavsar**  
Reviewed By



For Verification

\*\*\* END OF REPORT \*\*\*

  
**Hemal Darji**  
Autho. Signatory

**Disclaimer Note**

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                                                                                                                                                                                                                                                |                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> <b>Oncowin Cancer Center</b><br>7th Floor, HR Elanza, Vikas Gruh Road,<br>Nr. Mahalaxmi Five Road, Paldi, Pin<br>Code-380007, Ahmedabad, Gujarat<br><b>Phone No :</b> 6353657665<br><b>Email :</b> admin@oncowin.com | <b>Test Report No</b> : GTL/03260824027/NS<br><b>Date of Receipt</b> : 18/08/2026<br><b>Date of Issue</b> : 24/08/2026<br><b>Customer's Ref. No</b> : N.M |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sample Described as</b> : <b>Drinking Water</b><br><b>Sample Qty</b> : 1 Ltr<br><b>Packing Mode</b> : Sample Packed in Plastic Bottle<br><b>Sample Condition</b> : Satisfactory<br><b>Marking</b> : OPD Area<br><b>Sample Drawn By</b> : Mr.Sahil Patni( Representative of Gujarat TestLab Pvt. Ltd)<br><b>Sampling Location</b> : Oncowin Cancer Center<br><b>Date of Starting of Test</b> : 18/08/2026 | <b>Sampling Plan</b> : as per GTL/GP/SOP/055-02<br><b>Sampling Date</b> : 18.08.2026<br><b>Environ. Condition</b> : Ambient<br><b>Date of Completion</b> : 24/08/2026 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| Sr No                   | Test Parameters              | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absence of Alternate Source | Result | Q. L. | Test Method        |
|-------------------------|------------------------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|--------------------|
| <b>Biological Water</b> |                              |                                         |                                                               |        |       |                    |
| 1                       | Total Bacterial Count cfu/ml | Not Prescribed                          | Not Prescribed                                                | 05 cfu | ---   | IS:5402:(P-1):2021 |

**Remark :** Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Mamta Bhavsar

Reviewed By



For Verification

\*\*\* END OF REPORT \*\*\*

Krishna Amin

Autho. Signatory

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126700017977F

|                                                                                                                                                                                                                                         |                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> Oncowin Cancer Center<br>7th Floor, HR Elanza, Vikas Gruh Road,<br>Nr. Mahalaxmi Five Road, Paldi, Pin<br>Code-380007, Ahmedabad, Gujarat<br><b>Phone No :</b> 6353657665<br><b>Email :</b> admin@oncowin.com | <b>Test Report No :</b> GTL/03260824028<br><b>Date of Receipt :</b> 18/08/2026<br><b>Date of Issue :</b> 24/08/2026<br><b>Customer's Ref. No :</b> N.M |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sample Described as :</b> Drinking Water<br><b>Sample Qty :</b> 1 Ltr<br><b>Packing Mode :</b> Sample Packed in Plastic Bottle<br><b>Sample Condition :</b> Satisfactory<br><b>Marking :</b> General Area<br><b>Sample Drawn By :</b> Mr. Sahil Patni ( Representative of Gujarat TestLab Pvt. Ltd)<br><b>Sampling Location :</b> Oncowin Cancer Center<br><b>Date of Starting of Test :</b> 18/08/2026 | <b>Sampling Plan :</b> as per GTL/GP/SOP/055-02<br><b>Sampling Date :</b> 18.08.2026<br><b>Environ. Condition :</b> Ambient<br><b>Date of Completion :</b> 24/08/2026 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| Sr No                 | Test Parameters                 | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absense of Alternate Source | Result | Q. L. | Test Method   |
|-----------------------|---------------------------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|---------------|
| <b>Chemical Water</b> |                                 |                                         |                                                               |        |       |               |
| 1                     | pH at 25 Deg C                  | 6.5 to 8.5                              | No Relaxation                                                 | 7.13   | 1     | IS:3025(P-11) |
| 2                     | Total Dissolved Solids, mg/l    | Max.500                                 | Max.2000                                                      | 95     | 5     | IS:3025(P-16) |
| 3                     | Total Hardness (as CaCO3), mg/l | Max. 200                                | Max. 600                                                      | 8.08   | 0.5   | IS:3025(P-21) |

Test Report No : GTL/03260824028

| Sr No | Test Parameters | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absense of Alternate Source | Result | Q. L. | Test Method |
|-------|-----------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|-------------|
|       |                 |                                         |                                                               |        |       |             |

**Remark :** Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only



For NABL Scope



Mamta Bhavsar

Reviewed By



For Verification

\*\*\* END OF REPORT \*\*\*

FOR, GUJARAT TESTLAB PVT. LTD



Hemal Darji

Autho. Signatory

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                                                                                                                                                                                                                                         |                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> Oncowin Cancer Center<br>7th Floor, HR Elanza, Vikas Gruh Road,<br>Nr. Mahalaxmi Five Road, Paldi, Pin<br>Code-380007, Ahmedabad, Gujarat<br><b>Phone No :</b> 6353657665<br><b>Email :</b> admin@oncowin.com | <b>Test Report No</b> : GTL/03260824028/NS<br><b>Date of Receipt</b> : 18/08/2026<br><b>Date of Issue</b> : 24/08/2026<br><b>Customer's Ref. No</b> : N.M |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sample Described as</b> : Drinking Water<br><b>Sample Qty</b> : 1 Ltr<br><b>Packing Mode</b> : Sample Packed in Plastic Bottle<br><b>Sample Condition</b> : Satisfactory<br><b>Marking</b> : General Area<br><b>Sample Drawn By</b> : Mr. Sahil Patni ( Representative of Gujarat TestLab Pvt. Ltd)<br><b>Sampling Location</b> : Oncowin Cancer Center<br><b>Date of Starting of Test</b> : 18/08/2026 | <b>Sampling Plan</b> : as per GTL/GP/SOP/055-02<br><b>Sampling Date</b> : 18.08.2026<br><b>Environ. Condition</b> : Ambient<br><b>Date of Completion</b> : 24/08/2026 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| Sr No                   | Test Parameters              | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absence of Alternate Source | Result | Q. L. | Test Method        |
|-------------------------|------------------------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|--------------------|
| <b>Biological Water</b> |                              |                                         |                                                               |        |       |                    |
| 1                       | Total Bacterial Count cfu/ml | Not Prescribed                          | Not Prescribed                                                | 10 cfu | ---   | IS:5402:(P-1):2021 |

**Remark :** Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.  
 Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

**Mamta Bhavsar**

**Reviewed By**



For Verification

\*\*\* END OF REPORT \*\*\*

**Krishna Amin**

**Autho. Signatory**

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126700017978F

|                                                                                                                                                                                                          |                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> Oncowin Cancer Center SG<br>6 th floor ,602 - 603 ,Empire Doctor House ,Near kargil petrol pump , sola , Ahmedabad, Gujarat<br><b>Phone No :</b> 90811031111<br><b>Email :</b> | <b>Test Report No</b> : GTL/03260824029<br><b>Date of Receipt</b> : 18/08/2026<br><b>Date of Issue</b> : 24/08/2026<br><b>Customer's Ref. No</b> : N.M |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sample Described as</b> : Drinking Water<br><b>Sample Qty</b> : 1 Ltr<br><b>Packing Mode</b> : Sample Packed in Plastic Bottle<br><b>Sample Condition Marking</b> : Satisfactory<br>: R.O. Water<br><b>Sample Drawn By</b> : Mr. Sahil Patni ( Representative of Gujarat TestLab Pvt. Ltd)<br><b>Sampling Location</b> : Oncowin Cancer Center SG<br><b>Date of Starting of Test</b> : 18/08/2026 | <b>Sampling Plan</b> : as per GTL/GP/SOP/055-02<br><b>Sampling Date</b> : 18.08.2026<br><b>Environ. Condition</b> : Ambient<br><b>Date of Completion</b> : 24/08/2026 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| Sr No                 | Test Parameters                              | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absense of Alternate Source | Result | Q. L. | Test Method   |
|-----------------------|----------------------------------------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|---------------|
| <b>Chemical Water</b> |                                              |                                         |                                                               |        |       |               |
| 1                     | pH at 25 Deg C                               | 6.5 to 8.5                              | No Relaxation                                                 | 6.76   | 1     | IS:3025(P-11) |
| 2                     | Total Dissolved Solids, mg/l                 | Max.500                                 | Max.2000                                                      | 69     | 5     | IS:3025(P-16) |
| 3                     | Total Hardness (as CaCO <sub>3</sub> ), mg/l | Max. 200                                | Max. 600                                                      | 12.12  | 0.5   | IS:3025(P-21) |

Test Report No : GTL/03260824029

| Sr No | Test Parameters | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absense of Alternate Source | Result | Q. L. | Test Method |
|-------|-----------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|-------------|
|       |                 |                                         |                                                               |        |       |             |

**Remark :** Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope



Mamta Bhavsar

Reviewed By



For Verification

\*\*\* END OF REPORT \*\*\*



Hemal Darji

Autho. Signatory

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02  
Page 1 of 1

|                           |                                                                                                                                                                                             |                           |                             |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------------|
| <b>Report Issued To :</b> | <b>Oncowin Cancer Center SG</b><br>6 th floor ,602 - 603 ,Empire Doctor<br>House ,Near kargil petrol pump , sola ,<br>Ahmedabad, Gujarat<br><b>Phone No :</b> 90811031111<br><b>Email :</b> | <b>Test Report No</b>     | <b>: GTL/03260824029/NS</b> |
|                           |                                                                                                                                                                                             | <b>Date of Receipt</b>    | <b>: 18/08/2026</b>         |
|                           |                                                                                                                                                                                             | <b>Date of Issue</b>      | <b>: 24/08/2026</b>         |
|                           |                                                                                                                                                                                             | <b>Customer's Ref. No</b> | <b>: N.M</b>                |

|                                 |                                                                        |                           |                                   |
|---------------------------------|------------------------------------------------------------------------|---------------------------|-----------------------------------|
| <b>Sample Described as</b>      | <b>: Drinking Water</b>                                                | <b>Sampling Plan</b>      | <b>: as per GTL/GP/SOP/055-02</b> |
| <b>Sample Qty</b>               | <b>: 1 Ltr</b>                                                         | <b>Sampling Date</b>      | <b>: 18.08.2026</b>               |
| <b>Packing Mode</b>             | <b>: Sample Packed in Plastic<br/>Bottle</b>                           | <b>Environ. Condition</b> | <b>: Ambient</b>                  |
| <b>Sample Condition</b>         | <b>: Satisfactory</b>                                                  |                           |                                   |
| <b>Marking</b>                  | <b>: R.O. Water</b>                                                    |                           |                                   |
| <b>Sample Drawn By</b>          | <b>: Mr. Sahil Patni ( Representative of Gujarat TestLab Pvt. Ltd)</b> |                           |                                   |
| <b>Sampling Location</b>        | <b>: Oncowin Cancer Center SG</b>                                      |                           |                                   |
| <b>Date of Starting of Test</b> | <b>: 18/08/2026</b>                                                    | <b>Date of Completion</b> | <b>: 24/08/2026</b>               |

| Sr No                   | Test Parameters              | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absence of Alternate Source | Result | Q. L. | Test Method        |
|-------------------------|------------------------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|--------------------|
| <b>Biological Water</b> |                              |                                         |                                                               |        |       |                    |
| 1                       | Total Bacterial Count cfu/ml | Not Prescribed                          | Not Prescribed                                                | 08 cfu | ---   | IS:5402:(P-1):2021 |

**Remark :** Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.  
Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

**Mamta Bhavsar**

**Reviewed By**



For Verification

\*\*\* END OF REPORT \*\*\*

**Krishna Amin**

**Autho. Signatory**

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.