

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                                                                                                                                                                                                                                                                             |                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> Sterling Accuris Wellness Pvt. Ltd.<br>Sankalp Square II, Old Sharda<br>Mandir Cross roads B.S Jalaram<br>Mandir railway Crossing, Ellisbridge,,<br>Ahmedabad, Gujarat<br><b>Phone No :</b> 9726753939<br><b>Email :</b> report.accuris@gmail.com | <b>Test Report No :</b> GTL/03260905002/NS<br><b>Date of Receipt :</b> 31/08/2026<br><b>Date of Issue :</b> 05/09/2026<br><b>Customer's Ref. No :</b> N.M |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                           |                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| <b>Sample Described as :</b> Water.                                                                                                                       | <b>Mfg. Date :</b> N.M.                |
| <b>Sample Qty :</b> 1 Ltr                                                                                                                                 | <b>Exp. Date :</b> N.M.                |
| <b>Packing Mode :</b> Sample Packed in Plastic Bottle                                                                                                     | <b>B.No :</b> N.M.                     |
| <b>Sample Condition :</b> Satisfactory                                                                                                                    |                                        |
| <b>Marking :</b> Lab ID : 082617608531, Specimen Id : 22082617608531, Collection Date : 30-Aug-2026 (18:15), Patient Name : Satyam Neurology Hospital(U/) |                                        |
| <b>Sample Drawn By :</b> Customer                                                                                                                         |                                        |
| <b>Date of Starting of Test :</b> 31/08/2026                                                                                                              | <b>Date of Completion :</b> 05/09/2026 |

| Sr No                 | Quality Characteristics                      | Result | Test Method   |
|-----------------------|----------------------------------------------|--------|---------------|
| <b>Chemical Water</b> |                                              |        |               |
| 1                     | pH at 25 Deg C                               | 7.09   | IS:3025(P-11) |
| 2                     | Turbidity, NTU                               | <0.1   | IS:3025(P-10) |
| 3                     | Total Dissolved Solids, mg/l                 | 187    | IS:3025(P-16) |
| 4                     | Total Alkalinity as Calcium Carbonate , mg/l | 50.75  | IS:3025(P-23) |
| 5                     | Total Hardness (as CaCO <sub>3</sub> ), mg/l | 76.80  | IS:3025(P-21) |
| 6                     | Silica (as SiO <sub>2</sub> ) mg/l           | 10.0   | IS:3025(P-35) |

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

  
**Mamta Bhavsar**  
Reviewed By



For Verification

  
**Hemal Darji**  
Autho. Signatory

#### Disclaimer Note

\*\*\* END OF REPORT \*\*\*

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                                                                                                                                                                                                                                                                             |                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> Sterling Accuris Wellness Pvt. Ltd.<br>Sankalp Square II, Old Sharda<br>Mandir Cross roads B.S Jalaram<br>Mandir railway Crossing, Ellisbridge,,<br>Ahmedabad, Gujarat<br><b>Phone No :</b> 9726753939<br><b>Email :</b> report.accuris@gmail.com | <b>Test Report No :</b> GTL/03260905003/NS<br><b>Date of Receipt :</b> 31/08/2026<br><b>Date of Issue :</b> 05/09/2026<br><b>Customer's Ref. No :</b> N.M |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                               |                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| <b>Sample Described as :</b> Water.<br><b>Sample Qty :</b> 1 Ltr<br><b>Packing Mode :</b> Sample Packed in Plastic Bottle<br><b>Sample Condition :</b> Satisfactory<br><b>Marking :</b> Lab ID : 082600122076, Specimen Id : 97082600122076, Collection Date : 30-Aug-2026 (00:55), Patient Name : Stavan Eye Clinic (U/) | <b>Mfg. Date :</b> N.M.<br><b>Exp. Date :</b> N.M.<br><b>B.No :</b> N.M.<br><b>Sample Drawn By :</b> Customer<br><b>Date of Starting of Test :</b> 31/08/2026 | <b>Date of Completion :</b> 05/09/2026 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|

| Sr No                 | Quality Characteristics                      | Result            | Test Method   |
|-----------------------|----------------------------------------------|-------------------|---------------|
| <b>Chemical Water</b> |                                              |                   |               |
| 1                     | pH at 25 Deg C                               | 6.94              | IS:3025(P-11) |
| 2                     | Turbidity, NTU                               | <0.1              | IS:3025(P-10) |
| 3                     | Total Dissolved Solids, mg/l                 | 57                | IS:3025(P-16) |
| 4                     | Total Alkalinity as Calcium Carbonate , mg/l | 24.36             | IS:3025(P-23) |
| 5                     | Total Hardness (as CaCO <sub>3</sub> ), mg/l | 7.68              | IS:3025(P-21) |
| 6                     | Silica (as SiO <sub>2</sub> ) mg/l           | B.L.Q.(Q.L.=0.05) | IS:3025(P-35) |

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Q.L.=Quantification Limit, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

  
Mamta Bhavsar  
Reviewed By



For Verification

  
Hemal Darji  
Autho. Signatory

#### Disclaimer Note

\*\*\* END OF REPORT \*\*\*

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.