

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126700019457F

Report Issued To : Canton Laboratories Pvt.Ltd. Survey No:350, Village-Mujpur, Ta.:Padra,, Vadodara, Gujarat Phone No : 9725008084 Email : info@cantonindia.com	Test Report No : GTL/03260929058 Date of Receipt : 24/09/2026 Date of Issue : 29/09/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Borewell Water Sample Qty : 2.0 Ltr Packing Mode : Sample Packed in Plastic Bottle Sample Condition : Satisfactory Marking : Borewell Water-1 (Ground Water) Sample Drawn By : Customer Date of Starting of Test : 24/09/2026	Mfg. Date : N.M. Exp. Date : N.M. B.No : N.M. Date of Completion : 29/09/2026
--	--

Sr No	Test Parameters	IS:10500 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absense of Alternate Source	Result	Quant. Limit	Test Method
Chemical Water						
1	pH at 25 Deg C	6.5 to 8.5	No Relaxation	7.41	1	IS:3025(P-11)
2	Turbidity, NTU	Max. 1.0	Max. 5.0	<0.5	0.5	IS:3025(P-10)
3	Total Dissolved Solids, mg/l	Max.500	Max.2000	1650	5	IS:3025(P-16)
4	Calcium (as Ca), mg/l	Max.75	Max.200	143.08	0.1	IS:3025(P-40)
5	Chloride (as Cl), mg/l	Max.250	Max. 1000	521.64	0.5	IS:3025(P-32)
6	Fluoride (as F) mg/l	Max. 1.0	Max. 1.5	1.20	0.01	IS:3025(P-75)
7	Magnesium (as Mg), mg/l	Max. 30	Max. 100	163.14	0.1	IS:3025(P-46)
8	Nitrate (as NO3) mg/l	Max. 45.0	No Relaxation	8.06	1	IS:3025(P-34)
9	Sulphate (as SO4), mg/l	Max. 200	Max. 400	27.13	0.5	IS:3025(P-24 Sec-1)
10	Total Alkalinity as Calcium Carbonate , mg/l	Max. 200	Max. 600	405.12	0.5	IS:3025(P-23)
11	Conductivity at 25 C us/cm	Not Prescribed	Not Prescribed	2360.3	---	APHA 2510 B 24 th Edition
12	Sodium (as Na) mg/l	Not Prescribed	Not Prescribed	335.32	---	IS:3025(P-45)
13	Potassium (as K) mg/l	Not Prescribed	Not Prescribed	81.54	---	IS:3025(P-45)

Test Report No : GTL/03260929058

Sr No	Test Parameters	IS:10500 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absence of Alternate Source	Result	Quant. Limit	Test Method
-------	-----------------	---	---	--------	--------------	-------------

Remark : Sample Found DOES NOT CONFORM as per IS:10500-2012 with Amendment NO-4 for the tested parameters
Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only



For NABL Scope


Mamta Bhavsar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To :	Canton Laboratories Pvt.Ltd. Survey No:350, Village-Mujpur, Ta.:Padra,, Vadodara, Gujarat Phone No : 9725008084 Email : info@cantonindia.com	Test Report No	: GTL/03260929058/NS
		Date of Receipt	: 24/09/2026
		Date of Issue	: 29/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Borewell Water	Mfg. Date	: N.M.
Sample Qty	: 2.0 Ltr	Exp. Date	: N.M.
Packing Mode	: Sample Packed in Plastic Bottle	B.No	: N.M.
Sample Condition	: Satisfactory		
Marking	: Borewell Water-1 (Ground Water)		
Sample Drawn By	: Customer	Date of Completion	: 29/09/2026
Date of Starting of Test	: 24/09/2026		

Sr No	Test Parameters	IS:10500 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absense of Alternate Source	Result	Quant. Limit	Test Method
Chemical Water						
1	Total Hardness (as CaCO ₃), mg/l	Max. 200	Max. 600	1030.20	1	IS:3025(P-21)

Remark : Sample Found DOES NOT CONFORM as per IS:10500-2012 with Amendment NO-4 for the tested parameters

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only



For NABL Scope

Mamta Bhavsar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126700019458F

Report Issued To : Canton Laboratories Pvt.Ltd. Survey No:350, Village-Mujpur, Ta.:Padra,, Vadodara, Gujarat Phone No : 9725008084 Email : info@cantonindia.com	Test Report No : GTL/03260929059 Date of Receipt : 24/09/2026 Date of Issue : 29/09/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Borewell Water	Mfg. Date : N.M.
Sample Qty : 2.0 Ltr	Exp. Date : N.M.
Packing Mode : Sample Packed in Plastic Bottle	B.No : N.M.
Sample Condition : Satisfactory	
Marking : Borewell Water-2 (Ground Water)	
Sample Drawn By : Customer	Date of Completion : 29/09/2026
Date of Starting of Test : 24/09/2026	

Sr No	Test Parameters	IS:10500 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absense of Alternate Source	Result	Quant. Limit	Test Method
Chemical Water						
1	pH at 25 Deg C	6.5 to 8.5	No Relaxation	7.28	1	IS:3025(P-11)
2	Turbidity, NTU	Max. 1.0	Max. 5.0	<0.5	0.5	IS:3025(P-10)
3	Total Dissolved Solids, mg/l	Max.500	Max.2000	1780	5	IS:3025(P-16)
4	Calcium (as Ca), mg/l	Max.75	Max.200	159.43	0.1	IS:3025(P-40)
5	Chloride (as Cl), mg/l	Max.250	Max. 1000	665.21	0.5	IS:3025(P-32)
6	Fluoride (as F) mg/l	Max. 1.0	Max. 1.5	1.50	0.01	IS:3025(P-75)
7	Magnesium (as Mg), mg/l	Max. 30	Max. 100	170.45	0.1	IS:3025(P-46)
8	Nitrate (as NO ₃) mg/l	Max. 45.0	No Relaxation	12.30	1	IS:3025(P-34)
9	Sulphate (as SO ₄), mg/l	Max. 200	Max. 400	34.58	0.5	IS:3025(P-24 Sec-1)
10	Total Alkalinity as Calcium Carbonate , mg/l	Max. 200	Max. 600	350.26	0.5	IS:3025(P-23)
11	Conductivity at 25 C us/cm	Not Prescribed	Not Prescribed	2524.7	--	APHA 2510 B 24 th Edition
12	Sodium (as Na) mg/l	Not Prescribed	Not Prescribed	429.92	---	IS:3025(P-45)
13	Potassium (as K) mg/l	Not Prescribed	Not Prescribed	105.30	---	IS:3025(P-45)

Test Report No : GTL/03260929059

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Test Parameters	IS:10500 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absence of Alternate Source	Result	Quant. Limit	Test Method
-------	-----------------	---	---	--------	--------------	-------------

Remark : Sample Found DOES NOT CONFORM as per IS:10500-2012 with Amendment NO-4 for the tested parameters

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only



For NABL Scope


Mamta Bhavsar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02
Page 1 of 1

Report Issued To :	Canton Laboratories Pvt.Ltd. Survey No:350, Village-Mujpur, Ta.:Padra,, Vadodara, Gujarat Phone No : 9725008084 Email : info@cantonindia.com	Test Report No	: GTL/03260929059/NS
		Date of Receipt	: 24/09/2026
		Date of Issue	: 29/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Borewell Water	Mfg. Date	: N.M.
Sample Qty	: 2.0 Ltr	Exp. Date	: N.M.
Packing Mode	: Sample Packed in Plastic Bottle	B.No	: N.M.
Sample Condition	: Satisfactory		
Marking	: Borewell Water-2 (Ground Water)		
Sample Drawn By	: Customer	Date of Completion	: 29/09/2026
Date of Starting of Test	: 24/09/2026		

Sr No	Test Parameters	IS:10500 Requirement (Acceptable Limit)	IS:10500 Permissible Limit in the Absence of Alternate Source	Result	Quant. Limit	Test Method
Chemical Water						
1	Total Hardness (as CaCO ₃), mg/l	Max. 200	Max. 600	1091.40	1	IS:3025(P-21)

Remark : Sample Found DOES NOT CONFORM as per IS:10500-2012 with Amendment NO-4 for the tested parameters

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only



For NABL Scope

Mamta Bhavsar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.