

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment Pvt. Ltd A-101,S.G Business Hub,S.G Highway, Near Gota Over Bridge,Sola ,Ahmedabad, Ahmedabad, Gujarat Phone No : 9726260214 Email : adm.trassociates@gmail.Com	Test Report No : GTL/03261005025/NS Date of Receipt : 30/09/2026 Date of Issue : 05/10/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Water. Sample Qty : 2 Ltr Packing Mode : Sample Packed in Plastic Bottle Sample Condition : Satisfactory Marking : Location : Halvad, Type of Water : Ground Water, Code : GW1, Party Name : M/s.Silken Lamonates LLP Sample Drawn By : Customer Date of Starting of Test : 30/09/2026	Mfg. Date : N.M. Exp. Date : N.M. B.No : N.M. Date of Completion : 05/10/2026
---	--

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



Aarya Rawat

Reviewed By



For Verification



Trupti Thakor

Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1


Report Issued To : T.R Associates And Environment Pvt. Ltd A-101,S.G Business Hub,S.G Highway, Near Gota Over Bridge,Sola ,Ahmedabad, Ahmedabad, Gujarat Phone No : 9726260214 Email : adm.trassociates@gmail.Com	Test Report No : GTL/03261005026/NS Date of Receipt : 30/09/2026 Date of Issue : 05/10/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Water.	Mfg. Date : N.M.
Sample Qty : 2 Ltr	Exp. Date : N.M.
Packing Mode : Sample Packed in Plastic Bottle	B.No : N.M
Sample Condition : Satisfactory	
Marking : Location : Ranjitgadh, Type of Water : Ground Water, Code : GW2, Party Name : M/s.Silken Lamوناتes LLP	
Sample Drawn By : Customer	
Date of Starting of Test : 30/09/2026	Date of Completion : 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat

Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment
Pvt. Ltd
A-101,S.G Business Hub,S.G
Highway, Near Gota Over Bridge,Sola
Ahmedabad, Ahmedabad, Gujarat
Phone No : 9726260214
Email : adm.trassociates@gmail.Com

Test Report No : GTL/03261005027/NS
Date of Receipt : 30/09/2026
Date of Issue : 05/10/2026
Customer's Ref. No : N.M

Sample Described as : Water.

Sample Qty : 2 Ltr

Packing Mode : Sample Packed in Plastic
Bottle

Sample Condition : Satisfactory

Marking : Location : Borewell Near Project Site, Type of Water : Ground Water, Code :
GW3, Party Name : M/s.Silken Lamonates LLP

Sample Drawn By : Customer

Date of Starting of Test : 30/09/2026

Mfg. Date : N.M.

Exp. Date : N.M.


B.No : N.M

Date of Completion : 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment Pvt. Ltd A-101,S.G Business Hub,S.G Highway, Near Gota Over Bridge,Sola ,Ahmedabad, Ahmedabad, Gujarat Phone No : 9726260214 Email : adm.trassociates@gmail.Com	Test Report No : GTL/03261005028/NS Date of Receipt : 30/09/2026 Date of Issue : 05/10/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Water.	Mfg. Date : N.M.
Sample Qty : 2 Ltr	Exp. Date : N.M.
Packing Mode : Sample Packed in Plastic Bottle	B.No : N.M
Sample Condition : Satisfactory	
Marking : Location : Nava Ghanshyamgadh, Type of Water : Ground Water, Code : GW4, Party Name : M/s.Silken Lamوناتes LLP	
Sample Drawn By : Customer	
Date of Starting of Test : 30/09/2026	Date of Completion : 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment Pvt. Ltd A-101,S.G Business Hub,S.G Highway, Near Gota Over Bridge,Sola ,Ahmedabad, Ahmedabad, Gujarat Phone No : 9726260214 Email : adm.trassociates@gmail.Com	Test Report No : GTL/03261005029/NS Date of Receipt : 30/09/2026 Date of Issue : 05/10/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Water.	Mfg. Date : N.M.
Sample Qty : 2 Ltr	Exp. Date : N.M.
Packing Mode : Sample Packed in Plastic Bottle	B.No : N.M
Sample Condition : Satisfactory	
Marking : Location : Raysangpur, Type of Water : Ground Water, Code : GW5, Party Name : M/s.Silken Lamomates LLP	
Sample Drawn By : Customer	
Date of Starting of Test : 30/09/2026	Date of Completion : 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment
Pvt. Ltd
A-101,S.G Business Hub,S.G
Highway, Near Gota Over Bridge,Sola
Ahmedabad, Ahmedabad, Gujarat
Phone No : 9726260214
Email : adm.trassociates@gmail.Com

Test Report No : GTL/03261005030/NS
Date of Receipt : 30/09/2026
Date of Issue : 05/10/2026
Customer's Ref. No : N.M

Sample Described as : Water.
Sample Qty : 2 Ltr
Packing Mode : Sample Packed in Plastic
Bottle
Sample Condition : Satisfactory
Marking : Location : Shiroi, Type of Water : Ground Water, Code : GW6, Party Name :
M/s.Silken Lamomates LLP
Sample Drawn By : Customer
Date of Starting of Test : 30/09/2026
Date of Completion : 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological			
Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1


Report Issued To : T.R Associates And Environment Pvt. Ltd A-101,S.G Business Hub,S.G Highway, Near Gota Over Bridge,Sola ,Ahmedabad, Ahmedabad, Gujarat Phone No : 9726260214 Email : adm.trassociates@gmail.Com	Test Report No : GTL/03261005031/NS Date of Receipt : 30/09/2026 Date of Issue : 05/10/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Water. Sample Qty : 2 Ltr Packing Mode : Sample Packed in Plastic Bottle Sample Condition : Satisfactory Marking : Location : Mansar, Type of Water : Ground Water, Code : GW7, Party Name : M/s.Silken Lamوناتes LLP Sample Drawn By : Customer Date of Starting of Test : 30/09/2026	Mfg. Date : N.M. Exp. Date : N.M. B.No : N.M. Date of Completion : 05/10/2026
---	--

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To :	T.R Associates And Environment Pvt. Ltd A-101,S.G Business Hub,S.G Highway, Near Gota Over Bridge,Sola ,Ahmedabad, Ahmedabad, Gujarat Phone No : 9726260214 Email : adm.trassociates@gmail.Com	Test Report No	: GTL/03261005032/NS
		Date of Receipt	: 30/09/2026
		Date of Issue	: 05/10/2026
		Customer's Ref. No	: N.M

Sample Described as	: Water.	Mfg. Date	: N.M.
Sample Qty	: 2 Ltr	Exp. Date	: N.M.
Packing Mode	: Sample Packed in Plastic Bottle	B.No	: N.M
Sample Condition	: Satisfactory		
Marking	: Location :Ranekpar, Type of Water : Ground Water, Code : GW8, Party Name : M/s.Silken Lamomates LLP		
Sample Drawn By	: Customer		
Date of Starting of Test	: 30/09/2026	Date of Completion	: 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Arya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, otherwise samples will be disposed of after 21 days from the date of issue of the test report. (5) Samples not drawn by us unless provided by the customer. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data Ahmedabad Jurisdiction Only. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To :	T.R Associates And Environment Pvt. Ltd A-101,S.G Business Hub,S.G Highway, Near Gota Over Bridge,Sola ,Ahmedabad, Ahmedabad, Gujarat Phone No : 9726260214 Email : adm.trassociates@gmail.Com	Test Report No	: GTL/03261005033/NS
		Date of Receipt	: 30/09/2026
		Date of Issue	: 05/10/2026
		Customer's Ref. No	: N.M

Sample Described as	: Water.	Mfg. Date	: N.M.
Sample Qty	: 2 Ltr	Exp. Date	: N.M.
Packing Mode	: Sample Packed in Plastic Bottle	B.No	: N.M
Sample Condition	: Satisfactory		
Marking	: Location : Samantsar Lake, Type of Water : Surface Water, Code : SW1, Party Name : M/s.Silken Lamonates LLP		
Sample Drawn By	: Customer		
Date of Starting of Test	: 30/09/2026	Date of Completion	: 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment
Pvt. Ltd
A-101,S.G Business Hub,S.G
Highway, Near Gota Over Bridge,Sola
,Ahmedabad, Ahmedabad, Gujarat
Phone No : 9726260214
Email : adm.trassociates@gmail.Com

Test Report No : GTL/03261005034/NS
Date of Receipt : 30/09/2026
Date of Issue : 05/10/2026
Customer's Ref. No : N.M

Sample Described as : Water.
Sample Qty : 2 Ltr
Packing Mode : Sample Packed in Plastic
Bottle
Sample Condition : Satisfactory
Marking : Location : Ranjitgadh Pond, Type of Water : Surface Water, Code : SW2, Party
Name : M/s.Silken Lamonates LLP
Sample Drawn By : Customer
Date of Starting of Test : 30/09/2026
Mfg. Date : N.M.
Exp. Date : N.M.
B.No : N.M
Date of Completion : 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To :	T.R Associates And Environment Pvt. Ltd A-101,S.G Business Hub,S.G Highway, Near Gota Over Bridge,Sola ,Ahmedabad, Ahmedabad, Gujarat Phone No : 9726260214 Email : adm.trassociates@gmail.Com	Test Report No	: GTL/03261005035/NS
		Date of Receipt	: 30/09/2026
		Date of Issue	: 05/10/2026
		Customer's Ref. No	: N.M

Sample Described as	: Water.	Mfg. Date	: N.M.
Sample Qty	: 2 Ltr	Exp. Date	: N.M.
Packing Mode	: Sample Packed in Plastic Bottle	B.No	: N.M
Sample Condition	: Satisfactory		
Marking	: Location : Canal Near Project Site, Type of Water : Surface Water, Code : SW3, Party Name : M/s.Silken Lamonates LLP		
Sample Drawn By	: Customer		
Date of Starting of Test	: 30/09/2026	Date of Completion	: 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment
Pvt. Ltd
A-101,S.G Business Hub,S.G
Highway, Near Gota Over Bridge,Sola
,Ahmedabad, Ahmedabad, Gujarat
Phone No : 9726260214
Email : adm.trassociates@gmail.Com

Test Report No : GTL/03261005036/NS
Date of Receipt : 30/09/2026
Date of Issue : 05/10/2026
Customer's Ref. No : N.M

Sample Described as : Water.
Sample Qty : 2 Ltr
Packing Mode : Sample Packed in Plastic
Bottle
Sample Condition : Satisfactory
Marking : Location : Nava Ghanshyamgadh Pond, Type of Water : Surface Water, Code :
SW4, Party Name : M/s.Silken Lamوناتes LLP
Sample Drawn By : Customer
Date of Starting of Test : 30/09/2026
Date of Completion : 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment
Pvt. Ltd
A-101,S.G Business Hub,S.G
Highway, Near Gota Over Bridge,Sola
,Ahmedabad, Ahmedabad, Gujarat
Phone No : 9726260214
Email : adm.trassociates@gmail.Com

Test Report No : GTL/03261005037/NS
Date of Receipt : 30/09/2026
Date of Issue : 05/10/2026
Customer's Ref. No : N.M

Sample Described as : Water.
Sample Qty : 2 Ltr
Packing Mode : Sample Packed in Plastic
Bottle
Sample Condition : Satisfactory
Marking : Location : Brahmani River Downstream, Type of Water : Surface Water, Code :
SW5, Party Name : M/s.Silken Lamomates LLP
Sample Drawn By : Customer
Date of Starting of Test : 30/09/2026
Mfg. Date : N.M.
Exp. Date : N.M.
B.No : N.M.
Date of Completion : 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

Aarya
Aarya Rawat
Reviewed By



For Verification

Trupti
Trupti Thakor
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment
Pvt. Ltd
A-101,S.G Business Hub,S.G
Highway, Near Gota Over Bridge,Sola
,Ahmedabad, Ahmedabad, Gujarat
Phone No : 9726260214
Email : adm.trassociates@gmail.Com

Test Report No : GTL/03261005039/NS
Date of Receipt : 30/09/2026
Date of Issue : 05/10/2026
Customer's Ref. No : N.M

Sample Described as : Water.
Sample Qty : 2 Ltr
Packing Mode : Sample Packed in Plastic
Bottle
Sample Condition : Satisfactory
Marking : Location : Brahmani River Upstream, Type of Water : Surface Water, Code :
SW6, Party Name : M/s.Silken Lamomates LLP

Mfg. Date : N.M.
Exp. Date : N.M.
B.No : N.M


Sample Drawn By : Customer
Date of Starting of Test : 30/09/2026

Date of Completion : 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment Pvt. Ltd A-101,S.G Business Hub,S.G Highway, Near Gota Over Bridge,Sola ,Ahmedabad, Ahmedabad, Gujarat Phone No : 9726260214 Email : adm.trassociates@gmail.Com	Test Report No : GTL/03261005040/NS Date of Receipt : 30/09/2026 Date of Issue : 05/10/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Water.	Mfg. Date : N.M.
Sample Qty : 2 Ltr	Exp. Date : N.M.
Packing Mode : Sample Packed in Plastic Bottle	B.No : N.M.
Sample Condition : Satisfactory	
Marking : Location : Mansar Pond, Type of Water : Surface Water, Code : SW7, Party Name : M/s.Silken Lamonates LLP	
Sample Drawn By : Customer	
Date of Starting of Test : 30/09/2026	Date of Completion : 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

Aarya Rawat

Reviewed By



For Verification

Trupti Thakor

Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : T.R Associates And Environment Pvt. Ltd A-101,S.G Business Hub,S.G Highway, Near Gota Over Bridge,Sola ,Ahmedabad, Ahmedabad, Gujarat Phone No : 9726260214 Email : adm.trassociates@gmail.Com	Test Report No : GTL/03261005041/NS Date of Receipt : 30/09/2026 Date of Issue : 05/10/2026 Customer's Ref. No : N.M
---	---

Sample Described as	: Water.	Mfg. Date	: N.M.
Sample Qty	: 2 Ltr	Exp. Date	: N.M.
Packing Mode	: Sample Packed in Plastic Bottle	B.No	: N.M
Sample Condition	: Satisfactory		
Marking	: Location : Ranekpar Pond, Type of Water : Surface Water, Code : SW8, Party Name : M/s.Silken Lamnates LLP		
Sample Drawn By	: Customer		
Date of Starting of Test	: 30/09/2026	Date of Completion	: 05/10/2026

Sr No	Quality Characteristics	Result	Test Method
Biological Water			
1	Total Coliform MPN/ 100 ml	Absent	IS:1622:1981
2	Fecal Coliform MPN/100 ml	Absent	IS:1622:1981

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Aarya Rawat
Reviewed By



For Verification


Trupti Thakor
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***
(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.