

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To:	Uniworth Enterprises LLP Plot No. 455 P, Village: Chharodi, Tal.:Sanand, Sanand-Viramgam Highway, , Ahmedabad, Gujarat Phone No : 9909894318 Email : qa@uniworthllp.com	Test Report No	: GTL/04260714023/NS
		Date of Receipt	: 04/07/2026
		Date of Issue	: 14/07/2026
		Customer's Ref. No	: N.M

Sample Described as	: Alu Alu Laminate	Mfg. Date	: N.M.
Sample Qty	: 2 Sheet	Exp. Date	: N.M.
Packing Mode	: Sample Packed in Plastic Bags	B.No	: N.M.
Sample Condition	: Satisfactory		
Marking	: Identification : L26500197		
Sample Drawn By	: Customer		
Date of Starting of Test	: 04/07/2026	Date of Completion	: 14/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Chemical				
Miscellaneous				
1	Cadmium (as Cd) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 0.2
2	Lead (as Pb) mg/kg	0.12	By ICP-MS	Max. 0.5
3	Arsenic (as As) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max.1.5
4	Mercury (as Hg) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max 0.3
5	Cobalt (as Co) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 0.5
6	Vanadium (as V) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max.1.0
7	Nickel (as Ni) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max.2.0
8	Thallium (as Tl) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 0.8
9	Gold (as Au) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 30
10	Palladium (as Pd) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 1.0
11	Iridium (as Ir) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 1.0
12	Osmium (as Os) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 1.0
13	Rhodium (as Rh) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 1.0
14	Ruthenium (a Ru) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 1.0
15	Selenium (as Se) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 8.0
16	Silver (as Ag) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 1.0
17	Platinum (as Pt) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 1.0
18	Lithium (as Li) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max 25
19	Antimony (as Sb) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max 9.0
20	Barium (as Ba) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 70
21	Molybdenum (as Mo) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 150
22	Copper (as Cu) mg/kg	2.07	By ICP-MS	Max.30

Test Report No : GTL/04260714023/NS

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
23	Tin (as Sn) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 60
24	Chromium (as Cr) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 110

Remark: In respect of the test performed the submitted sample to the above specification for the Parameter tested

CONFORM

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Q.L.=Quantification Limit, Customer requested for the above test only

Rupesh Desai

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji

Autho. Signatory