

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015840F

Page 1 of 1

Report Issued To: Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No : GTL/04260723023 Date of Receipt : 18/07/2026 Date of Issue : 23/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Air Sample . Sample Qty : 01 Nos Packing Mode : ----	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18.07.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Production Area	
Sampling Location : Ficus Food Lab Pvt. Ltd Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd) Date of Starting of Test : 18/07/2026	Date of Completion : 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate Count cfu/m3	12 cfu	GL/WI/M-152	Max.50 cfu
2	Coliform /m3	< 1 cfu	GL/WI/M-152	Max.10 cfu
3	Yeast & Mould Count cfu/m3	< 1 cfu	GL/WI/M-152	Max.10 cfu
4	E.coli /m3	Absent	GL/WI/M-152	Absent
5	Salmonella /m3	Absent	GL/WI/M-152	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

K. M. Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

ULR-TC596126400015841F

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To:	Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No	: GTL/04260723024
		Date of Receipt	: 18/07/2026
		Date of Issue	: 23/07/2026
		Customer's Ref. No	: N.M

Sample Described as	: Air Sample .	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 18.07.2026
Packing Mode	: ----	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Packaging Area		
Sampling Location	: Ficus Food Lab Pvt. Ltd		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd)		
Date of Starting of Test	: 18/07/2026	Date of Completion	: 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate Count cfu/m3	20 cfu	GL/WI/M-152	Max.50 cfu
2	Coliform /m3	< 1 cfu	GL/WI/M-152	Max.10 cfu
3	Yeast & Mould Count cfu/m3	< 1 cfu	GL/WI/M-152	Max.10 cfu
4	E.coli /m3	Absent	GL/WI/M-152	Absent
5	Salmonella /m3	Absent	GL/WI/M-152	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

g.o.m.m.
Krishna Amin

Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015842F

Page 1 of 1

Report Issued To: Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhaha, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No : GTL/04260723025 Date of Receipt : 18/07/2026 Date of Issue : 23/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Air Sample . Sample Qty : 01 Nos Packing Mode : ----	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18.07.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : R.M. Area	
Sampling Location : Ficus Food Lab Pvt. Ltd Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd) Date of Starting of Test : 18/07/2026	Date of Completion : 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate Count cfu/m3	15 cfu	GL/WI/M-152	Max.50 cfu
2	Coliform /m3	< 1 cfu	GL/WI/M-152	Max.10 cfu
3	Yeast & Mould Count cfu/m3	< 1 cfu	GL/WI/M-152	Max.10 cfu
4	E.coli /m3	Absent	GL/WI/M-152	Absent
5	Salmonella /m3	Absent	GL/WI/M-152	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul

Ketul Padhiyar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

80m.m

Krishna Amin

Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015844F

Page 1 of 1

Report Issued To: Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka :Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No : GTL/04260723026 Date of Receipt : 18/07/2026 Date of Issue : 23/07/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Hand Swab. Sample Qty : 01 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18.07.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Irfan Diwan-Printing Operetor	
Sampling Location : Ficus Food Lab Pvt. Ltd Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd) Date of Starting of Test : 18/07/2026	Date of Completion : 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	E.coli/Swab	Absent	GL/WI/M-119	Absent
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max 10 cfu
4	Total Plate count cfu/Swab	11 cfu	GL/WI/M-119	Max.20 cfu
5	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned ,<1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

8.m.m
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015846F

Page 1 of 1

Report Issued To:	Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No	: GTL/04260723027
		Date of Receipt	: 18/07/2026
		Date of Issue	: 23/07/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab.	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 18.07.2026
Packing Mode	: ---	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Mayuddin Chauhan-Machine Operator		
Sampling Location	: Ficus Food Lab Pvt. Ltd		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd)		
Date of Starting of Test	: 18/07/2026	Date of Completion	: 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	E.coli/Swab	Absent	GL/WI/M-119	Absent
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max 10 cfu
4	Total Plate count cfu/Swab	07 cfu	GL/WI/M-119	Max.20 cfu
5	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned ,<1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

K. M. Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

ULR-TC596126400015847F

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To: Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No : GTL/04260723028 Date of Receipt : 18/07/2026 Date of Issue : 23/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Hand Swab. Sample Qty : 01 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18.07.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Mayur K. Rabari-R.M. Area	
Sampling Location : Ficus Food Lab Pvt. Ltd Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd) Date of Starting of Test : 18/07/2026	Date of Completion : 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	E.coli/Swab	Absent	GL/WI/M-119	Absent
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max 10 cfu
4	Total Plate count cfu/Swab	09 cfu	GL/WI/M-119	Max.20 cfu
5	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope


Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD


Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015849F

Page 1 of 1

Report Issued To: Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No : GTL/04260723030 Date of Receipt : 18/07/2026 Date of Issue : 23/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Hand Swab. Sample Qty : 01 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18.07.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Arvindbhai Padhiyar-R.M. Area	
Sampling Location : Ficus Food Lab Pvt. Ltd Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd) Date of Starting of Test : 18/07/2026	Date of Completion : 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	E.coli/Swab	Absent	GL/WI/M-119	Absent
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max 10 cfu
4	Total Plate count cfu/Swab	05 cfu	GL/WI/M-119	Max.20 cfu
5	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Bo Monu
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015850F

Page 1 of 1

Report Issued To: Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No : GTL/04260723031 Date of Receipt : 18/07/2026 Date of Issue : 23/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Hand Swab. Sample Qty : 01 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18.07.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Hetalben Parmar-Captain Line Leader	
Sampling Location : Ficus Food Lab Pvt. Ltd Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd) Date of Starting of Test : 18/07/2026	Date of Completion : 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	E.coli/Swab	Absent	GL/WI/M-119	Absent
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max 10 cfu
4	Total Plate count cfu/Swab	10 cfu	GL/WI/M-119	Max.20 cfu
5	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

K. M. Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015851F

Page 1 of 1

Report Issued To: Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No : GTL/04260723034 Date of Receipt : 18/07/2026 Date of Issue : 23/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18.07.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : After Cleaning (Apron)	
Sampling Location : Ficus Food Lab Pvt. Ltd Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd) Date of Starting of Test : 18/07/2026	Date of Completion : 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	11 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope


Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD


Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015852F

Page 1 of 1

Report Issued To: Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No : GTL/04260723035 Date of Receipt : 18/07/2026 Date of Issue : 23/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Equipment Swab Sample Qty : 01 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18.07.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Fryma Main Tank	
Sampling Location : Ficus Food Lab Pvt. Ltd Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd) Date of Starting of Test : 18/07/2026	Date of Completion : 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	20 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope


Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD


Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400015853F

Report Issued To:	Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No	: GTL/04260723036
		Date of Receipt	: 18/07/2026
		Date of Issue	: 23/07/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 18.07.2026
Packing Mode	: ---	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Kettle Main Tank		
Sampling Location	: Ficus Food Lab Pvt. Ltd		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd)	Date of Completion	: 23/07/2026
Date of Starting of Test	: 18/07/2026		

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	15 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015854F

Page 1 of 1

Report Issued To:	Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No	: GTL/04260723037
		Date of Receipt	: 18/07/2026
		Date of Issue	: 23/07/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 18.07.2026
Packing Mode	: ---	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Holding Tank		
Sampling Location	: Ficus Food Lab Pvt. Ltd		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd)		
Date of Starting of Test	: 18/07/2026	Date of Completion	: 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	28 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

G.A.M.
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400015856F

Report Issued To: Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No : GTL/04260723038 Date of Receipt : 18/07/2026 Date of Issue : 23/07/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Equipment Swab Sample Qty : 01 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18.07.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Pillow Pouch Hopper	
Sampling Location : Ficus Food Lab Pvt. Ltd Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd) Date of Starting of Test : 18/07/2026	Date of Completion : 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	21 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul

Ketul Padhiyar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin

Krishna Amin

Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015857F

Page 1 of 1

Report Issued To:	Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No	: GTL/04260723039
		Date of Receipt	: 18/07/2026
		Date of Issue	: 23/07/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 18.07.2026
Packing Mode	: ---	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Baquet		
Sampling Location	: Ficus Food Lab Pvt. Ltd		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd)		
Date of Starting of Test	: 18/07/2026	Date of Completion	: 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	23 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

G.M.N.
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400015859F

Page 1 of 1

Report Issued To: Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka :Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No : GTL/04260723041 Date of Receipt : 18/07/2026 Date of Issue : 23/07/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample. Sample Qty : 01 Nos Packing Mode : ---	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18.07.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Production Area (Floor)	
Sampling Location : Ficus Food Lab Pvt. Ltd Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd) Date of Starting of Test : 18/07/2026	Date of Completion : 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	28 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	E.coli/Swab	Absent	GL/WI/M-119	Absent
4	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned ,<1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

S. M. M.
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

ULR-TC596126400015860F

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To:	Ficus Food Lab Pvt. Ltd Plot No : 228, Village : Dabhasa, Taluka : Padra Vadodara Jambusar Highway-391440, Vadodara, Gujarat Phone No : 9725560745 Email : mansi@ficusfoodlab.com	Test Report No	: GTL/04260723042
		Date of Receipt	: 18/07/2026
		Date of Issue	: 23/07/2026
		Customer's Ref. No	: N.M

Sample Described as	: Swab Sample.	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 18.07.2026
Packing Mode	: ---	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Packing Area (Floor)		
Sampling Location	: Ficus Food Lab Pvt. Ltd		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Pvt. Ltd)		
Date of Starting of Test	: 18/07/2026	Date of Completion	: 23/07/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	17 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	E.coli/Swab	Absent	GL/WI/M-119	Absent
4	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***