

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : Altret Industries Pvt. Ltd. Survey No : 387/1, Bhuj-Dudhai Highway Road, At.Village-Paddhar, Tal.:-Bhuj, Dist:Kutch,, Kutch, Gujarat Phone No : 9879104424 Email : a_ravalji@altret.com	Test Report No : GTL/04260805002/NS Date of Receipt : 03/08/2026 Date of Issue : 05/08/2026 Customer's Ref. No : N.M
--	---

Sample Described as : Denatured Alcohol With IPA	Mfg. Date : 28.07.2026
Sample Qty : 100 ml	Exp. Date : 27.07.2027
Packing Mode : Sample Packed in Plastic Bottle	B.No : 2026/27/204
Sample Condition : Satisfactory	
Marking : Qty : 800 Lit, Slip No : 204	
Sample Drawn By : Customer	
Date of Starting of Test : 03/08/2026	Date of Completion : 05/08/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical			
Miscellaneous			
1	Appearance	Clear Colorless Liquid	Visual
2	Boiling Point Deg.C	79.3	GL/SOP/C-292
3	Density deg.C. gm/ml	0.8112	GL/SOP/C-226

Note : NM = Not Mentioned, Customer requested for the above test only


Mamta Bhavsar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
Autho. Signatory