

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To : Goran Pharma Pvt. Ltd. G.I.D.C.-1, Bhavnagar Road, Bhavnagar Road, Sihor, Gujarat Phone No : 9925937441 Email : qclab@goranpharma.com	Test Report No : GTL/04260814183/NS Date of Receipt : 07/08/2026 Date of Issue : 14/08/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Personnelle Sensitive Whitening Toothpaste	Mfg. Date : 08-2026
Sample Qty : 1 X 100 gm	Exp. Date : 07-2028
Packing Mode : Sample Packed in Plastic Tube	B.No : 0013
Sample Condition : Satisfactory	
Marking : N.M	
Sample Drawn By : Customer	
Date of Starting of Test : 07/08/2026	Date of Completion : 14/08/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical			
Miscellaneous			
1	Fluoride Ion ppm	1091	GL/SOP/C-225
2	Potassium Nitrate %	5.10	In House Specification
3	Sodium Fluoride %	0.2412	GL/SOP/C-226
Biological			
Miscellaneous			
1	Total Aerobic Microbial Count cfu/gm	<10 cfu	As per USP
2	E.coli /gm	Absent	As per USP
3	Salmonella/25 gm	Absent	As per USP
4	Yeast & Mould Count cfu/gm	<10 cfu	As per USP
5	S.aureus/gm	Absent	As per USP
6	Pseudomonas aeruginosa / gm	Absent	As per USP

Test Report No : GTL/04260814183/NS

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method
-------	-------------------------	--------	-------------

Note : NM = Not Mentioned, Customer requested for the above test only

Mamta Bhavsar

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji-Krishna Amin

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.