

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To:	Aceto pharma (India) Private Limited Building No : 184,185,186-P, Chacharwadi Vasna Sarkehj Bavla Highway, Sanand-382110, Ahmedabad, Gujarat Phone No : 9662854605 Email : YPawar@actylis.com	Test Report No : GTL/04260817028/NS Date of Receipt : 08/08/2026 Date of Issue : 17/08/2026 Customer's Ref. No : N.M
-------------------	--	---

Sample Described as	: Potassium Chromate	Mfg. Date	: N.M.
Sample Qty	: 5 gm	Exp. Date	: N.M.
Packing Mode	: Sample Packed in Plastic Bags	B.No	: 96668
Sample Condition	: Satisfactory		
Marking	: N.M		
Sample Drawn By	: Customer		
Date of Starting of Test	: 08/08/2026	Date of Completion	: 17/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Chemical				
Industrial and Fine Chemicals				
1	Calcium (as Ca) %	0.0016	By ICP-MS	Max. 0.005%
2	Sodium (as Na) %	0.021	By ICP-MS	Max. 0.05%

Remark: In respect of the test performed the submitted sample to the above Specification for the Parameter tested

CONFORM

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

Rupesh Desai
Reviewed By



For Verification

Hemal Darji
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

Quantitation Report

File Name 022SMPL.d
File Path D:\icpms_data\11-08-2026.b
Acq Time 11/08/2026 15:20
Sample Name G_260808187
Sample Type Sample
Comment
Prep Dilution 18.476
Auto Dilution N/A
Total Dilution 18.476
Operator Name Admin
Acq Mode Spectrum
Cal Title
Cal Type External Calibration
Last Calib 11/08/2026 18:27
Bkg File
Bkg Mode Count Subtraction except for ISTD
FQ Blank File
VIS Fit Point to Point

FullQuant Table

Element	Mass	ISTD	Tune Mode	Conc	Units	CPS	Ratio	Det	Time(sec)	Rep
Na	23		He	210276.315	ppb	53,199,907.70		Pulse	0.09	2
Ca	40		He	6114.520	ppb	1,546,973.56		Pulse	0.09	2

Almy