

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400017891F

Report Issued To: Eclinicalworks India Pvt Ltd. 110 & 407-414,Venus Atlantis,100 Feet Road, Prahladnagar , , Ahmedabad, Gujarat Phone No : 9099952763 Email : purvang.khatri@eclinicalworks.com	Test Report No : GTL/04260817039 Date of Receipt : 11/08/2026 Date of Issue : 17/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Egg Masala Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Cooked Food	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 11.08.2026 Environ. Condition : 6.3.Deg.
Sampling Location : Eclinicalworks India Pvt Ltd. Sample Drawn By : Mr. Satish Dataniya (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 11/08/2026	Date of Completion : 17/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	800 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Yeast & Mould Count cfu/gm	<10 cfu	IS:5403:1999	Not Prescribed
3	Coliform /gm	<10 cfu	IS:5401 (P-1) : 2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
5	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
6	S.aureus/25gm	Absent	IS:5887(P-2):1976	Absent
7	Shigella/25 gm	Absent	IS 5887(P-7):1999	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketun
Ketun Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

S. Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400017894F

Page 1 of 1

Report Issued To:	Eclinicalworks India Pvt Ltd. 110 & 407-414,Venus Atlantis,100 Feet Road, Prahladnagar , , Ahmedabad, Gujarat Phone No : 9099952763 Email : purvang.khatri@eclinicalworks.com	Test Report No	: GTL/04260817042
		Date of Receipt	: 11/08/2026
		Date of Issue	: 17/08/2026
		Customer's Ref. No	: N.M

Sample Described as	: Sevaiya Kheer	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 11.08.2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 6.4.Deg.
Sample Condition	: Satisfactory		
Marking	: Cooked Food		
Sampling Location	: Eclinicalworks India Pvt Ltd.		
Sample Drawn By	: Mr. Satish Dataniya (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 11/08/2026	Date of Completion	: 17/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	950 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Yeast & Mould Count cfu/gm	<10 cfu	IS:5403:1999	Not prescribed
3	Coliform /gm	<10 cfu	IS:5401 (P-1) : 2012	Not prescribed
4	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
5	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
6	S.aureus/25gm	Absent	IS:5887(P-2):1976	Absent
7	Shigella/25 gm	Absent	IS 5887(P-7):1999	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Bo.Mo.Am
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400017895F

Page 1 of 1

Report Issued To:	Eclinicalworks India Pvt Ltd. 110 & 407-414,Venus Atlantis,100 Feet Road, Prahladnagar , , Ahmedabad, Gujarat Phone No : 9099952763 Email : purvang.khatri@eclinicalworks.com	Test Report No	: GTL/04260817043
		Date of Receipt	: 11/08/2026
		Date of Issue	: 17/08/2026
		Customer's Ref. No	: N.M

Sample Described as	: Veg Fried Rice	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 11.08.2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 6.5.Deg.
Sample Condition	: Satisfactory		
Marking	: Cooked Food		
Sampling Location	: Eclinicalworks India Pvt Ltd.		
Sample Drawn By	: Mr. Satish Dataniya (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 11/08/2026	Date of Completion	: 17/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	500 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Yeast & Mould Count cfu/gm	<10 cfu	IS:5403:1999	Not Prescribed
3	Coliform /gm	<10 cfu	IS:5401 (P-1) : 2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
5	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
6	S.aureus/25gm	Absent	IS:5887(P-2):1976	Absent
7	Shigella/25 gm	Absent	IS 5887(P-7):1999	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) This test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400017897F

Page 1 of 1

Report Issued To:	Eclinicalworks India Pvt Ltd. 110 & 407-414,Venus Atlantis,100 Feet Road, Prahladnagar . , Ahmedabad, Gujarat Phone No : 9099952763 Email : purvang.khatri@eclinicalworks.com	Test Report No	: GTL/04260817045
		Date of Receipt	: 11/08/2026
		Date of Issue	: 17/08/2026
		Customer's Ref. No	: N.M

Sample Described as	: Aloo Jodhpuri	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 11.08.2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 6.6.Deg.
Sample Condition	: Satisfactory		
Marking	: Cooked Food		
Sampling Location	: Eclinicalworks India Pvt Ltd.		
Sample Drawn By	: Mr. Satish Dataniya (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 11/08/2026	Date of Completion	: 17/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	820 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Yeast & Mould Count cfu/gm	<10 cfu	IS:5403:1999	Not Prescribed
3	Coliform /gm	<10 cfu	IS:5401 (P-1): 2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
5	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
6	S.aureus/25gm	Absent	IS:5887(P-2):1976	Absent
7	Shigella/25 gm	Absent	IS 5887(P-7):1999	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned; *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.