

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018088F

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818151 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Equipment Swab Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Metallizer	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	10 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018076F

Page 1 of 1

Report Issued To:	Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818132 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--------------------------	--	--

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 08.08.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Bhavan Singh (R.M. Store)		
Sampling Location	: Aerolam Insulations Private Limited (Unit-CPGJ05)		
Sample Drawn By	: Mr.Satish Rana (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 08/08/2026	Date of Completion	: 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	06 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent. Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

B. Amin

Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018077F

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818133 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Hand Swab Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Rakesh (House Keeping Department)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	07 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent. Customer requested for the above test only



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.


Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD


Krishna Amin
Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018078F

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818134 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as Sample Qty Packing Mode	: Hand Swab : 01 Nos : --	Sampling Plan Sampling Date Environ. Condition	: as per GTL/GP/SOP/046 : 08.08.2026 : Ambient
Sample Condition Marking	: Satisfactory : Som Prakash (QC Lab)		
Sampling Location Sample Drawn By Date of Starting of Test	: Aerolam Insulations Private Limited (Unit-CPGJ05) : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) : 08/08/2026	Date of Completion	: 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	08 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent. Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketue
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018079F

Page 1 of 1

Report Issued To:	Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818135 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--------------------------	--	--

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 08.08.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Vikram Singh (CPP Deaprtment)		
Sampling Location	: Aerolam Insulations Private Limited (Unit-CPGJ05)		
Sample Drawn By	: Mr.Satish Rana (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 08/08/2026	Date of Completion	: 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	09 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.


Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD


Krishna Amin
Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018080F

Page 1 of 1

Report Issued To:	Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818136 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--------------------------	--	--

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 08.08.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Aanand Singh (Metallizer Department)		
Sampling Location	: Aerolam Insulations Private Limited (Unit-CPGJ05)		
Sample Drawn By	: Mr.Satish Rana (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 08/08/2026	Date of Completion	: 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	<10 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketui
Ketui Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Bohoma
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018082F

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818138 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Hand Swab Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Tushar (Slitting Department)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	<10 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul

Ketul Padhiyar

Reviewed By



For Verification

Krishna Amin

Krishna Amin

Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018083F

Page 1 of 1

Report Issued To:	Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No	: GTL/04260818139
		Date of Receipt	: 08/08/2026
		Date of Issue	: 18/08/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 08.08.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Ganpat Gohil		
Sampling Location	: Aerolam Insulations Private Limited (Unit-CPGJ05)		
Sample Drawn By	: Mr.Satish Rana (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 08/08/2026	Date of Completion	: 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	11 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Krishna
Krishna Amin

Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018084F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818140 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Hand Swab Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Vinay Kumar (QC lab)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	12 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul

Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin

Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018085F

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818141 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Hand Swab Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Vijay Solanki (Maintenance Department)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	06 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018086F

Page 1 of 1

Report Issued To:	Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818142 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--------------------------	--	--

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 08.08.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Dinesh Dabhi (Slitting Department)		
Sampling Location	: Aerolam Insulations Private Limited (Unit-CPGJ05)		
Sample Drawn By	: Mr.Satish Rana (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 08/08/2026	Date of Completion	: 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	07 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna
Krishna Amin
Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018087F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05)
Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat
Phone No : 9512013301
Email : mahesh.d@aerolam.com

Test Report No : GTL/04260818143
Date of Receipt : 08/08/2026
Date of Issue : 18/08/2026
Customer's Ref. No : N.M

Sample Described as : Equipment Swab
Sample Qty : 01 Nos
Packing Mode : --

Sampling Plan : as per GTL/GP/SOP/046
Sampling Date : 08.08.2026
Environ. Condition : Ambient

Sample Condition : Satisfactory
Marking : CPP Machine

Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05)
Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited)
Date of Starting of Test : 08/08/2026

Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	08 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul Padhiyar

Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin

Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018089F

Page 1 of 1

Report Issued To:	Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818152 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--------------------------	--	--

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 08.08.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Slitting Department		
Sampling Location	: Aerolam Insulations Private Limited (Unit-CPGJ05)		
Sample Drawn By	: Mr.Satish Ranã (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 08/08/2026	Date of Completion	: 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	11 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul Padhiyar
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

G. Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018090F

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818153 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Air Sample. Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : R.M. Store	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate Count cfu/m3	15 cfu	GL/SOP/M-152	Max.50.0 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul Padhiyar
Ketul Padhiyar
Reviewed By



For Verification

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018091F

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818154 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Air Sample. Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : QC Lab	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate Count cfu/m3	16 cfu	GL/SOP/M-152	Max.50.0 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul Padhiyar
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018092F

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818155 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Air Sample. Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : CPP Department	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate Count cfu/m3	18 cfu	GL/SOP/M-152	Max.50.0 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul Padhiyar
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

B. M. Amin

Krishna Amin

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018093F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818156 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Air Sample. Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Slitting Department	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate Count cfu/m3	19 cfu	GL/SOP/M-152	Max.50.0 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018094F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818157 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Air Sample. Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Packing Department	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate Count cfu/m3	20 cfu	GL/SOP/M-152	Max.50.0 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018095F

Report Issued To:	Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818158 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--------------------------	--	--

Sample Described as	: Air Sample.	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 08.08.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Metallizer		
Sampling Location	: Aerolam Insulations Private Limited (Unit-CPGJ05)		
Sample Drawn By	: Mr.Satish Rana (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 08/08/2026	Date of Completion	: 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate Count cfu/m3	21 cfu	GL/SOP/M-152	Max.50.0 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul Padhiyar
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.



TC-5961

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018096F

Report Issued To:	Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818161 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--------------------------	--	--

Sample Described as	: Air Sample.	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 08.08.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Dis Patch Area		
Sampling Location	: Aerolam Insulations Private Limited (Unit-CPGJ05)		
Sample Drawn By	: Mr.Satish Rana (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 08/08/2026	Date of Completion	: 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate Count cfu/m3	23 cfu	GL/SOP/M-152	Max.50.0 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018097F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818162 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Air Sample . Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Dispatch Area	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate Count cfu/m3	11 cfu	GL/WI/M-152	Max.50 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin

Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018098F

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818163 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : R.M. Store (Pradip Solanki) (Uniform)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	24 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

g.m.m.
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018102F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818167 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Rakesh (House Keeping Department) (Uniform)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	30 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018103F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818168 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Ajay Pratap Singh (QC Lab)) (Uniform)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	16 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul Padhiyar
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018100F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818165 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Sanjay Chauhan (CPP Department) (Uniform)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	28 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Bonoma
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018104F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818169 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Arun Kumar (Metallizer Department) (Uniform)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	19 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

B.K.A.M.
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018105F

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818170 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Chetan (Slitting Area) (Uniform)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	29 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NAIBL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018106F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818171 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Ganpat Gohil (packing Department) (Uniform)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	27 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

G. M. Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

ULR-TC596126400018107F

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818172 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Vinay Kumar (Qc Lab) (Uniform)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	29 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned < 1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul

Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin

Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018108F

Report Issued To:	Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818173 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--------------------------	--	--

Sample Described as	: Swab Sample	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 08.08.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Vijay Solanki (Maintenance Department) (Uniform)		
Sampling Location	: Aerolam Insulations Private Limited (Unit-CPGJ05)		
Sample Drawn By	: Mr.Satish Rana (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 08/08/2026	Date of Completion	: 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Total Plate count cfu/Swab	30 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Do. No. M. —
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018109F

Report Issued To: Aerolam Insulations Private Limited (Unit-CPGJ05) Survey No : 468, Bhayla-Gangad Road, Opp. Corona Remedies, Nr. Sun-Ray Solar Bhayla, Ahmedabad, Gujarat Phone No : 9512013301 Email : mahesh.d@aerolam.com	Test Report No : GTL/04260818174 Date of Receipt : 08/08/2026 Date of Issue : 18/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 08.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Dinesh Dabhi (Slitting Department) (Uniform)	
Sampling Location : Aerolam Insulations Private Limited (Unit-CPGJ05) Sample Drawn By : Mr.Satish Rana (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 08/08/2026	Date of Completion : 18/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	32 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.