

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018897F

|                          |                                                                                                                                                                                                 |                           |                          |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------------|
| <b>Report Issued To:</b> | <b>Fortune Select S.G Highway<br/>Ahmedabad</b><br>Nr.Sola Over Bridge , S.G Highway ,<br>Ahmedabad, Gujarat<br><b>Phone No :</b> 9099937422<br><b>Email :</b><br>purchase.fsa@fortunehotels.in | <b>Test Report No</b>     | <b>: GTL/04260825091</b> |
|                          |                                                                                                                                                                                                 | <b>Date of Receipt</b>    | <b>: 18/08/2026</b>      |
|                          |                                                                                                                                                                                                 | <b>Date of Issue</b>      | <b>: 25/08/2026</b>      |
|                          |                                                                                                                                                                                                 | <b>Customer's Ref. No</b> | <b>: N.M</b>             |

|                                 |                                                                        |                           |                                |
|---------------------------------|------------------------------------------------------------------------|---------------------------|--------------------------------|
| <b>Sample Described as</b>      | <b>: Mutton Curry</b>                                                  | <b>Sampling Plan</b>      | <b>: as per GTL/GP/SOP/046</b> |
| <b>Sample Qty</b>               | <b>: 200 gm</b>                                                        | <b>Sampling Date</b>      | <b>: 18.08.2026</b>            |
| <b>Packing Mode</b>             | <b>: Sample Packed in Plastic<br/>Container</b>                        | <b>Environ. Condition</b> | <b>: 6.8 Deg.C</b>             |
| <b>Sample Condition</b>         | <b>: Satisfactory</b>                                                  |                           |                                |
| <b>Marking</b>                  | <b>: Cooked Non Veg Meat Food</b>                                      |                           |                                |
| <b>Sampling Location</b>        | <b>: Fortune Select S.G Highway Ahmedabad</b>                          |                           |                                |
| <b>Sample Drawn By</b>          | <b>: Mr. Sahil (Representative of Gujarat Testlab Private Limited)</b> |                           |                                |
| <b>Date of Starting of Test</b> | <b>: 18/08/2026</b>                                                    | <b>Date of Completion</b> | <b>: 25/08/2026</b>            |

| Sr No                                 | Quality Characteristics    | Result   | Test Method                    | Customer / *<br>GME-RTE<br>Specification |
|---------------------------------------|----------------------------|----------|--------------------------------|------------------------------------------|
| <b>Biological</b>                     |                            |          |                                |                                          |
| <b>Food And Agricultural Products</b> |                            |          |                                |                                          |
| 1                                     | Aerobic Plate Count cfu/gm | 2230 cfu | IS : 5402 (P-1) : 2021         | Max. 10000 cfu/gm                        |
| 2                                     | E.coli /gm                 | Absent   | IS: 5887 (P-1) 1976            | Absent                                   |
| 3                                     | S.aureus/25gm              | Absent   | IS : 5887(P-2) : 1976          | Absent                                   |
| 4                                     | Salmonella/25 gm           | Absent   | IS : 5887(P-3/Sec-1) :<br>2020 | Absent                                   |
| 5                                     | Yeast & Mould cfu/gm       | <10 cfu  | IS : 5403 : 1999               | Not Prescribed                           |

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, \*GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

*Ketul*  
**Ketul Padhiyar**  
**Reviewed By**



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

*B.N.A.*  
**Krishna Amin**  
**Autho. Signatory**

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

ULR-TC596126400018906F

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                                                                                                                                                                                                                                   |                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To:</b><br><b>Fortune Select S.G Highway</b><br><b>Ahemdabad</b><br>Nr.Sola Over Bridge , S.G Highway ,<br>Ahmedabad, Gujarat<br><b>Phone No :</b> 9099937422<br><b>Email :</b><br>purchase.fsa@fortunehotels.in | <b>Test Report No</b> : GTL/04260825100<br><b>Date of Receipt</b> : 18/08/2026<br><b>Date of Issue</b> : 25/08/2026<br><b>Customer's Ref. No</b> : N.M |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                            |                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>Sample Described as</b> : Tandoori Fish<br><b>Sample Qty</b> : 200 gm<br><b>Packing Mode</b> : Sample Packed in Plastic Container<br><b>Sample Condition</b> : Satisfactory<br><b>Marking</b> : Non Veg Cooked Sea Food | <b>Sampling Plan</b> : as per GTL/GP/SOP/046<br><b>Sampling Date</b> : 18/08/2026<br><b>Environ. Condition</b> : 6.9 Deg.C |
| <b>Sampling Location</b> : Fortune Select S.G Highway Ahemdabad<br><b>Sample Drawn By</b> : Mr. Sahil (Representative of Gujarat Testlab Private Limited)<br><b>Date of Starting of Test</b> : 18/08/2026                  | <b>Date of Completion</b> : 25/08/2026                                                                                     |

| Sr No                                 | Quality Characteristics  | Result   | Test Method                  | Customer / *<br>GME-RTE<br>Specification |
|---------------------------------------|--------------------------|----------|------------------------------|------------------------------------------|
| <b>Biological</b>                     |                          |          |                              |                                          |
| <b>Food And Agricultural Products</b> |                          |          |                              |                                          |
| 1                                     | Total Plate count cfu/gm | 1600 cfu | IS:5402 (P-1): 2021          | Max. 10000 cfu                           |
| 2                                     | Coliform count cfu/gm    | <10 cfu  | IS : 5401(P-1):2012          | Not Prescribed                           |
| 3                                     | E.coli /gm               | Absent   | IS:5887(P-1):1976            | Absent                                   |
| 4                                     | Salmonella/25 gm         | Absent   | IS:5887(P-3/Sec-1) :<br>2020 | Absent                                   |
| 5                                     | S.aureus/25gm            | Absent   | IS:5887(P-II)-1976           | Absent                                   |

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

**CONFORM**

Note : NM = Not Mentioned, \*GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

*Ketul Padhiyar*

Ketul Padhiyar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT, LTD

*Krishna Amin*

Krishna Amin

Autho. Signatory

#### Disclaimer Note

\*\*\* END OF REPORT \*\*\*

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126700018112F

|                                                                                                                                                                                                                |                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> Fortune Select S.G Highway<br>Ahemdabad<br>Nr.Sola Over Bridge , S.G Highway ,<br>Ahmedabad, Gujarat<br><b>Phone No :</b> 9099937422<br><b>Email :</b> purchase.fsa@fortunehotels.in | <b>Test Report No</b> : GTL/03260826005<br><br><b>Date of Receipt</b> : 18/08/2026<br><b>Date of Issue</b> : 26/08/2026<br><b>Customer's Ref. No</b> : N.M |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sample Described as</b> : Drinking Water<br><b>Sample Qty</b> : 2 Ltr<br><b>Packing Mode</b> : Sample Packed in Plastic Bottle<br><b>Sample Condition</b> : Satisfactory<br><b>Marking</b> : Sample : RO Water<br><b>Sample Drawn By</b> : Mr. Sahil(Representative of Gujarat Testlab Private Limited)<br><b>Sampling Location</b> : Fortune Select S.G Highway Ahemdabad<br><b>Date of Starting of Test</b> : 18/08/2026 | <b>Sampling Plan</b> : as per GTL/GP/SOP/055-02<br><b>Sampling Date</b> : 18.08.2026<br><b>Environ. Condition</b> : Ambient<br><b>Date of Completion</b> : 26/08/2026 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| Sr No                   | Test Parameters                     | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absense of Alternate Source | Result    | Q. L. | Test Method         |
|-------------------------|-------------------------------------|-----------------------------------------|---------------------------------------------------------------|-----------|-------|---------------------|
| <b>Chemical Water</b>   |                                     |                                         |                                                               |           |       |                     |
| 1                       | Colour, Hazen Unit                  | Max. 5                                  | Max. 15.0                                                     | <1        | 1     | IS:3025(P-4)        |
| 2                       | Odour                               | Agreeable                               | Agreeable                                                     | Agreeable | --    | IS:3025(P-5)        |
| 3                       | pH at 25 Deg C                      | 6.5 to 8.5                              | No Relaxation                                                 | 7.51      | 1     | IS:3025(P-11)       |
| 4                       | Taste                               | Agreeable                               | Agreeable                                                     | Agreeable | --    | IS:3025(P-7 & 8)    |
| 5                       | Turbidity, NTU                      | Max. 1.0                                | Max. 5.0                                                      | <0.1      | 0.1   | IS:3025(P-10)       |
| 6                       | Total Dissolved Solids, mg/l        | Max.500                                 | Max.2000                                                      | 113       | 5     | IS:3025(P-16)       |
| 7                       | Calcium (as Ca), mg/l               | Max.75                                  | Max.200                                                       | 10.69     | 0.1   | IS:3025(P-40)       |
| 8                       | Chloride (as Cl), mg/l              | Max.250                                 | Max. 1000                                                     | 32.97     | 0.5   | IS:3025(P-32)       |
| 9                       | Fluoride (as F) mg/l                | Max. 1.0                                | Max. 1.5                                                      | B.L.Q.    | 0.01  | IS:3025(P-75)       |
| 10                      | Magnesium (as Mg), mg/l             | Max. 30                                 | Max. 100                                                      | 6.82      | 0.1   | IS:3025(P-46)       |
| 11                      | Nitrate (as NO3) mg/l               | Max. 45.0                               | No Relaxation                                                 | B.L.Q.    | 1     | IS:3025(P-34)       |
| 12                      | Phenolic Compounds (as C6H5OH) mg/l | Max. 0.001                              | Max. 0.002                                                    | B.L.Q.    | 0.001 | IS:3025(P-43) Sec 1 |
| 13                      | Sulphate (as SO4), mg/l             | Max. 200                                | Max. 400                                                      | B.L.Q.    | 0.5   | IS:3025(P-24 Sec-1) |
| 14                      | Total Hardness (as CaCO3), mg/l     | Max. 200                                | Max. 600                                                      | 45.38     | 1     | IS:3025(P-21)       |
| <b>Biological Water</b> |                                     |                                         |                                                               |           |       |                     |
| 1                       | Total Coliform per 100 ml           | Shall not be Detectable                 | Shall not be Detectable                                       | Absent    | ---   | IS 15185 : 2016     |
| 2                       | E.coli per 100 ml                   | Shall not be Detectable                 | Shall not be Detectable                                       | Absent    | ----  | IS 15185 : 2016     |

Test Report No : GTL/03260826005

| Sr No | Test Parameters | IS:10500 Requirement (Acceptable Limit) | IS:10500 Permissible Limit in the Absense of Alternate Source | Result | Q. L. | Test Method |
|-------|-----------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|-------------|
|-------|-----------------|-----------------------------------------|---------------------------------------------------------------|--------|-------|-------------|

**Remark :** Sample Found CONFORM as per IS:10500-2012 (Acceptable Limit) with Amendment NO-4 for the tested parameters.

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

*Mamta Bhavsar*  
Mamta Bhavsar  
Reviewed By



For Verification

\*\*\* END OF REPORT \*\*\*

*Hemal Darji-Krishna Amin*  
Hemal Darji-Krishna Amin  
Autho. Signatory

### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.