

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400018913F

Report Issued To:	The Gateway Hotel (Diu) C/o Bahusmarna Construction Pvt. Ltd. HNo :2-523/6, Naidu, Diu, Dadra and Nagar Haveli, Diu, Daman and Diu Phone No : 8868963063 Email : maintenance.gatewaydiu@gateway-h otels.com	Test Report No : GTL/04260825107 Date of Receipt : 18/08/2026 Date of Issue : 25/08/2026 Customer's Ref. No : N.M
-------------------	---	--

Sample Described as	: Blue Berry Pastry	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 18/08/2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 7.5 Deg.
Sample Condition	: Satisfactory		
Marking	: Blue Berry Pastry-Bakery Products		
Sampling Location	: The Gateway Hotel (Diu)		
Sample Drawn By	: Mr.Mukesh Patni(Representative of GujaratLab Private Limited)		
Date of Starting of Test	: 18/08/2026	Date of Completion	: 25/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological Food And Agricultural Products				
1	E.coli /gm	Absent	IS: 5887 (P-1) 1976	Absent
2	S.aureus/25gm	Absent	IS : 5887(P-2) : 1976	Absent
3	Salmonella/25 gm	Absent	IS : 5887(P-3/Sec-1) : 2020	Absent
4	Listeria monocytogens/25gm	Absent	IS : 14988 (p-1) : 2020	Absent
5	Yeast & Mould cfu/gm	<10 cfu	IS : 5403 : 1999	Not Prescribed

Remark: In respect of the test performed the submitted sample
to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For
Microbiological examination of Ready to Eat Foods, <10 cfu -Absent,
Customer requested for the above test only



Ketul
Ketul Padhiyar

Reviewed By



FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin

Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126400018914F

Report Issued To:	The Gateway Hotel (Diu) C/o Bahusmarna Construction Pvt. Ltd. HNo :2-523/6, Naidu, Diu, Dadra and Nagar Haveli, Diu, Daman and Diu Phone No : 8868963063 Email : maintenance.gatewaydiu@gateway-h otels.com	Test Report No	: GTL/04260825108
		Date of Receipt	: 18/08/2026
		Date of Issue	: 25/08/2026
		Customer's Ref. No	: N.M

Sample Described as	: Three Peper Quinoa..	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 18.08.2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 6.7 Deg.C
Sample Condition	: Satisfactory		
Marking	: Salad (Raw Veg Food)		
Sampling Location	: The Gateway Hotel (Diu)		
Sample Drawn By	: Mr.Mukesh Patni(Representative of GujaratLab Private Limited)		
Date of Starting of Test	: 18/08/2026	Date of Completion	: 25/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	E.coli /gm	Absent	IS: 5887 (P-1) 1976	Absent
2	S.aureus/25gm	Absent	IS : 5887(P-2) : 1976	Absent
3	Salmonella/25 gm	Absent	IS : 5887(P-3/Sec-1) : 2020	Absent
4	Listeria monocytogens/25gm	Absent	IS : 14988 (p-1) : 2020	Absent
5	Yeast & Mould cfu/gm	<10 cfu	IS : 5403 : 1999	Not Prescribed
6	Aerobic Microbial Count cfu/gm	600 cfu	IS: 5401(P-1):2021	Max. 10000 cfu
7	Enterobacteriaceae/gm	Absent	ISO:21528-1:2017	Absent
8	vibrio Cholerae/25gm	Absent	IS:5887(P-5/sec-1):20 23	Absent
9	Sulphite Reducing Clostridia/gm	<10 cfu	ISO: 15213-1-2023	Max 100 cfu/gm

Test Report No : GTL/04260825108

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
-------	-------------------------	--------	-------------	--

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods- Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul

Ketul Padhiyar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

S.A.M.

Krishna Amin

Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018915F

Page 1 of 1

Report Issued To: The Gateway Hotel (Diu) C/o Bahusmarna Construction Pvt. Ltd. HNo :2-523/6, Naidu, Diu, Dadra and Nagar Haveli, Diu, Daman and Diu Phone No : 8868963063 Email : maintenance.gatewaydiu@gateway-h otels.com	Test Report No : GTL/04260825109 Date of Receipt : 18/08/2026 Date of Issue : 25/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Hand Swab Sample Qty : 1 Nos Packing Mode : -	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 18/08/2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Location : Hemant	
Sampling Location : The Gateway Hotel (Diu) Sample Drawn By : Mr.Mukesh Patni(Representative of GujaratLab Private Limited) Date of Starting of Test : 18/08/2026	Date of Completion : 25/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	09 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	<1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	<1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent
6	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketui
Ketul Padhiyar
Reviewed By



For Verification

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400018916F

Page 1 of 1

Report Issued To:	The Gateway Hotel (Diu) C/o Bahusmarna Construction Pvt. Ltd. HNo :2-523/6, Naidu, Diu, Dadra and Nagar Haveli, Diu, Daman and Diu Phone No : 8868963063 Email : maintenance.gatewaydiu@gateway-h otels.com	Test Report No	: GTL/04260825110
		Date of Receipt	: 18/08/2026
		Date of Issue	: 25/08/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab .	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 18/08/2026
Packing Mode	: -	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: N.M		
Sampling Location	: The Gateway Hotel (Diu)		
Sample Drawn By	: Mr.Mukesh Patni(Representative of GujaratLab Private Limited)		
Date of Starting of Test	: 18/08/2026	Date of Completion	: 25/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	19 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	<1 cfu	GL/WI/M-119	Max.10 cfu
3	Yeast & Mould count /Swab	<1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent
6	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

NM = Not Mentioned , <1 cfu = Absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

gomonu
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.