

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : ITC Limited C/o. Leamak Healthcare (P) Ltd., Sarkhej Bavla Highway, After Zydus Cadila Factory, Matoda-382213, Ahmedabad, Gujarat Phone No : 9662185200 Email : Tatmiya.Kiritkumar@itc.in	Test Report No. : GTL/04260825122/NS Date Of Receipt : 17/08/2026 Date of Issue : 25 /08/2026 Customer's Ref. : N.M.
--	---

Description of Sample : FLAA42	Mfg. Date : N.M.
Sample Qty. : 100 gm	Exp. Date : N.M.
Packing Mode : Sample Packed in Plastic Bottle	B. No : 19622593
Sample Condition : Satisfactory	
Marking : N.M.	
Sample Drawn By : Customer	
Date of Starting of Test : 17/08/2026	Date of Completion : 25/08/2026

Sr.No.	Quality Characteristics	Result	Test Method	Customer Specification
Chemical				
Miscellaneous				
1	Appearance	Liquid low-medium viscosity clear	Visual	Liquid low-medium viscosity clear
2	Refractive Index at 25 Deg.C	1.4496	By Refractrometer	1.4454-1.4654
3	Specific gravity at 25 deg.C	0.9317 gm/ml	GL/SOP/C-226	0.9101-0.9502
4	Colour	Yellow	Visual	Yellow
5	Taste	Characteristic	Organoleptic	Characteristic
6	Odour	Free from off odour and taints.	Organoleptic	Free from off odour and taints.
7	Physical Contaminants	Free from foreign impurities.	GL/SOP/C-266	Free from foreign impurities.

Remark: In respect of the test performed the submitted sample to the above specification for the parameters tested.

CONFORM

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD.



For Verification

Mamta Bhavsar
Reviewed By

Hemal Darji
Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample (s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and /or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.