

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400019157F

|                          |                                                                                                                                                                                                                                  |                           |                          |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------------|
| <b>Report Issued To:</b> | <b>Lotte India Corporation Private. Limited.</b><br>Modern Industrial Estate, B/h Naroda<br>Fire Station, Naroda<br>Road, Ahmedabad, Ahmedabad,<br>Gujarat<br><b>Phone No : 9737238794</b><br><b>Email : naveen.k@havmor.com</b> | <b>Test Report No</b>     | <b>: GTL/04260827092</b> |
|                          |                                                                                                                                                                                                                                  | <b>Date of Receipt</b>    | <b>: 22/08/2026</b>      |
|                          |                                                                                                                                                                                                                                  | <b>Date of Issue</b>      | <b>: 27/08/2026</b>      |
|                          |                                                                                                                                                                                                                                  | <b>Customer's Ref. No</b> | <b>: N.M</b>             |

|                                 |                                             |                           |                     |
|---------------------------------|---------------------------------------------|---------------------------|---------------------|
| <b>Sample Described as</b>      | <b>: Kachha Aam</b>                         | <b>Mfg. Date</b>          | <b>: 10.08.2026</b> |
| <b>Sample Qty</b>               | <b>: 50ml x 6</b>                           | <b>Exp. Date</b>          | <b>: N.M.</b>       |
| <b>Packing Mode</b>             | <b>: Sample Packed in Plastic Container</b> | <b>B.No</b>               | <b>: NK222</b>      |
| <b>Sample Condition</b>         | <b>: Satisfactory</b>                       |                           |                     |
| <b>Marking</b>                  | <b>: N.M</b>                                |                           |                     |
| <b>Sample Drawn By</b>          | <b>: Customer</b>                           | <b>Date of Completion</b> | <b>: 27/08/2026</b> |
| <b>Date of Starting of Test</b> | <b>: 22/08/2026</b>                         |                           |                     |

| Sr No                                 | Quality Characteristics    | Result   | Test Method               | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|----------------------------|----------|---------------------------|---------------------------------------|
| <b>Biological</b>                     |                            |          |                           |                                       |
| <b>Food And Agricultural Products</b> |                            |          |                           |                                       |
| 1                                     | Total Plate count cfu/gm   | 2200 cfu | IS:5402(P-1):2021         | Max. 100000 cfu                       |
| 2                                     | Coliform count cfu/gm      | <10 cfu  | IS : 5401 (P-1) : 2012    | Max. 10 cfu                           |
| 3                                     | E.coli /gm                 | Absent   | IS : 5887 (P-1) : 1976    | Absent                                |
| 4                                     | Salmonella/25 gm           | Absent   | IS:5887(P-3/Sec-1) : 2020 | Absent                                |
| 5                                     | Listeria monocytogens/gm   | Absent   | IS : 14988 (P-1) : 2020   | Absent                                |
| 6                                     | S.aureus/25gm              | Absent   | IS : 5887 (P-2) : 1976    | Absent                                |
| 7                                     | Yeast & Mould Count cfu/gm | <10 cfu  | IS:5403:1999              | Max. 10 cfu                           |

Note : NM = Not Mentioned, Customer requested for the above test only



For NABL Scope

*Ketul*  
**Ketul Padhiyar**  
**Reviewed By**



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

*Trupti*  
**Trupti Thakor**  
**Autho. Signatory**

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019163F

Page 1 of 1

|                          |                                                                                                                                                                                                              |                           |                          |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------------|
| <b>Report Issued To:</b> | <b>Lotte India Corporation Private. Limited.</b><br>Modern Industrial Estate, B/h Naroda Fire Station, Naroda Road, Ahmedabad, Gujarat<br><b>Phone No :</b> 9737238794<br><b>Email :</b> naveen.k@havmor.com | <b>Test Report No</b>     | <b>: GTL/04260827098</b> |
|                          |                                                                                                                                                                                                              | <b>Date of Receipt</b>    | <b>: 22/08/2026</b>      |
|                          |                                                                                                                                                                                                              | <b>Date of Issue</b>      | <b>: 27/08/2026</b>      |
|                          |                                                                                                                                                                                                              | <b>Customer's Ref. No</b> | <b>: N.M</b>             |

|                                 |                                             |                           |                     |
|---------------------------------|---------------------------------------------|---------------------------|---------------------|
| <b>Sample Described as</b>      | <b>: Vanilla P/P</b>                        | <b>Mfg. Date</b>          | <b>: 19.08.2026</b> |
| <b>Sample Qty</b>               | <b>: 700 ml</b>                             | <b>Exp. Date</b>          | <b>: N.M.</b>       |
| <b>Packing Mode</b>             | <b>: Sample Packed in Plastic Container</b> | <b>B.No</b>               | <b>: NK231</b>      |
| <b>Sample Condition</b>         | <b>: Satisfactory</b>                       |                           |                     |
| <b>Marking</b>                  | <b>: N.M</b>                                |                           |                     |
| <b>Sample Drawn By</b>          | <b>: Customer</b>                           | <b>Date of Completion</b> | <b>: 27/08/2026</b> |
| <b>Date of Starting of Test</b> | <b>: 22/08/2026</b>                         |                           |                     |

| Sr No                                 | Quality Characteristics    | Result   | Test Method               | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|----------------------------|----------|---------------------------|---------------------------------------|
| <b>Biological</b>                     |                            |          |                           |                                       |
| <b>Food And Agricultural Products</b> |                            |          |                           |                                       |
| 1                                     | Total Plate count cfu/gm   | 3000 cfu | IS:5402(P-1):2021         | Max. 100000 cfu                       |
| 2                                     | Coliform count cfu/gm      | <10 cfu  | IS : 5401 (P-1) : 2012    | Max. 100 cfu                          |
| 3                                     | E.coli /gm                 | Absent   | IS : 5887 (P-1) : 1976    | Absent                                |
| 4                                     | Salmonella/25 gm           | Absent   | IS:5887(P-3/Sec-1) : 2020 | Absent                                |
| 5                                     | Listeria monocytogens/gm   | Absent   | IS : 14988 (P-1) : 2020   | Absent                                |
| 6                                     | S.aureus/25gm              | Absent   | IS : 5887 (P-2) : 1976    | Absent                                |
| 7                                     | Yeast & Mould Count cfu/gm | <10 cfu  | IS:5403:1999              | Max. 100 cfu                          |

Note : NM = Not Mentioned, Customer requested for the above test only



For NABL Scope

Ketul Padhiyar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Trupti Thakor

Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400019161F

|                                                                                                                                                                                                                                                           |                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To:</b> <b>Lotte India Corporation Private. Limited.</b><br>Modern Industrial Estate, B/h Naroda<br>Fire Station, Naroda<br>Road, Ahmedabad, Ahmedabad,<br>Gujarat<br><b>Phone No :</b> 9737238794<br><b>Email :</b> naveen.k@havmor.com | <b>Test Report No</b> : GTL/04260827096<br><b>Date of Receipt</b> : 22/08/2026<br><b>Date of Issue</b> : 27/08/2026<br><b>Customer's Ref. No</b> : N.M |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                 |                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Sample Described as</b> : Choco Vanilla Cone<br><b>Sample Qty</b> : 100 ml x 5<br><b>Packing Mode</b> : Sample Packed in Plastic Container<br><b>Sample Condition</b> : Satisfactory<br><b>Marking</b> : N.M | <b>Mfg. Date</b> : 13.08.2026<br><b>Exp. Date</b> : N.M.<br><b>B.No</b> : NK225 |
| <b>Sample Drawn By</b> : Customer<br><b>Date of Starting of Test</b> : 22/08/2026                                                                                                                               | <b>Date of Completion</b> : 27/08/2026                                          |

| Sr No                                 | Quality Characteristics    | Result   | Test Method               | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|----------------------------|----------|---------------------------|---------------------------------------|
| <b>Biological</b>                     |                            |          |                           |                                       |
| <b>Food And Agricultural Products</b> |                            |          |                           |                                       |
| 1                                     | Total Plate count cfu/gm   | 1100 cfu | IS:5402(P-1):2021         | Max. 100000 cfu                       |
| 2                                     | Coliform count cfu/gm      | <10 cfu  | IS : 5401 (P-1) : 2012    | Max. 10 cfu                           |
| 3                                     | E.coli /gm                 | Absent   | IS : 5887 (P-1) : 1976    | Absent                                |
| 4                                     | Salmonella/25 gm           | Absent   | IS:5887(P-3/Sec-1) : 2020 | Absent                                |
| 5                                     | Listeria monocytogens/gm   | Absent   | IS : 14988 (P-1) : 2020   | Absent                                |
| 6                                     | S.aureus/25gm              | Absent   | IS : 5887 (P-2) : 1976    | Absent                                |
| 7                                     | Yeast & Mould Count cfu/gm | <10 cfu  | IS:5403:1999              | Max. 10 cfu                           |

Note : NM = Not Mentioned, Customer requested for the above test only



For NABL Scope

*Ketul Padhiyar*  
Ketul Padhiyar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

*Trupti Thakor*  
Trupti Thakor  
Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400019162F

|                                                                                                                                                                                                                                                       |                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To:</b> Lotte India Corporation Private.<br>Limited.<br>Modern Industrial Estate, B/h Naroda<br>Fire Station, Naroda<br>Road, Ahmedabad, Ahmedabad,<br>Gujarat<br><b>Phone No :</b> 9737238794<br><b>Email :</b> naveen.k@havmor.com | <b>Test Report No</b> : GTL/04260827097<br><b>Date of Receipt</b> : 22/08/2026<br><b>Date of Issue</b> : 27/08/2026<br><b>Customer's Ref. No</b> : N.M |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                 |                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Sample Described as</b> : Butter Scoth Cup<br><b>Sample Qty</b> : 85 ml x 5<br><b>Packing Mode</b> : Sample Packed in Plastic<br>Container<br><b>Sample Condition</b> : Satisfactory<br><b>Marking</b> : N.M | <b>Mfg. Date</b> : 13.08.2026<br><b>Exp. Date</b> : N.M.<br><b>B.No</b> : NK225 |
| <b>Sample Drawn By</b> : Customer<br><b>Date of Starting of Test</b> : 22/08/2026                                                                                                                               | <b>Date of Completion</b> : 27/08/2026                                          |

| Sr No                                 | Quality Characteristics    | Result   | Test Method               | F.S.S.R-2011 / Customer Specification |
|---------------------------------------|----------------------------|----------|---------------------------|---------------------------------------|
| <b>Biological</b>                     |                            |          |                           |                                       |
| <b>Food And Agricultural Products</b> |                            |          |                           |                                       |
| 1                                     | Total Plate count cfu/gm   | 2000 cfu | IS:5402(P-1):2021         | Max. 100000 cfu                       |
| 2                                     | Coliform count cfu/gm      | <10 cfu  | IS : 5401 (P-1) : 2012    | Max. 10 cfu                           |
| 3                                     | E.coli /gm                 | Absent   | IS : 5887 (P-1) : 1976    | Absent                                |
| 4                                     | Salmonella/25 gm           | Absent   | IS:5887(P-3/Sec-1) : 2020 | Absent                                |
| 5                                     | Listeria monocytogens/gm   | Absent   | IS : 14988 (P-1) : 2020   | Absent                                |
| 6                                     | S.aureus/25gm              | Absent   | IS : 5887 (P-2) : 1976    | Absent                                |
| 7                                     | Yeast & Mould Count cfu/gm | <10 cfu  | IS:5403:1999              | Max. 10 cfu                           |

Note : NM = Not Mentioned, Customer requested for the above test only



For NABL Scope

*Ketul*  
Ketul Padhiyar  
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

*Trupti*  
Trupti Thakor  
Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.