

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400019352F

Report Issued To:	Radisson Blu Hotel Ahmedabad Near Panchvati Cross Roads, Off C.G.Road,Ambawadi,, Ahmedabad, Gujarat Phone No : 9099981224 Email : kst@rdahmedabad.com	Test Report No	: GTL/04260831005
		Date of Receipt	: 26/08/2026
		Date of Issue	: 31/08/2026
		Customer's Ref. No	: N.M

Sample Described as	: Paneer Gravy	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 26/08/2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 6.5 Deg.C
Sample Condition	: Satisfactory		
Marking	: Cooked		
Sampling Location	: Radisson Blu Hotel Ahmedabad		
Sample Drawn By	: Mr.Vishal(Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 26/08/2026	Date of Completion	: 31/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	1200 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Coliform count cfu/gm	<10 cfu	IS : 5401(P-1):2012	Not Prescribed
3	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
4	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
5	Yeast & Mould Count cfu/gm	<10 cfu	IS: 5403:1999	Not Prescribed
6	Vibrio Cholera/ 25gm	Absent	IS:5887(P-5/sec-1) :2023	Absent
7	S.aureus/25gm	Absent	IS : 5887 (P- 2) 1976	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400019354F

Report Issued To: Radisson Blu Hotel Ahmedabad Near Panchvati Cross Roads, Off C.G.Road,Ambawadi,, Ahmedabad, Gujarat Phone No : 9099981224 Email : kst@rdahmedabad.com	Test Report No : GTL/04260831007 Date of Receipt : 26/08/2026 Date of Issue : 31/08/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Fish Tikka Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Cooked Sampling Location : Radisson Blu Hotel Ahmedabad Sample Drawn By : Mr.Vishal(Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 26/08/2026	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 26/08/2026 Environ. Condition : 6.8 Deg.C Date of Completion : 31/08/2026
--	--

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	1600 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Coliform count cfu/gm	<10 cfu	IS : 5401(P-1):2012	Not Prescribed
3	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
4	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
5	Yeast & Mould Count cfu/gm	<10 cfu	IS: 5403:1999	Not Prescribed
6	Vibrio Cholera/ 25gm	Absent	IS:5887(P-5/sec-1) :2023	Absent
7	S.aureus/25gm	Absent	IS : 5887 (P- 2) 1976	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

g.m.m.
Krishna Amin
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019355F

Page 1 of 1

Report Issued To:	Radisson Blu Hotel Ahmedabad Near Panchvati Cross Roads, Off C.G.Road,Ambawadi,, Ahmedabad, Gujarat Phone No : 9099981224 Email : kst@rdahmedabad.com	Test Report No	: GTL/04260831008
		Date of Receipt	: 26/08/2026
		Date of Issue	: 31/08/2026
		Customer's Ref. No	: N.M

Sample Described as	: Chicken	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 26/08/2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 7.0 Deg.C
Sample Condition	: Satisfactory		
Marking	: Raw		
Sampling Location	: Radisson Blu Hotel Ahmedabad		
Sample Drawn By	: Mr.Vishal(Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 26/08/2026	Date of Completion	: 31/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	4500 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Coliform count cfu/gm	<10 cfu	IS : 5401(P-1):2012	Not Prescribed
3	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
4	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
5	Yeast & Mould Count cfu/gm	<10 cfu	IS: 5403:1999	Not Prescribed
6	Vibrio Cholera/ 25gm	Absent	IS:5887(P-5/sec-1) :2023	Absent
7	S.aureus/25gm	Absent	IS : 5887 (P- 2) 1976	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <10 cfu = Absent , Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019356F

Page 1 of 1

Report Issued To:	Radisson Blu Hotel Ahmedabad Near Panchvati Cross Roads, Off C.G.Road,Ambawadi,, Ahmedabad, Gujarat Phone No : 9099981224 Email : kst@rdahmedabad.com	Test Report No : GTL/04260831009 Date of Receipt : 26/08/2026 Date of Issue : 31/08/2026 Customer's Ref. No : N.M
-------------------	--	--

Sample Described as	: Pastry	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 26/08/2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 7.3 Deg.C
Sample Condition	: Satisfactory		
Marking	: Bakery Product		
Sampling Location	: Radisson Blu Hotel Ahmedabad		
Sample Drawn By	: Mr.Vishal(Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 26/08/2026	Date of Completion	: 31/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	650 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Coliform count cfu/gm	<10 cfu	IS : 5401(P-1):2012	Not Prescribed
3	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
4	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
5	Yeast & Mould Count cfu/gm	<10 cfu	IS: 5403:1999	Not Prescribed
6	Vibrio Cholera/ 25gm	Absent	IS:5887(P-5/sec-1) :2023	Absent
7	S.aureus/25gm	Absent	IS : 5887 (P- 2) 1976	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna
Krishna Amin
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***
(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.



TC-5961

F-16,17, Madhavpura Market,
Shahibaug, Ahmedabad-380004

Ph. : 079-25626040, 25624821

M : 7486086091, 9601389681

E : gujlab@gmail.com/gujlab.info@gmail.com

Web : www.gujaratlaboratory.com

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019357F

Page 1 of 1

Report Issued To:	Radisson Blu Hotel Ahmedabad Near Panchvati Cross Roads, Off C.G.Road,Ambawadi,, Ahmedabad, Gujarat Phone No : 9099981224 Email : kst@rdahmedabad.com	Test Report No	: GTL/04260831010
		Date of Receipt	: 26/08/2026
		Date of Issue	: 31/08/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/055
Sample Qty	: 1 Nos	Sampling Date	: 26/08/2026
Packing Mode	: --		
Sample Condition	: Satisfactory	Environ. Condition	: Ambient
Marking	: Darmendra- Services		
Sampling Location	: Radisson Blu Hotel Ahmedabad		
Sample Drawn By	: Mr.Vishal(Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 26/08/2026	Date of Completion	: 31/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Coliform/Swab	<1 cfu	GL/WI/M-119	Max. 10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.



TC-5961

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019358F

Page 1 of 1

Report Issued To:	Radisson Blu Hotel Ahmedabad Near Panchvati Cross Roads, Off C.G.Road,Ambawadi,, Ahmedabad, Gujarat Phone No : 9099981224 Email : kst@rdahmedabad.com	Test Report No	: GTL/04260831011
		Date of Receipt	: 26/08/2026
		Date of Issue	: 31/08/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 26/08/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Vishal-Kitchen		
Sampling Location	: Radisson Blu Hotel Ahmedabad		
Sample Drawn By	: Mr.Vishal(Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 26/08/2026	Date of Completion	: 31/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Coliform/Swab	<1 cfu	GL/WI/M-119	Max. 10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019360F

Page 1 of 1

Report Issued To: Radisson Blu Hotel Ahmedabad Near Panchvati Cross Roads, Off C.G.Road,Ambawadi,, Ahmedabad, Gujarat Phone No : 9099981224 Email : kst@rdahmedabad.com	Test Report No : GTL/04260831013 Date of Receipt : 26/08/2026 Date of Issue : 31/08/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Hand Swab Sample Qty : 1 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 26/08/2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Chuba-Kitchen	
Sampling Location : Radisson Blu Hotel Ahmedabad Sample Drawn By : Mr.Vishal(Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 26/08/2026	Date of Completion : 31/08/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Coliform/Swab	<1 cfu	GL/WI/M-119	Max. 10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



Ketul
Ketul Padhiyar

Reviewed By



For Verification

Krishna
Krishna Amin

Autho. Signatory

For NABL Scope

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.