

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To : Vasa Pharmachem Pvt. Ltd. 11,G.I.D.C.Estate, Behrampur,, Ahmedabad, Gujarat Phone No : 7878220609 Email : qc@vasapharmachem.com	Test Report No : GTL/04260831090/NS Date of Receipt : 24/08/2026 Date of Issue : 31/08/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Sodium Citrate	Mfg. Date : 03-2026
Sample Qty : 50 gm	Exp. Date : 02-2031
Packing Mode : Sample Packed in Plastic Bags	B.No : D/002/26
Sample Condition : Satisfactory	
Marking : Qty : 3000 kg	
Sample Drawn By : Customer	Date of Completion : 31/08/2026
Date of Starting of Test : 24/08/2026	

Sr No	Quality Characteristics	Result	Test Method
Chemical			
Industrial and Fine Chemicals			
1	Lead (as Pb) mg/kg	0.12	By ICP-MS
2	Copper (as Cu) mg/kg	0.32	By ICP-MS
3	Arsenic (as As) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
4	Tin (as Sn) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS
5	Cadmium (as Cd) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS
6	Mercury (as Hg) mg/kg	B.L.Q.(Q.L.=0.02)	By ICP-MS
7	Methyl Mercury (as Hg) mg/kg	B.L.Q. (Q.L.=0.1)	By ICP-MS
Biological			
Industrial and Fine Chemicals			
1	Salmonella/25gm	Absent	IS:5887(P-3/sec-1):2020
2	Total Aerobic Microbial count cfu/gm	50 cfu	IS:5402:(P-1):2021
3	E.coli /gm	Absent	IS:5887(P-1)-1976
4	Coliform /gm	<10 cfu	IS:5401(P-1)-2012
5	S.aureus/25gm	Absent	IS:5887(P-8/Sec-1):2002

Test Report No : GTL/04260831090/NS

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method
-------	-------------------------	--------	-------------

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only

Rupesh Desai

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji-Trupti Thakor

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To : Vasa Pharmachem Pvt. Ltd. 11,G.I.D.C.Estate, Behrampur,, Ahmedabad, Gujarat Phone No : 7878220609 Email : qc@vasapharmachem.com	Test Report No : GTL/04260831091/NS Date of Receipt : 24/08/2026 Date of Issue : 31/08/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Dibasic Calcium Phosphate Anhy (DC) IP/BP/EP/USP	Mfg. Date : 04-2026
Sample Qty : 50 gm	Exp. Date : 03-2031
Packing Mode : Sample Packed in Plastic Bags	B.No : 0005/26
Sample Condition : Satisfactory	
Marking : Qty : 3000 kg	
Sample Drawn By : Customer	Date of Completion : 31/08/2026
Date of Starting of Test : 24/08/2026	

Sr No	Quality Characteristics	Result	Test Method
Chemical			
Industrial and Fine Chemicals			
1	Lead (as Pb) mg/kg	0.095	By ICP-MS
2	Copper (as Cu) mg/kg	0.29	By ICP-MS
3	Arsenic (as As) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
4	Tin (as Sn) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
5	Cadmium (as Cd) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
6	Mercury (as Hg) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
7	Methyl Mercury (as Hg) mg/kg	B.L.Q. (Q.L.=0.1)	By ICP-MS
Biological			
Industrial and Fine Chemicals			
1	Total Yeast & Mould count cfu/gm	<10 cfu	IS : 5403 : 1999
2	Salmonella/25gm	Absent	IS:5887(P-3/sec-1):2020
3	Total Aerobic Microbial count cfu/gm	55 cfu	IS:5402:(P-1):2021
4	E.coli /gm	Absent	IS:5887(P-1)-1976
5	Coliform /gm	<10 cfu	IS:5401(P-1)-2012
6	S.aureus/25gm	Absent	IS:5887(P-8/Sec-1):2002

Test Report No : GTL/04260831091/NS

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method
-------	-------------------------	--------	-------------

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only


Rupesh Desai

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji-Trupti Thakor

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To : Vasa Pharmachem Pvt. Ltd. 11,G.I.D.C.Estate, Behrampur,, Ahmedabad, Gujarat Phone No : 7878220609 Email : qc@vasapharmachem.com	Test Report No : GTL/04260831093/NS Date of Receipt : 24/08/2026 Date of Issue : 31/08/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Magnesium Hydroxide IP/BP/EP/USP	Mfg. Date : 04-2026
Sample Qty : 50 gm	Exp. Date : 03-2031
Packing Mode : Sample Packed in Plastic Bags	B.No : 0002/26
Sample Condition : Satisfactory	
Marking : Qty : 2000 kg	
Sample Drawn By : Customer	Date of Completion : 31/08/2026
Date of Starting of Test : 24/08/2026	

Sr No	Quality Characteristics	Result	Test Method
Chemical			
Industrial and Fine Chemicals			
1	Lead (as Pb) mg/kg	0.11	By ICP-MS
2	Copper (as Cu) mg/kg	0.33	By ICP-MS
3	Arsenic (as As) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
4	Tin (as Sn) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
5	Cadmium (as Cd) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
6	Mercury (as Hg) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
7	Methyl Mercury (as Hg) mg/kg	B.L.Q. (Q.L.=0.1)	By ICP-MS
Biological			
Industrial and Fine Chemicals			
1	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1)-2020
2	Total Yeast & Mould count cfu/gm	<10 cfu	IS : 5403 : 1999
3	Total Aerobic Microbial count cfu/gm	100 cfu	IS:5402:(P-1):2021
4	E.coli /gm	Absent	IS:5887(P-1)-1976
5	Coliform /gm	<10 cfu	IS:5401(P-1)-2012
6	S.aureus/25gm	Absent	IS:5887(P-8/Sec-1):2002

Test Report No : GTL/04260831093/NS

Sr No	Quality Characteristics	Result	Test Method
-------	-------------------------	--------	-------------

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only

Rupesh Desai

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji-Trupti Thakor

Autho. Signatory

Disclaimer Note

*** END OF REPORT ***
(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To : Vasa Pharmachem Pvt. Ltd. 11,G.I.D.C.Estate, Behrampura,, Ahmedabad, Gujarat Phone No : 7878220609 Email : qc@vasapharmachem.com	Test Report No : GTL/04260831095/NS Date of Receipt : 24/08/2026 Date of Issue : 31/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Magnesium Oxide IP/BP/EP/USP	Mfg. Date : 02-2026
Sample Qty : 50 gm	Exp. Date : 01-2031
Packing Mode : Sample Packed in Plastic Bags	B.No : 0005/26
Sample Condition : Satisfactory	
Marking : Qty : 3000 kg	
Sample Drawn By : Customer	Date of Completion : 31/08/2026
Date of Starting of Test : 24/08/2026	

Sr No	Quality Characteristics	Result	Test Method
Chemical			
Industrial and Fine Chemicals			
1	Lead (as Pb) mg/kg	0.099	By ICP-MS
2	Copper (as Cu) mg/kg	0.30	By ICP-MS
3	Arsenic (as As) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
4	Tin (as Sn) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
5	Cadmium (as Cd) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
6	Mercury (as Hg) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
7	Methyl Mercury (as Hg) mg/kg	B.L.Q. (Q.L.=0.1)	By ICP-MS
Biological			
Industrial and Fine Chemicals			
1	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1)-2020
2	Total Aerobic Microbial count cfu/gm	150 cfu	IS:5402:(P-1):2021
3	E.coli /gm	Absent	IS:5887(P-1)-1976
4	Coliform /gm	<10 cfu	IS:5401(P-1)-2012
5	S.aureus/25gm	Absent	IS:5887(P-8/Sec-1):2002
6	Listeria monocytogens/gm	Absent	IS:14988(P-1):2020

Test Report No : GTL/04260831095/NS

Sr No	Quality Characteristics	Result	Test Method
-------	-------------------------	--------	-------------

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only

Rupesh Desai

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji-Trupti Thakor

Autho. Signatory

Disclaimer Note

*** END OF REPORT ***
(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To : Vasa Pharmachem Pvt. Ltd. 11,G.I.D.C.Estate, Behrampura,, Ahmedabad, Gujarat Phone No : 7878220609 Email : qc@vasapharmachem.com	Test Report No : GTL/04260831097/NS Date of Receipt : 24/08/2026 Date of Issue : 31/08/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Calcium Carbonate IP/BP/EP/USP	Mfg. Date : 01-2026
Sample Qty : 50 gm	Exp. Date : 12-2030
Packing Mode : Sample Packed in Plastic Bags	B.No : 0005/26
Sample Condition : Satisfactory	
Marking : Qty : 3000 kg	
Sample Drawn By : Customer	Date of Completion : 31/08/2026
Date of Starting of Test : 24/08/2026	

Sr No	Quality Characteristics	Result	Test Method
Chemical			
Industrial and Fine Chemicals			
1	Lead (as Pb) mg/kg	0.091	By ICP-MS
2	Copper (as Cu) mg/kg	0.32	By ICP-MS
3	Arsenic (as As) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
4	Tin (as Sn) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
5	Cadmium (as Cd) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
6	Mercury (as Hg) mg/kg	B.L.Q. (Q.L.=0.02)	By ICP-MS
7	Methyl Mercury (as Hg) mg/kg	B.L.Q. (Q.L.=0.1)	By ICP-MS
Biological			
Industrial and Fine Chemicals			
1	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1)-2020
2	Total Yeast & Mould count cfu/gm	<10 cfu	IS : 5403 : 1999
3	Total Aerobic Microbial count cfu/gm	90 cfu	IS:5402:(P-1):2021
4	E.coli /gm	Absent	IS:5887(P-1)-1976
5	Coliform /gm	<10 cfu	IS:5401(P-1)-2012
6	S.aureus/25gm	Absent	IS:5887(P-8/Sec-1):2002
7	Listeria monocytogens/gm	Absent	IS:14988(P-1):2020

Test Report No : GTL/04260831097/NS

Sr No	Quality Characteristics	Result	Test Method
-------	-------------------------	--------	-------------

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only

Rupesh Desai

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Hemal Darji-Trupti Thakor

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

*** END OF REPORT ***