



TC-5961

F-16,17, Madhavpura Market,
Shahibaug, Ahmedabad-380004

Ph. : 079-25626040, 25624821

M : 7486086091, 9601389681

E : gujlab@gmail.com/gujlab.info@gmail.com

Web : www.gujaratlaboratory.com

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019485F

Page 1 of 1

Report Issued To:	Everplus Exim Private Limited Survey No: 396, Plot No: 28, Dholeswar Esate, Sarkhej-Bavla Highway, Changodar, Ahmedabad, Gujarat Phone No : 9904041667 Email : rvsharma6670@gmail.com	Test Report No	: GTL/04260901023
		Date of Receipt	: 27/08/2026
		Date of Issue	: 01/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 27/08/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Mamta Ben-Packing Area		
Sampling Location	: Everplus Exim Private Limited		
Sample Drawn By	: Mr.Satish(Representative of GujaratLab Pvt. Ltd)		
Date of Starting of Test	: 27/08/2026	Date of Completion	: 01/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	09 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

NM = Not Mentioned, <1 cfu = Absent Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

B.M.M
Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019486F

Page 1 of 1

Report Issued To: Everplus Exim Private Limited Survey No: 396, Plot No: 28, Dholeswar Esate, Sarkhej-Bavla Highway, Changodar, Ahmedabad, Gujarat Phone No : 9904041667 Email : rvsharma6670@gmail.com	Test Report No : GTL/04260901024 Date of Receipt : 27/08/2026 Date of Issue : 01/09/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Apron Swab Sample Qty : 1 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 27.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Mamta Ben-Packing Area	
Sampling Location : Everplus Exim Private Limited Sample Drawn By : Mr.Satish(Representative of GujaratLab Pvt. Ltd) Date of Starting of Test : 27/08/2026	Date of Completion : 01/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	E.coli/Swab	Absent	GL/WI/M-119	Absent
4	Total Bacterial count cfu/Swab	11 cfu	GL/WI/M-119	Max.50.0 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

g.o.m.m.
Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

**TEST REPORT**

Doc. No : GTL/D/7.5/02

ULR-TC596126400019488F

Page 1 of 1

Report Issued To: Everplus Exim Private Limited Survey No: 396, Plot No: 28, Dholshwar Esate, Sarkhej-Bavla Highway, Changodar, Ahmedabad, Gujarat Phone No : 9904041667 Email : rvsharma6670@gmail.com	Test Report No : GTL/04260901026 Date of Receipt : 27/08/2026 Date of Issue : 01/09/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Hand Swab Sample Qty : 1 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 27/08/2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Bhavani Singh-Blending Area	
Sampling Location : Everplus Exim Private Limited Sample Drawn By : Mr.Satish(Representative of GujaratLab Pvt. Ltd) Date of Starting of Test : 27/08/2026	Date of Completion : 01/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	08 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019504F

Page 1 of 1

Report Issued To:	Everplus Exim Private Limited Survey No: 396, Plot No: 28, Dholeswar Esate, Sarkhej-Bavlva Highway, Changodar, Ahmedabad, Gujarat Phone No : 9904041667 Email : rvsharma6670@gmail.com	Test Report No	: GTL/04260901043
		Date of Receipt	: 27/08/2026
		Date of Issue	: 01/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 27/08/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Blending Hooper		
Sampling Location	: Everplus Exim Private Limited		
Sample Drawn By	: Mr.Satish(Representative of GujaratLab Pvt. Ltd)		
Date of Starting of Test	: 27/08/2026	Date of Completion	: 01/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Total Plate count cfu/Swab	20 cfu	GL/WI/M-119	Max.50 cfu
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

NM = Not Mentioned, <1 cfu = Absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019505F

Page 1 of 1

Report Issued To:	Everplus Exim Private Limited Survey No: 396, Plot No: 28, Dholeswar Esate, Sarkhej-Bavla Highway, Changodar, Ahmedabad, Gujarat Phone No : 9904041667 Email : rvsharma6670@gmail.com	Test Report No	: GTL/04260901044
		Date of Receipt	: 27/08/2026
		Date of Issue	: 01/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 27/08/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Blending Machine		
Sampling Location	: Everplus Exim Private Limited		
Sample Drawn By	: Mr.Satish(Representative of GujaratLab Pvt. Ltd)		
Date of Starting of Test	: 27/08/2026	Date of Completion	: 01/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Total Plate count cfu/Swab	22 cfu	GL/WI/M-119	Max.50 cfu
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

NM = Not Mentioned, <1 cfu = Absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

S.M.A.
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019506F

Page 1 of 1

Report Issued To:	Everplus Exim Private Limited Survey No: 396, Plot No: 28, Dholeswar Estate, Sarkhej-Bavla Highway, Changodar, Ahmedabad, Gujarat Phone No : 9904041667 Email : rvsharma6670@gmail.com	Test Report No	: GTL/04260901045
		Date of Receipt	: 27/08/2026
		Date of Issue	: 01/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 27/08/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Packing Machine No.6		
Sampling Location	: Everplus Exim Private Limited		
Sample Drawn By	: Mr.Satish(Representative of GujaratLab Pvt. Ltd)		
Date of Starting of Test	: 27/08/2026	Date of Completion	: 01/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Total Plate count cfu/Swab	24 cfu	GL/WI/M-119	Max.50 cfu
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

NM = Not Mentioned, <1 cfu = Absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

G.M.M.
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.



TC-5961

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019507F

Page 1 of 1

Report Issued To:	Everplus Exim Private Limited Survey No: 396, Plot No: 28, Dholeswar Esate, Sarkhej-Bavla Highway, Changodar, Ahmedabad, Gujarat Phone No : 9904041667 Email : rvsharma6670@gmail.com	Test Report No	: GTL/04260901046
		Date of Receipt	: 27/08/2026
		Date of Issue	: 01/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Floor Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 27/08/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Packing Hall Area		
Sampling Location	: Everplus Exim Private Limited		
Sample Drawn By	: Mr.Satish(Representative of GujaratLab Pvt. Ltd)		
Date of Starting of Test	: 27/08/2026	Date of Completion	: 01/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	28 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WT/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

8. No. A
Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019508F

Page 1 of 1

Report Issued To: Everplus Exim Private Limited Survey No: 396, Plot No: 28, Dholeshwar Esate, Sarkhej-Bavla Highway, Changodar, Ahmedabad, Gujarat Phone No : 9904041667 Email : rvsharma6670@gmail.com	Test Report No : GTL/04260901047 Date of Receipt : 27/08/2026 Date of Issue : 01/09/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Air Sample . Sample Qty : 1 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 27/08/2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Blending Hall Area	
Sampling Location : Everplus Exim Private Limited Sample Drawn By : Mr.Satish(Representative of GujaratLab Pvt. Ltd) Date of Starting of Test : 27/08/2026	Date of Completion : 01/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate Count cfu/m3	24 cfu	GL/WI/M-152	Max.50 cfu
2	Yeast & Mould Count cfu/m3	< 1 cfu	GL/WI/M-152	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

NM = Not Mentioned, <1 cfu = Absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400019509F

Page 1 of 1

Report Issued To: Everplus Exim Private Limited Survey No: 396, Plot No: 28, Dholeswar Esate, Sarkhej-Bavla Highway, Changodar, Ahmedabad, Gujarat Phone No : 9904041667 Email : rvsharma6670@gmail.com	Test Report No : GTL/04260901048 Date of Receipt : 27/08/2026 Date of Issue : 01/09/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Air Sample . Sample Qty : 1 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 27/08/2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Packing Hall Area	
Sampling Location : Everplus Exim Private Limited Sample Drawn By : Mr.Satish(Representative of GujaratLab Pvt. Ltd) Date of Starting of Test : 27/08/2026	Date of Completion : 01/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate Count cfu/m3	22 cfu	GL/WI/M-152	Max.50 cfu
2	Yeast & Mould Count cfu/m3	< 1 cfu	GL/WI/M-152	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400019502F

Report Issued To: Everplus Exim Private Limited Survey No: 396, Plot No: 28, Dholeshwar Esate, Sarkhej-Bavla Highway, Changodar, Ahmedabad, Gujarat Phone No : 9904041667 Email : rvsharma6670@gmail.com	Test Report No : GTL/04260901041 Date of Receipt : 27/08/2026 Date of Issue : 01/09/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Apron Swab Sample Qty : 1 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 27.08.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Bhavani Singh-Blending Area	
Sampling Location : Everplus Exim Private Limited Sample Drawn By : Mr.Satish(Representative of GujaratLab Pvt. Ltd) Date of Starting of Test : 27/08/2026	Date of Completion : 01/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	E.coli/Swab	Absent	GL/WI/M-119	Absent
4	Total Bacterial count cfu/Swab	15 cfu	GL/WI/M-119	Max.50.0 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

NM = Not Mentioned, <1 cfu = Absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

g.n.m.
Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.