

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020102F

Page 1 of 1

Report Issued To:	Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No	: GTL/04260903096
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Swab Sample	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 03.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Binod Shah (Head Chef)-Uniform		
Sampling Location	: Curry Culture LLP		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	06 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020103F

Report Issued To: Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No : GTL/04260908097 Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
--	---

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 03.09.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Raju Singh (Sweet Section Chef)-Uniform	
Sampling Location : Curry Culture LLP Sample Drawn By : Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 03/09/2026	Date of Completion : 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	10 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Trupti
Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020104F

Report Issued To: Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No : GTL/04260908098 Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
--	---

Sample Described as : swab sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 03.09.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Curry Section-Packing Area (Floor)	
Sampling Location : Curry Culture LLP Sample Drawn By : Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 03/09/2026	Date of Completion : 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent
3	Total Plate count cfu/Swab	30 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.



TC-5961

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020105F

Report Issued To:	Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No	: GTL/04260908099
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: swab sample	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 03.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Snacks Section-Production Area (Floor)		
Sampling Location	: Curry Culture LLP		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent
3	Total Plate count cfu/Swab	28 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Trupti
Trupti Thakor

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020106F

Report Issued To: Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No : GTL/04260908100 Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Swab Sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 03.09.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Suhel Desai (Production Supervisor)-Uniform	
Sampling Location : Curry Culture LLP Sample Drawn By : Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 03/09/2026	Date of Completion : 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	15 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Tripti
Tripti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020107F

Report Issued To: Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No : GTL/04260908101 Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
--	---

Sample Described as : swab sample Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 03.09.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Sweet Section-Kettle Area (Floor)	
Sampling Location : Curry Culture LLP Sample Drawn By : Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 03/09/2026	Date of Completion : 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent
3	Total Plate count cfu/Swab	32 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Trupti
Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020108F

Report Issued To: Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No : GTL/04260908102 Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Hand Swab Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 03.09.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Shivnath Shah (Veg.Preparation Area)	
Sampling Location : Curry Culture LLP Sample Drawn By : Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 03/09/2026	Date of Completion : 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	09 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Trupti Thakor

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.



TC-5961

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020109F

Report Issued To:	Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No	: GTL/04260908103
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 03.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Pulverizer Machine 2-Veg Preparation Area		
Sampling Location	: Curry Culture LLP		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Total Plate count cfu/Swab	25 cfu	GL/WI/M-119	Max.50 cfu
3	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020110F

Page 1 of 1

Report Issued To:	Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No	: GTL/04260908104
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 03.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Laxman Shah (Snacks Area)		
Sampling Location	: Curry Culture LLP		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	10 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020111F

Page 1 of 1

Report Issued To:	Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No	: GTL/04260908105
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 03.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Induction Kettle-2- Curry Section		
Sampling Location	: Curry Cullture LLP		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Total Plate count cfu/Swab	30 cfu	GL/WI/M-119	Max.50 cfu
3	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Trupti
Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020112F

Report Issued To:	Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No	: GTL/04260908106
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 03.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Bhagi Singh (Sweet Section)		
Sampling Location	: Curry Culture LLP		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	11 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Trupti
Trupti Thakor

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020113F

Page 1 of 1

Report Issued To:	Curry Culture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No	: GTL/04260908107
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 03.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: TF Milk Kettle-1- Sweet Section		
Sampling Location	: Curry Cullture LLP		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Total Plate count cfu/Swab	20 cfu	GL/WI/M-119	Max.50 cfu
3	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020114F

Report Issued To: Curry Cultture LLP Plot No. B-35, Gujarat Agro Infrastructure Mega Food Park Pvt. Ltd. Block Survey No.243, Village-Shah, Po.:Mosali, Taluka-Mangrol, Pin Code-394421, Surat, Gujarat Phone No : Email : --	Test Report No : GTL/04260908108 Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Hand Swab Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 03.09.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Sunil Shah (Curry Section)	
Sampling Location : Curry Cultture LLP Sample Drawn By : Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 03/09/2026	Date of Completion : 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	12 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	Staphylococcus aureus/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Trupti
Trupti Thakor

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.