

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To: Amishi Drugs & Chemicals Pvt. Ltd. Plot No.: 621,622, Phase-IV, GIDC, Naroda , Ahmedabad, Gujarat Phone No : 9662133969 Email :	Test Report No : GTL/04260908001/NS Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
--	---

Sample Described as : Flowmax 2115 Sample Qty : 50 gm Packing Mode : Sample Packed in Plastic Bags Sample Condition : Satisfactory Marking : N.M Sample Drawn By : Customer Date of Starting of Test : 03/09/2026	Mfg. Date : 07.04.2026 Exp. Date : 06.04.2028 B.No : FM-20 Date of Completion : 08/09/2026
--	---

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Miscellaneous				
1	Enterobacteriaceae cfu/gm	<10 cfu	ISO : 21528-1 :2017	NMT 10 CFU/gm

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Trupti
Trupti Thakor
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To:	Amishi Drugs & Chemicals Pvt. Ltd. Plot No.: 621,622, Phase-IV, GIDC, Naroda, Ahmedabad, Gujarat Phone No : 9662133969 Email :	Test Report No	: GTL/04260908002/NS
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Flowmax 2115	Mfg. Date	: 08.04.2026
Sample Qty	: 50 gm	Exp. Date	: 07.04.2028
Packing Mode	: Sample Packed in Plastic Bags	B.No	: FM-21
Sample Condition	: Satisfactory		
Marking	: N.M		
Sample Drawn By	: Customer		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Miscellaneous				
1	Enterobacteriaceae cfu/gm	<10 cfu	ISO : 21528-1 :2017	NMT 10 CFU/gm

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Trupti
Trupti Thakor
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To: Amishi Drugs & Chemicals Pvt. Ltd. Plot No.: 621,622, Phase-IV, GIDC, Naroda, Ahmedabad, Gujarat Phone No : 9662133969 Email :	Test Report No : GTL/04260908003/NS Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Flowmax 2115 Sample Qty : 50 gm Packing Mode : Sample Packed in Plastic Bags Sample Condition : Satisfactory Marking : N.M Sample Drawn By : Customer Date of Starting of Test : 03/09/2026	Mfg. Date : 08.04.2026 Exp. Date : 07.04.2028 B.No : FM-22 Date of Completion : 08/09/2026
--	---

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Miscellaneous				
1	Enterobacteriaceae cfu/gm	<10 cfu	ISO : 21528-1:2017	NMT 10 CFU/gm

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Ketul Padhiyar
Reviewed By




Trupti Thakor
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To: Amishi Drugs & Chemicals Pvt. Ltd. Plot No.: 621,622, Phase-IV, GIDC, Naroda, Ahmedabad, Gujarat Phone No : 9662133969 Email :	Test Report No : GTL/04260908006/NS Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Rice Flour Sample Qty : 50 gm Packing Mode : Sample Packed in Plastic Bags Sample Condition : Satisfactory Marking : N.M Sample Drawn By : Customer Date of Starting of Test : 03/09/2026	Mfg. Date : 08-2026 Exp. Date : 08-2027 B.No : 278 Date of Completion : 08/09/2026
--	---

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Miscellaneous				
1	E.coli /gm	Absent	IS : 5887 (P-1) : 1976	Should Be Absent
2	Salmonella/10gm	Absent	IS:5887(P-3/Sec-1) : 2020	Should Be Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Trupti Thakor
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.