

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020060F

Page 1 of 1

Report Issued To:	Leamak Health Care Pvt. Ltd, Sarkhej Bavla Highway, Matoda Patiya Near Old Intas Pharmaceuticals Matoda, Sanand, Gujarat Phone No : Email : dave@leamak.com	Test Report No	: GTL/04260908041
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab .	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 03/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Kneading Plate		
Sampling Location	: Leamak Health Care Pvt. Ltd,		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	15 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	E.coli/Swab	Absent	GL/WI/M-119	Absent
4	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameter.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Trupti Thakor
Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020061F

Page 1 of 1

Report Issued To: Leamak Health Care Pvt. Ltd, Sarkhej Bavla Highway, Matoda Patiya Near Old Intas Pharmaceuticals Matoda, Sanand, Gujarat Phone No : Email : dave@leamak.com	Test Report No : GTL/04260908042 Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Equipment Swab . Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : N.M. Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Batch Roller	
Sampling Location : Leamak Health Care Pvt. Ltd, Sample Drawn By : Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 03/09/2026	Date of Completion : 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	18 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	E.coli/Swab	Absent	GL/WI/M-119	Absent
4	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameter.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Trupti
Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020062F

Page 1 of 1

Report Issued To:	Leamak Health Care Pvt. Ltd, Sarkhej Bavla Highway, Matoda Patiya Near Old Intas Pharmaceuticals Matoda, Sanand, Gujarat Phone No : Email : dave@leamak.com	Test Report No : GTL/04260908043 Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
--------------------------	---	--

Sample Described as	: Equipment Swab .	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: N.M.
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Cooling Conveyor		
Sampling Location	: Leamak Health Care Pvt. Ltd,		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	19 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	E.coli/Swab	Absent	GL/WI/M-119	Absent
4	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameter.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

[Signature]
Trupti Thakor

Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020063F

Page 1 of 1

Report Issued To:	Leamak Health Care Pvt. Ltd, Sarkhej Bavla Highway, Matoda Patiya Near Old Intas Pharmaceuticals Matoda, Sanand, Gujarat Phone No : Email : dave@leamak.com	Test Report No	: GTL/04260908044
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab .	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: N.M.
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Sorting Table		
Sampling Location	: Leamak Health Care Pvt. Ltd,		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	20 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	E.coli/Swab	Absent	GL/WI/M-119	Absent
4	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameter.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Trupti
Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020065F

Page 1 of 1

Report Issued To: Leamak Health Care Pvt. Ltd, Sarkhej Bavla Highway, Matoda Patiya Near Old Intas Pharmaceuticals Matoda, Sanand, Gujarat Phone No : Email : dave@leamak.com	Test Report No : GTL/04260908046 Date of Receipt : 03/09/2026 Date of Issue : 08/09/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Equipment Swab . Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : N.M. Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Pillow Pack Machine	
Sampling Location : Leamak Health Care Pvt. Ltd, Sample Drawn By : Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 03/09/2026	Date of Completion : 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	28 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	E.coli/Swab	Absent	GL/WI/M-119	Absent
4	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Trupti
Trupti Thakor
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020072F

Page 1 of 1

Report Issued To:	Leamak Health Care Pvt. Ltd, Sarkhej Bavla Highway, Matoda Patiya Near Old Intas Pharmaceuticals Matoda, Sanand, Gujarat Phone No : Email : dave@leamak.com	Test Report No	: GTL/04260908056
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Air Sample	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: N.M.
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Production Area		
Sampling Location	: Leamak Health Care Pvt. Ltd,		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate Count cfu/m3	30 cfu	GL/SOP/M-152	Max.50 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Trupti
Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020073F

Page 1 of 1

Report Issued To:	Leamak Health Care Pvt. Ltd, Sarkhej Bavla Highway, Matoda Patiya Near Old Intas Pharmaceuticals Matoda, Sanand, Gujarat Phone No : Email : dave@leamak.com	Test Report No	: GTL/04260908057
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Air Sample	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: N.M.
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Cooling Conveyor Room		
Sampling Location	: Leamak Health Care Pvt. Ltd,		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate Count cfu/m3	32 cfu	GL/SOP/M-152	Max.50 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Trupti
Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020074F

Page 1 of 1

Report Issued To:	Leamak Health Care Pvt. Ltd, Sarkhej Bavla Highway, Matoda Patiya Near Old Intas Pharmaceuticals Matoda, Sanand, Gujarat Phone No : Email : dave@leamak.com	Test Report No	: GTL/04260908058
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Air Sample	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: N.M.
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Pillow Pack Room		
Sampling Location	: Leamak Health Care Pvt. Ltd,		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate Count cfu/m3	28 cfu	GL/SOP/M-152	Max.50 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Trupti
Trupti Thakor
Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020075F

Report Issued To:	Leamak Health Care Pvt. Ltd, Sarkhej Bavla Highway, Matoda Patiya Near Old Intas Pharmaceuticals Matoda, Sanand, Gujarat Phone No : Email : dave@leamak.com	Test Report No	: GTL/04260908059
		Date of Receipt	: 03/09/2026
		Date of Issue	: 08/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Air Sample	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: N.M.
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Final Packing Area		
Sampling Location	: Leamak Health Care Pvt. Ltd,		
Sample Drawn By	: Mr. Ramapat Vishwakarma (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 03/09/2026	Date of Completion	: 08/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate Count cfu/m3	20 cfu	GL/SOP/M-152	Max.50 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Trupti Thakor
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.