

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020140F

Page 1 of 1

Report Issued To: Relife Ortho 20-21, Panchratna Ind. Park, Opp. Avdhesh Ind. Hub, Indore Highway Road, Daskroi, Bhavda Ahmedabad, Gujarat, Ahmedabad, Gujarat Phone No : 9510852441 Email : regulatory.relifeortho@gmail.com	Test Report No : GTL/04260909023 Date of Receipt : 02/09/2026 Date of Issue : 09/09/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Hand Swab Sample Qty : 01 Nos Packing Mode : --	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 02.09.2026 Environ. Condition : Ambient
Sample Condition : Satisfactory Marking : Sheetal	
Sampling Location : Relife Ortho Sample Drawn By : Mr. Shahil Patani (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 02/09/2026	Date of Completion : 09/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	11 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Krishna
Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020141F

Page 1 of 1

Report Issued To:	Relife Ortho 20-21, Panchratna Ind. Park, Opp. Avdhesh Ind. Hub, Indore Highway Road, Daskroi, Bhavda Ahmedabad, Gujarat, Ahmedabad, Gujarat Phone No : 9510852441 Email : regulatory.relifeortho@gmail.com	Test Report No	: GTL/04260909024
		Date of Receipt	: 02/09/2026
		Date of Issue	: 09/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 02.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Namrata		
Sampling Location	: Relife Ortho		
Sample Drawn By	: Mr. Shahil Patani (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 02/09/2026	Date of Completion	: 09/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	07 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

[Disclaimer Note](#)

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna
Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020142F

Page 1 of 1

Report Issued To:	Relife Ortho 20-21, Panchratna Ind. Park, Opp. Avdhesh Ind. Hub, Indore Highway Road, Daskroi, Bhavda Ahmedabad, Gujarat, Ahmedabad, Gujarat Phone No : 9510852441 Email : regulatory.relifeortho@gmail.com	Test Report No	: GTL/04260909025
		Date of Receipt	: 02/09/2026
		Date of Issue	: 09/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 02.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Primary Packing Area Table		
Sampling Location	: Relife Ortho		
Sample Drawn By	: Mr. Shahil Patani (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 02/09/2026	Date of Completion	: 09/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	14 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020143F

Page 1 of 1

Report Issued To:	Relife Ortho 20-21, Panchratna Ind. Park, Opp. Avdhesh Ind. Hub, Indore Highway Road, Daskroi, Bhavda Ahmedabad, Gujarat, Ahmedabad, Gujarat Phone No : 9510852441 Email : regulatory.relifeortho@gmail.com	Test Report No	: GTL/04260909026
		Date of Receipt	: 02/09/2026
		Date of Issue	: 09/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 02.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: E-2 Primary Packing Area Floor		
Sampling Location	: Relife Ortho		
Sample Drawn By	: Mr. Shahil Patani (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 02/09/2026	Date of Completion	: 09/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	18 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, < 1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

g.m.m

Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020144F

Page 1 of 1

Report Issued To:	Relife Ortho 20-21, Panchratna Ind. Park, Opp. Avdhesh Ind. Hub, Indore Highway Road, Daskroi, Bhavda Ahmedabad, Gujarat, Ahmedabad, Gujarat Phone No : 9510852441 Email : regulatory.relifeortho@gmail.com	Test Report No	: GTL/04260909027
		Date of Receipt	: 02/09/2026
		Date of Issue	: 09/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 02.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: E-3 Clean Room Table		
Sampling Location	: Relife Ortho		
Sample Drawn By	: Mr. Shahil Patani (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 02/09/2026	Date of Completion	: 09/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	25 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020145F

Page 1 of 1

Report Issued To:	Relife Ortho 20-21, Panchratna Ind. Park, Opp. Avdhesh Ind. Hub, Indore Highway Road, Daskroi, Bhavda Ahmedabad, Gujarat, Ahmedabad, Gujarat Phone No : 9510852441 Email : regulatory.relifeortho@gmail.com	Test Report No	: GTL/04260909029
		Date of Receipt	: 02/09/2026
		Date of Issue	: 09/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 02.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: E-4 Clean Room Floor		
Sampling Location	: Relife Ortho		
Sample Drawn By	: Mr. Shahil Patani (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 02/09/2026	Date of Completion	: 09/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	28 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

g.mom
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

ULR-TC596126400020147F

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To:	Relife Ortho 20-21, Panchratna Ind. Park, Opp. Avdesh Ind. Hub, Indore Highway Road, Daskroi, Bhavda Ahmedabad, Gujarat, Ahmedabad, Gujarat Phone No : 9510852441 Email : regulatory.relifeortho@gmail.com	Test Report No	: GTL/04260909031
		Date of Receipt	: 02/09/2026
		Date of Issue	: 09/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 02.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: E-6 Passage Area Floor		
Sampling Location	: Relife Ortho		
Sample Drawn By	: Mr. Shahil Patani (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 02/09/2026	Date of Completion	: 09/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	32 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated. (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.



TC-5961

TEST REPORT

ULR-TC596126400020148F

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To:	Relife Ortho 20-21, Panchratna Ind. Park, Opp. Avdhesh Ind. Hub, Indore Highway Road, Daskroi, Bhavda Ahmedabad, Gujarat, Ahmedabad, Gujarat Phone No : 9510852441 Email : regulatory.relifeortho@gmail.com	Test Report No	: GTL/04260909032
		Date of Receipt	: 02/09/2026
		Date of Issue	: 09/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 02.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: E-7 Primary Packing Area		
Sampling Location	: Relife Ortho		
Sample Drawn By	: Mr. Shahil Patani (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 02/09/2026	Date of Completion	: 09/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	24 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020149F

Page 1 of 1

Report Issued To:	Relife Ortho 20-21, Panchratna Ind. Park, Opp. Avdhesh Ind. Hub, Indore Highway Road, Daskroi, Bhavda Ahmedabad, Gujarat, Ahmedabad, Gujarat Phone No : 9510852441 Email : regulatory.relifeortho@gmail.com	Test Report No	: GTL/04260909033
		Date of Receipt	: 02/09/2026
		Date of Issue	: 09/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Swab Sample	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 01 Nos	Sampling Date	: 02.09.2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Namrata -Apron		
Sampling Location	: Relife Ortho		
Sample Drawn By	: Mr. Shahil Patani (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 02/09/2026	Date of Completion	: 09/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	29 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul Padhiyar

Reviewed By



For Verification

Krishna Amin

Autho. Signatory

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.