

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020375F

Report Issued To:	Suvjay Industries India LLP Plot-101 to104,Opp.Endurance Company Bol Village,Gidc-II, Sanad, Ahmedabad, Gujarat Phone No : 7048709267 Email : procurement@suvjay.com	Test Report No	: GTL/04260912019
		Date of Receipt	: 07/09/2026
		Date of Issue	: 12/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 NOS.	Sampling Date	: 07/09/2026
Packing Mode	: -	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Name of Person: Jigna Sakodiya, AFC-04, Emp. Code: 148		
Sampling Location	: Suvjay Industries India LLP		
Sample Drawn By	: Mr. Hardevsinh Chauhan (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 07/09/2026	Date of Completion	: 12/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	10 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

8.0.0.0
Krishna Amin

Autho. Signatory

Disclaimer Note
(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020376F

Report Issued To:	Suvjay Industries India LLP Plot-101 to104,Opp.Endurance Company Bol Village,Gidc-II, Sanad, Ahmedabad, Gujarat Phone No : 7048709267 Email : procurement@suvjay.com	Test Report No	: GTL/04260912020
		Date of Receipt	: 07/09/2026
		Date of Issue	: 12/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 NOS.	Sampling Date	: 07/09/2026
Packing Mode	: -	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Name of Person: Jitendra Kumar, AFR-05, Emp. Code: 1426		
Sampling Location	: Suvjay Industries India LLP		
Sample Drawn By	: Mr. Hardevsinh Chauhan (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 07/09/2026	Date of Completion	: 12/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	06 cfu	GL/WI/M-119	Max. 20 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020377F

Page 1 of 1

Report Issued To:	Suvjay Industries India LLP Plot-101 to104,Opp.Endurance Company Bol Village,Gidc-II, Sanad, Ahmedabad, Gujarat Phone No : 7048709267 Email : procurement@suvjay.com	Test Report No	: GTL/04260912021
		Date of Receipt	: 07/09/2026
		Date of Issue	: 12/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Uniform Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 NOS.	Sampling Date	: 07/09/2026
Packing Mode	: -	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Name of Person: Sachin Kumar, Paper Bag Section, Emp. Code: 1940		
Sampling Location	: Suvjay Industries India LLP		
Sample Drawn By	: Mr. Hardevsinh Chauhan (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 07/09/2026	Date of Completion	: 12/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	16 cfu	GL/WI/M-119	Max.50.0
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Yeast and Mould Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

g.m.m.
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020378F

Page 1 of 1

Report Issued To:	Suvjay Industries India LLP Plot-101 to104,Opp.Endurance Company Bol Village,Gidc-II, Sanad, Ahmedabad, Gujarat Phone No : 7048709267 Email : procurement@suvjay.com	Test Report No	: GTL/04260912022
		Date of Receipt	: 07/09/2026
		Date of Issue	: 12/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 NOS.	Sampling Date	: 07/09/2026
Packing Mode	: -	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Name of Equipment: Packing Machine, Thermo Forming Machine		
Sampling Location	: Suvjay Industries India LLP		
Sample Drawn By	: Mr. Hardevsinh Chauhan (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 07/09/2026	Date of Completion	: 12/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Salmonella/Swab	Absent	GL/WI/M-119	Absent
2	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Total Plate count cfu/Swab	20 cfu	GL/WI/M-119	Max.50 cfu
4	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
5	E.coli/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

B.O.M.
Krishna Amin
Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020379F

Page 1 of 1

Report Issued To:	Suvjay Industries India LLP Plot-101 to104,Opp.Endurance Company Bol Village,Gidc-II, Sanad, Ahmedabad, Gujarat Phone No : 7048709267 Email : procurement@suvjay.com	Test Report No	: GTL/04260912023
		Date of Receipt	: 07/09/2026
		Date of Issue	: 12/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Floor Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 NOS.	Sampling Date	: 07/09/2026
Packing Mode	: -	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location: Production Area		
Sampling Location	: Suvjay Industries India LLP		
Sample Drawn By	: Mr. Hardevsinh Chauhan (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 07/09/2026	Date of Completion	: 12/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	18 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli/Swab	Absent	GL/WI/M-119	Absent
5	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

S.M.A.
Krishna Amin

Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020381F

Page 1 of 1

Report Issued To:	Suvjay Industries India LLP Plot-101 to104,Opp.Endurance Company Bol Village,Gidc-II, Sanad, Ahmedabad, Gujarat Phone No : 7048709267 Email : procurement@suvjay.com	Test Report No	: GTL/04260912025
		Date of Receipt	: 07/09/2026
		Date of Issue	: 12/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Packing Material	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 NOS.	Sampling Date	: 07/09/2026
Packing Mode	: -	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: PET LID		
Sampling Location	: Suvjay Industries India LLP		
Sample Drawn By	: Mr. Hardevsinh Chauhan (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 07/09/2026	Date of Completion	: 12/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate Count cfu/ cm2	22 cfu	GL/WI/M-119	Max.50 cfu
2	Coliform cfu/ cm2	< 1 cfu	GL/WI/M-119	Max.10 cfu
3	Yeast & Mould count cfu/cm2	< 1 cfu	GL/WI/M-119	Max.10 cfu
4	E.coli / cm2	Absent	GL/WI/M-119	Absent
5	Salmonella /cm2	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400020382F

Page 1 of 1

Report Issued To:	Suvjay Industries India LLP Plot-101 to104,Opp.Endurance Company BoI Village,Gidc-II, Sanad, Ahmedabad, Gujarat Phone No : 7048709267 Email : procurement@suvjay.com	Test Report No	: GTL/04260912026
		Date of Receipt	: 07/09/2026
		Date of Issue	: 12/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Air Compressed	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 NOS.	Sampling Date	: 07/09/2026
Packing Mode	: -	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location: Compressed Air Line of Plastic Extruder Machine		
Sampling Location	: Suvjay Industries India LLP		
Sample Drawn By	: Mr. Hardevsinh Chauhan (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 07/09/2026	Date of Completion	: 12/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological Pollution & Environment				
1	E.coli /m3	Absent	GL/SOP/M-152	Absent
2	Salmonella /m3	Absent	GL/SOP/M-152	Absent
3	Coliform /m3	< 1 cfu	GL/SOP/M-152	Max. 10 cfu
4	Total Plate Count cfu/m3	21 cfu	GL/SOP/M-152	Max.50 cfu
5	Yeast & Mould Count cfu/m3	< 1 cfu	GL/SOP/M-152	Max. 10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar

Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

g.m.m
Krishna Amin

Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.