

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020437F

Report Issued To: Stuti Food and Facility Service. C/O. Reliance Industries Limited (Vadodara composite Division) Vadodara Halol Highway, Village : Asoj, Ta.: Waghodiya,, Vadodara, Gujarat Phone No : 9924501201 Email : stutifoodandfacilityservices@gmail.co m	Test Report No : GTL/04260914023 Date of Receipt : 09/09/2026 Date of Issue : 14/09/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Aloo Gobi Mater Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Cooked Sampling Location : Stuti Food and Facility Service. Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 09/09/2026	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 09/09/2026 Environ. Condition : 6.6 Deg.C Date of Completion : 14/09/2026
--	--

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	1120 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
3	Coliform /gm	<10 cfu	IS:5401(P-1)-2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1)-1976	Absent

CONFORM

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

B.K.M.
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02
Page 1 of 1

ULR-TC596126400020438F

Report Issued To: **Stuti Food and Facility Service.**
C/O. Reliance Industries Limited
(Vadodara composite Division)
Vadodara Halol Highway, Village :
Asoj, Ta.: Waghodiya,, Vadodara,
Gujarat
Phone No : 9924501201
Email :
stutifoodandfacilitieservices@gmail.co
m

Test Report No : GTL/04260914024
Date of Receipt : 09/09/2026
Date of Issue : 14/09/2026
Customer's Ref. No : N.M

Sample Described as : Desi Chana
Sample Qty : 200 gm
Packing Mode : Sample Packed in Plastic
Container
Sample Condition : Satisfactory
Marking : Cooked
Sampling Location : Stuti Food and Facility Service.
Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)
Date of Starting of Test : 09/09/2026
Sampling Plan : as per GTL/GP/SOP/046
Sampling Date : 09/09/2026
Environ. Condition : 6.8 Deg.C
Date of Completion : 14/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	1200 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
3	Coliform /gm	<10 cfu	IS:5401(P-1)-2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1)-1976	Absent

CONFORM

Remark: In respect of the test performed the submitted sample
to the above Specification for the tested parameters.

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For
Microbiological examination of Ready to Eat Foods, <10 cfu=Absent,
Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

60mnm
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020440F

Report Issued To: Stuti Food and Facility Service. C/O. Reliance Industries Limited (Vadodara composite Division) Vadodara Halol Highway, Village : Asoj, Ta.: Waghodiya,, Vadodara, Gujarat Phone No : 9924501201 Email : stutifoodandfacilityservices@gmail.co m	Test Report No : GTL/04260914027 Date of Receipt : 09/09/2026 Date of Issue : 14/09/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Dhaniya Rice Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Cooked Sampling Location : Stuti Food and Facility Service. Sample Drawn By : Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited) Date of Starting of Test : 09/09/2026	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 09/09/2026 Environ. Condition : 7.0 Deg.C Date of Completion : 14/09/2026
--	--

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	400 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
3	Coliform /gm	<10 cfu	IS:5401(P-1)-2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1)-1976	Absent

CONFORM

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020446F

Report Issued To:	Stuti Food and Facility Service. C/O. Reliance Industries Limited (Vadodara composite Division) Vadodara Halol Highway, Village : Asoj, Ta.: Waghodiya,, Vadodara, Gujarat Phone No : 9924501201 Email : stutifoodandfacilitieservices@gmail.co m	Test Report No	: GTL/04260914033
		Date of Receipt	: 09/09/2026
		Date of Issue	: 14/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Roti	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 200 gm	Sampling Date	: 09/09/2026
Packing Mode	: Sample Packed in Plastic Container	Environ. Condition	: 7.4 Deg.C
Sample Condition	: Satisfactory		
Marking	: Cooked		
Sampling Location	: Stuti Food and Facility Service.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 09/09/2026	Date of Completion	: 14/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	190 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
3	Coliform /gm	<10 cfu	IS:5401(P-1)-2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1)-1976	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020451F

Report Issued To:	Stuti Food and Facility Service. C/O. Reliance Industries Limited (Vadodara composite Division) Vadodara Halol Highway, Village : Asoj, Ta.: Waghodiya,, Vadodara, Gujarat Phone No : 9924501201 Email : stutifoodandfacilitieservices@gmail.co	Test Report No	: GTL/04260914038
		Date of Receipt	: 09/09/2026
		Date of Issue	: 14/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Hand Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 09/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Akash Prajapati		
Sampling Location	: Stuti Food and Facility Service.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)	Date of Completion	: 14/09/2026
Date of Starting of Test	: 09/09/2026		

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	09 cfu	GL/WI/M-119	Max.20.0 cfu
2	Coliform/Swab	< 1 cfu	GL/WI/M-119	Max. 10 cfu
3	E.coli/Swab	Absent	GL/WI/M-119	Absent
4	Salmonella/Swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin
Krishna Amin
Autho. Signatory