



TC-5961

F-16,17, Madhavpura Market,
Shahibaug, Ahmedabad-380004

Ph. : 079-25626040, 25624821

M : 7486086091, 9601389681

E : gujlab@gmail.com/gujlab.info@gmail.com

Web : www.gujaratlaboratory.com

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020652F

Report Issued To:	Rishi FIBC Solution Pvt. Ltd. Mahuvad-Ranu Road,Ranu Padara , Vadodara, Gujarat Phone No : 9898821552 Email : kruti@rishifibc.com	Test Report No	: GTL/04260915056
		Date of Receipt	: 10/09/2026
		Date of Issue	: 15/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Air Monitoring	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 10/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location: Linear Extrusion		
Sampling Location	: Rishi FIBC Solution Pvt. Ltd.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 10/09/2026	Date of Completion	: 15/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Food And Agricultural Products				
1	Total Plate Count cfu/m3	06 cfu	GL/WI/M- 152	Max.50 cfu
2	Yeast & Mould Count cfu/m3	< 1 cfu	GL/WI/M- 152	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020659F

Report Issued To:	Rishi FIBC Solution Pvt. Ltd. Mahuvad-Ranu Road,Ranu Padara, , Vadodara, Gujarat Phone No : 9898821552 Email : kruti@rishifibc.com	Test Report No	: GTL/04260915065
		Date of Receipt	: 10/09/2026
		Date of Issue	: 15/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Air Monitoring	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 10/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location: Linear Sealing		
Sampling Location	: Rishi FIBC Solution Pvt. Ltd.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)	Date of Completion	: 15/09/2026
Date of Starting of Test	: 10/09/2026		

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Food And Agricultural Products				
1	Total Plate Count cfu/m3	10 cfu	GL/WI/M- 152	Max.50 cfu
2	Yeast & Mould Count cfu/m3	< 1 cfu	GL/WI/M- 152	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020662F

Report Issued To:	Rishi FIBC Solution Pvt. Ltd. Mahuvad-Ranu Road,Ranu Padara , Vadodara, Gujarat Phone No : 9898821552 Email : kruti@rishifibc.com	Test Report No	: GTL/04260915068
		Date of Receipt	: 10/09/2026
		Date of Issue	: 15/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Air Monitoring	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 10/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location: FIBC Sticking Area(6 Location Composite)		
Sampling Location	: Rishi FIBC Solution Pvt. Ltd.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 10/09/2026	Date of Completion	: 15/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Food And Agricultural Products				
1	Total Plate Count cfu/m3	15 cfu	GL/WI/M- 152	Max.50 cfu
2	Yeast & Mould Count cfu/m3	< 1 cfu	GL/WI/M- 152	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above specification for the tested parameters.

CONFORM

Note : N.M.=Not Mentioned, <1 cfu = Absent , Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin

Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020674F

Report Issued To:	Rishi FIBC Solution Pvt. Ltd. Mahuvad-Ranu Road,Ranu Padara , Vadodara, Gujarat Phone No : 9898821552 Email : kruti@rishifibc.com	Test Report No	: GTL/04260915081
		Date of Receipt	: 10/09/2026
		Date of Issue	: 15/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Swab Sample.	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 10/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location: Linear Sealing Area		
Sampling Location	: Rishi FIBC Solution Pvt. Ltd.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 10/09/2026	Date of Completion	: 15/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	15 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

S. M. Amin
Krishna Amin

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To:	Rishi FIBC Solution Pvt. Ltd. Mahuvad-Ranu Road, Ranu Padara, , Vadodara, Gujarat Phone No : 9898821552 Email : kruti@rishifibc.com	Test Report No	: GTL/04260915081/NS
		Date of Receipt	: 10/09/2026
		Date of Issue	: 15/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Swab Sample.	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 10/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location: Linear Sealing Area		
Sampling Location	: Rishi FIBC Solution Pvt. Ltd.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 10/09/2026	Date of Completion	: 15/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Enterobacteriaceae/Swab	Absent	GL/WI/M-119	Absent
2	cronobacter Sakazakii / swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD

Ketul Padhiyar

Reviewed By



For Verification

*** END OF REPORT ***

Krishna Amin

Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020681F

Report Issued To:	Rishi FIBC Solution Pvt. Ltd. Mahuvad-Ranu Road,Ranu Padara , Vadodara, Gujarat Phone No : 9898821552 Email : kruti@rishifibc.com	Test Report No	: GTL/04260915088
		Date of Receipt	: 10/09/2026
		Date of Issue	: 15/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Swab Sample.	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 10/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location:Pharma Bag Sticking Area(6 Location Composite Sample)		
Sampling Location	: Rishi FIBC Solution Pvt. Ltd.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 10/09/2026	Date of Completion	: 15/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Total Plate count cfu/Swab	20 cfu	GL/WI/M-119	Max.50 cfu
2	Salmonella/Swab	Absent	GL/WI/M-119	Absent
3	Yeast & Mould count /Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To:	Rishi FIBC Solution Pvt. Ltd. Mahuvad-Ranu Road,Ranu Padara, , Vadodara, Gujarat Phone No : 9898821552 Email : kruti@rishifibc.com	Test Report No : GTL/04260915088/NS Date of Receipt : 10/09/2026 Date of Issue : 15/09/2026 Customer's Ref. No : N.M
--------------------------	---	---

Sample Described as	: Swab Sample.	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 10/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location:Pharma Bag Sticking Area(6 Location Composite Sample)		
Sampling Location	: Rishi FIBC Solution Pvt. Ltd.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 10/09/2026	Date of Completion	: 15/09/2026


Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Enterobacteriaceae/Swab	Absent	GL/WI/M-119	Absent
2	cronobacter Sakazakii / swab	Absent	GL/WI/M-119	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM


Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Ketul Padhiyar
Reviewed By



For Verification


Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020684F

Report Issued To:	Rishi FIBC Solution Pvt. Ltd. Mahuvad-Ranu Road,Ranu Padara, , Vadodara, Gujarat Phone No : 9898821552 Email : kruti@rishifibc.com	Test Report No : GTL/04260915091 Date of Receipt : 10/09/2026 Date of Issue : 15/09/2026 Customer's Ref. No : N.M
--------------------------	---	--

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 10/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location: Metal Detector Belt		
Sampling Location	: Rishi FIBC Solution Pvt. Ltd.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 10/09/2026	Date of Completion	: 15/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Total Plate count cfu/Swab	12 cfu	GL/WI/M-119	Max.50 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Disclaimer Note

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

d.n.m
Krishna Amin
Autho. Signatory

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400020686F

Report Issued To:	Rishi FIBC Solution Pvt. Ltd. Mahuvad-Ranu Road,Ranu Padara , Vadodara, Gujarat Phone No : 9898821552 Email : kruti@rishifibc.com	Test Report No	: GTL/04260915093
		Date of Receipt	: 10/09/2026
		Date of Issue	: 15/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Equipment Swab	Sampling Plan	: as per GTL/GP/SOP/046
Sample Qty	: 1 Nos	Sampling Date	: 10/09/2026
Packing Mode	: --	Environ. Condition	: Ambient
Sample Condition	: Satisfactory		
Marking	: Location:Bag Transfer Trolly		
Sampling Location	: Rishi FIBC Solution Pvt. Ltd.		
Sample Drawn By	: Mr. Mukesh Patni (Representative of Gujarat Testlab Private Limited)		
Date of Starting of Test	: 10/09/2026	Date of Completion	: 15/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Biological				
Pollution & Environment				
1	Yeast and Mound Count cfu/Swab	< 1 cfu	GL/WI/M-119	Max.10 cfu
2	Total Plate count cfu/Swab	18 cfu	GL/WI/M-119	Max.50 cfu

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

*** END OF REPORT ***

S.M.A.
Krishna Amin
Autho. Signatory

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.