

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 7

Report Issued To : Prajapati Umang Kanaiyalala 831, Near Neema School., Bhimjipura New Vadaj-380013, Ahmedabad, Gujarat Phone No : 7878426559 Email : umangprajapti7722@gmail.com	Test Report No : GTL/04260918012/NS Date of Receipt : 15/09/2026 Date of Issue : 18/09/2026 Customer's Ref. No : N.M
--	---

Sample Described as : Edible Flowers Sample Qty : 300 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : N.M	Mfg. Date : N.M. Exp. Date : N.M. B.No : N.M.
Sample Drawn By : Customer Date of Starting of Test : 15/09/2026	Date of Completion : 18/09/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical			
Residues and Contaminants in Food & Agri. Products			
1	Beta-Cyfluthrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
2	Bifenthrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
3	Chlordane mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
4	Chlorfenvinphos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
5	Chlorothalonil, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
6	Chlorpyrifos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
7	Chlorpyrifos methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
8	Cyfluthrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
9	Cypermethrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
10	DDT mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
11	Deltamethrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
12	Demeton-S-methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
13	Dicofol (Sum of p,p and o,p isomers) mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
14	Dieldrin, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
15	Endosulfan mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
16	Endrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
17	Fenvalerate mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
18	Esfenvalerate (Sum of RR&SS Isomer) mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
19	Esfenvalerate (Sum of RS&SR Isomer) mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
20	Fenitrothion mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030

Test Report No : GTL/04260918012/NS

Doc. No : GTL/D/7.5/02

Page 2 of 7

Sr No	Quality Characteristics	Result	Test Method
21	HCH mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
22	Heptachlor mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
23	Hexachlorobenzene, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
24	Iprodion mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
25	Lambda-cyhalothrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
26	Lindane mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
27	Flupicolide mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
28	Permethrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
29	Phorate mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
30	Pyrethrins, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
31	Quintozene mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
32	Abamectin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
33	Acephate mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
34	Aldicarb mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
35	Amitraz mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
36	Atrazine, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
37	Azinphos-ethyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
38	Azoxystrobin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
39	Benalaxyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
40	Benfuracarb mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
41	Benomyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
42	Bentazone mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
43	Bitertanol mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
44	Carbaryl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
45	Carbendazim mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
46	Carbofuran mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
47	Diazinon mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
48	Dichlorvos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
49	Dimethoate mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
50	Dodine mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
51	Ethion mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
52	Etoxazole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
53	Fenarimol mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
54	Imazalil mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
55	Kresoxim Methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
56	Malathion mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
57	Metalaxyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
58	Metalaxyl-M mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030

Test Report No : GTL/04260918012/NS

Doc. No : GTL/D/7.5/02

Page 3 of 7

Sr No	Quality Characteristics	Result	Test Method
59	Methamidophos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
60	Methidathion mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
61	Methomyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
62	Methoxychlor mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
63	Monocrotophos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
64	Myclobutanil mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
65	Omethoate mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
66	Oxydemeton methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
67	Parathion, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
68	Parathion-Methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
69	Penconazole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
70	Phosalone, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
71	Phosphamidon mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
72	Primiphos methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
73	Profenfos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
74	Propargite mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
75	Propiconazole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
76	Propoxur mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
77	Quinalphos, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
78	Thiabendazole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
79	Thiodicarb mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
80	Thiophanate-Methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
81	Triadimefon mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
82	Triadimenol mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
83	Triazophos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
84	Trichlorfon mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
85	4-Bromo-2-Chlorophenol mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
86	Aldrin, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
87	Allethrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
88	Alpha Endosulfan mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
89	Bifenazate mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
90	Bioallethrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
91	Chlorfenapyr mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
92	Delta HCH mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
93	Fenproparthrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
94	Fenpyroximate mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
95	Fluvalinate-tau mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
96	Heptachlor epoxide mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030

Test Report No : GTL/04260918012/NS

Doc. No : GTL/D/7.5/02

Page 4 of 7

Sr No	Quality Characteristics	Result	Test Method
97	O,P DDD mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
98	O,P DDE mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
99	O,P DDT mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
100	P,P DDE mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
101	P,P DDT mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
102	Permethrin_I mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
103	Permethrin_II mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
104	Pirimiphos-ethyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
105	Trifluralin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
106	Acetamiprid mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
107	Alchlor mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
108	Amectotradin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
109	Buprofezin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
110	Butachlor mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
111	Carboxin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
112	Chlorantraniliprole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
113	Clothianidin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
114	Cyazofamid mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
115	Cymoxanil, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
116	Dazomet mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
117	Difenoconazole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
118	Daifenthiuron mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
119	Dimethomorph mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
120	Dinotefuran mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
121	Diuron, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
122	Edifenphos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
123	Emamectin benzoate mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
124	Etriphos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
125	Endosulfan Sulphate mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
126	Fenamiphos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
127	Fenazaquin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
128	Fenobucarb mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
129	Fenthion mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
130	Fenthion Sulfone mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
131	Fenthion Sulfoxide mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
132	Fipronil mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
133	Flonicamid mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
134	Flubendiamide mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030

Test Report No : GTL/04260918012/NS

Doc. No : GTL/D/7.5/02

Page 5 of 7

Sr No	Quality Characteristics	Result	Test Method
135	Diflubenzuron mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
136	Fludioxanil mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
137	Flufenacet mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
138	Flufenoxurone mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
139	Flufenazine mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
140	Flusilazole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
141	Hexaconazole, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
142	Hexythiazox mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
143	Imidacloprid mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
144	Indoxacarb mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
145	Iprobenfos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
146	Iprovalicarb mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
147	Isoprothiolane mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
148	Isoproturon mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
149	Linuron, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
150	Lufenuron mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
151	Malaxon mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
152	Mandipropamid mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
153	Methyl Parathion mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
154	Metolachlor mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
155	Metolachlor-S mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
156	Metrafenone mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
157	Metribuzin, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
158	Novaluron mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
159	Oxadiazon mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
160	Oxamyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
161	Oxycarboxin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
162	Oxyfluorfen, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
163	Paclobutrazol mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
164	Paraaxon-methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
165	Parathion-Ethyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
166	Pencycuron mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
167	Phorate sulfone mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
168	Phorate sulfoxide mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
169	Propanil mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
170	Propetamphos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
171	Prothioconazole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
172	Pyraclostrobin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030

Test Report No : GTL/04260918012/NS

Doc. No : GTL/D/7.5/02

Page 6 of 7

Sr No	Quality Characteristics	Result	Test Method
173	Pyridaben mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
174	Pyriproxyfen mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
175	Simazine, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
176	Spinetoram mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
177	Spinosyn A mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
178	Spinosyn D mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
179	Spiromesifen mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
180	Tebuconazole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
181	Temephos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
182	Thiacloprid mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
183	Thiamethoxam mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
184	Thiobencarb mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
185	Transfluthrin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
186	Tricyclazole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
187	Tridemenol mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
188	Trifloxystrobin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
189	Metiram (as cs2) mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
190	Mancozeb (as cs2) mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
191	Maneb (as cs2) mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
192	Propineb, mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
193	Thiram (as cs2) mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
194	Zineb (as cs2) mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
195	2,4 D mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
196	Acetochlor mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
197	Ametoctradin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
198	Chlorpropham mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
199	Cyantraniliprole mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
200	Dithiocarbamates (expressed as CS2) - Mancozeb , Propineb , Thiram , Zineb , Ziram mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
201	Ethoprophos mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
202	Famoxadone mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
203	Fenamidone mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
204	Flumioxazin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
205	Fluopyram mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
206	Fluxapyroxad mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
207	Metaflumizone mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
208	Penthiopyrad mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
209	Propamocarb mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030

Test Report No : GTL/04260918012/NS

Doc. No : GTL/D/7.5/02

Page 7 of 7

Sr No	Quality Characteristics	Result	Test Method
210	Pyrimethanil mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
211	Spirotetramat mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
212	Teflubenzuron mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
213	Tolclofos-Methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
214	1-Naphthylacetamide mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
215	1- Naphthylacetic acid mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
216	4-Chloro-3-methylphenol mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
217	4-CPA mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
218	6-Benzyl adenine mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
219	Metsulfuron-methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
220	Vinclozolin mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
221	Flupyradifurone mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
222	Fosetyl-Al mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
223	Forchlorfenuron (CPPU) mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
224	Glufosinate ammonium mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
225	Glyphosate mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
226	Milbemectin (Sum of Milbemycin A4 & Milbemycin A3) mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
227	Paraquat mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
228	Oxedementon-methyl mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
229	Sulfoxaflor mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
230	Uracil mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
231	Zoxamide mg/kg	B.L.Q.(Q.L.=0.01)	GL/SOP/I-030
232	Arsenic (as As) mg/kg	B.L.Q.(Q.L.=0.02)	GL/SOP/I-054
233	Lead (as Pb) mg/kg	B.L.Q.(Q.L.=0.02)	GL/SOP/I-054
234	Cadmium (as Cd) mg/kg	B.L.Q.(Q.L.=0.02)	GL/SOP/I-054
235	Mercury (as Hg) mg/kg	B.L.Q.(Q.L.=0.02)	GL/SOP/I-054

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Rupesh Desai
Reviewed By



For Verification


Hemal Darji
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.