

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To:	Annexe Chem Pvt. Ltd. Plot No : 1116, Lamadapuraroad, Manjusar Tal.: Savli, Vadodara, Gujarat Phone No : 9825066430 Email : nilesh@annexechem.com	Test Report No	: GTL/04260918036/NS
		Date of Receipt	: 15/09/2026
		Date of Issue	: 18/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Potassium Hydroxide Pellets	Mfg. Date	: Sep-2026
Sample Qty	: 50 gm	Exp. Date	: Aug-2029
Packing Mode	: Sample Packed in Plastic Bag	B.No	: 037013126
Sample Condition	: Satisfactory		
Marking	: N.M		
Sample Drawn By	: Customer		
Date of Starting of Test	: 15/09/2026	Date of Completion	: 18/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Chemical				
Food And Agricultural Products				
1	Phosphaet (PO ₄) mg/kg	1.02	As per FCC	Max. 5
Industrial and Fine Chemicals				
2	Nitrogen %	<0.001	As per FCC	Max. 0.001%
3	Arsenic (as As) ppm	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 1
4	Ammonia ppm	B.L.Q.(Q.L.=0.05)	By ICP-MS	Max. 5
5	Calcium (as Ca) %	0.0013	By ICP-MS	Max. 0.005
6	Nitrate (as NO ₃) ppm	2.37	As per FCC	Max. 10
7	Water insoluble matter %	<0.01	As per FCC	Max. 0.01%
8	Silicate (as SiO ₂) ppm	18.90	As per FCC	Max. 50
9	Aluminium (as Al) ppm	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 0.2
10	Copper (as Cu) ppm	0.46	By ICP-MS	Max. 5
11	Lead (as Pb) ppm	0.37	By ICP-MS	Max. 2
12	Magnesium (as Mg) %	B.L.Q. (Q.L.=0.000002)	By ICP-MS	Max. 0.002
13	Nickel (as Ni) %	B.L.Q. (Q.L.=0.000002)	By ICP-MS	Max. 0.001%
14	Potassium (as K) %	60.30	As per FCC	Max. 59.9%
15	Mercury (as Hg) ppm	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 0.1% Max. 0.05%
16	Sodium (as Na) %	0.024	As per FCC	Max. 0.05%
17	Heavy Metals %	<0.001	As per USP	Max. 0.001%

Test Report No : GTL/04260918036/NS

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
-------	-------------------------	--------	-------------	------------------------

Remark: In respect of the test performed the submitted sample to the above specification for the Parameter tested

CONFORM

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Q.L.=Quantification Limit, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Rupesh Desai
Reviewed By



For Verification


Hemal Darji
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

Report Issued To:	Annexe Chem Pvt. Ltd. Plot No : 1116, Lamadapuraroad, Manjusar Tal.: Savli, Vadodara, Gujarat Phone No : 9825066430 Email : nilesh@annexechem.com	Test Report No	: GTL/04260918037/NS
		Date of Receipt	: 15/09/2026
		Date of Issue	: 18/09/2026
		Customer's Ref. No	: N.M

Sample Described as	: Sodium Hydroxide Pellets	Mfg. Date	: Sep-2026
Sample Qty	: 50 gm	Exp. Date	: Aug-2029
Packing Mode	: Sample Packed in Plastic Bag	B.No	: 013024126
Sample Condition	: Satisfactory		
Marking	: N.M		
Sample Drawn By	: Customer		
Date of Starting of Test	: 15/09/2026	Date of Completion	: 18/09/2026

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
Chemical				
Food And Agricultural Products				
1	Phosphate (as P2O5), ppm	2.40	As per FCC	Max. 10
Industrial and Fine Chemicals				
2	Heavy Metals (as As) ppm	<20	As per USP	Max. 20
3	Arsenic (as As) %	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 0.001%
4	Ammonia ppm	B.L.Q.(Q.L.=0.05)	By ICP-MS	Max. 5
5	Calcium (as Ca) ppm	12.8	By ICP-MS	Max. 20
6	Nitrate (as NO3) ppm	8.20	As per FCC	Max. 50
7	Water insoluble matter %	<0.01	As per FCC	Max. 0.01%
8	Silicate (as SiO2) ppm	18.30	As per FCC	Max. 100
9	Aluminium (as Al) ppm	1.22	By ICP-MS	Max. 10
10	Copper (as Cu) ppm	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 10
11	Lead (as Pb) ppm	0.44	By ICP-MS	Max. 2
12	Magnesium (as Mg) mg/kg	1.36	By ICP-MS	Max. 5
13	Nickel (as Ni) ppm	1.02	By ICP-MS	Max. 5 ppm
14	Potassium (as K) ppm	110.80	As per FCC	Max. 200
15	Mercury (as Hg) %	B.L.Q.(Q.L.=0.02)	By ICP-MS	Max. 0.1% %
16	Sodium (as Na) %	0.38	As per FCC	Max. 1.0%
17	Zinc %	0.0032	By ICP-MS	Max. 0.02

Test Report No : GTL/04260918037/NS

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method	Customer Specification
-------	-------------------------	--------	-------------	------------------------

Remark: In respect of the test performed the submitted sample to the above specification for the Parameter tested

CONFORM

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD


Rupesh Desai
Reviewed By



For Verification


Hemal Darji
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.