

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                                                                                                                                                                                                                                                                     |                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> <b>Cherish Pharma</b><br>L-23, First Floor Shree Nathprasath<br>Industrial Compound Near<br>Ashwamedh Bridge, MIDC<br>Nashik-422010, Nashik, Maharashtra<br><b>Phone No :</b> 7841030096<br><b>Email :</b><br>marketing@cherishpharma.com | <b>Test Report No</b> : GTL/04260924094<br><b>Date of Receipt</b> : 19/09/2026<br><b>Date of Issue</b> : 24/09/2026<br><b>Customer's Ref. No</b> : N.M |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                                                                                     |                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sample Described as</b> : <b>Hormone Health Morning Capsule</b><br><b>Sample Qty</b> : 100 Capsule<br><b>Packing Mode</b> : Sample Packed in Plastic Bags<br><b>Sample Condition</b> : Satisfactory<br><b>Marking</b> : N.M<br><b>Sample Drawn By</b> : Customer<br><b>Date of Starting of Test</b> : 19/09/2026 | <b>Mfg. Date</b> : July-2026<br><b>Exp. Date</b> : Best Before 18 Months<br><b>B.No</b> : HH/05<br><b>Date of Completion</b> : 24/09/2026 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|

| Sr No                                 | Quality Characteristics    | Result  | Test Method             |
|---------------------------------------|----------------------------|---------|-------------------------|
| <b>Biological</b>                     |                            |         |                         |
| <b>Food And Agricultural Products</b> |                            |         |                         |
| 1                                     | Total Plate count cfu/gm   | 450 cfu | IS:5402(P-1):2021       |
| 2                                     | Yeast & Mould Count cfu/gm | <1 cfu  | IS:5403:1999            |
| 3                                     | E.Coli/gm                  | Absent  | IS:5887(P-I)-1976       |
| 4                                     | Salmonella/25gm            | Absent  | IS:5887(P-3/Sec-1):2020 |
| 5                                     | S.aureus/25gm              | Absent  | IS:5887 (P-II)- 1976    |

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

*Ketul*  
Ketul Padhiyar

Reviewed By



For Verification

*Tripti*

Tripti Thakor

Autho. Signatory

\*\*\* END OF REPORT \*\*\*

#### Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.



TC-5961

F-16,17, Madhavpura Market,  
Shahibaug, Ahmedabad-380004

Ph. : 079-25626040, 25624821

M : 7486086091, 9601389681

E : gujlab@gmail.com/gujlab.info@gmail.com

Web : www.gujaratlaboratory.com

### TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

|                                                                                                                                                                                                                                                              |                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Issued To :</b> Cherish Pharma<br>L-23, First Floor Shree Nathprasath<br>Industrial Compound Near<br>Ashwamedh Bridge, MIDC<br>Nashik-422010, Nashik, Maharashtra<br><b>Phone No :</b> 7841030096<br><b>Email :</b><br>marketing@cherishpharma.com | <b>Test Report No</b> : GTL/04260924095<br><b>Date of Receipt</b> : 19/09/2026<br><b>Date of Issue</b> : 24/09/2026<br><b>Customer's Ref. No</b> : N.M |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                                                                              |                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sample Described as</b> : Hormone Health Morning Capsule<br><b>Sample Qty</b> : 100 Capsule<br><b>Packing Mode</b> : Sample Packed in Plastic Bags<br><b>Sample Condition</b> : Satisfactory<br><b>Marking</b> : N.M<br><b>Sample Drawn By</b> : Customer<br><b>Date of Starting of Test</b> : 19/09/2026 | <b>Mfg. Date</b> : July-2026<br><b>Exp. Date</b> : Best Before 18 Months<br><b>B.No</b> : HH/05<br><b>Date of Completion</b> : 24/09/2026 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|

| Sr No                                 | Quality Characteristics    | Result  | Test Method             |
|---------------------------------------|----------------------------|---------|-------------------------|
| <b>Biological</b>                     |                            |         |                         |
| <b>Food And Agricultural Products</b> |                            |         |                         |
| 1                                     | Total Plate count cfu/gm   | 500 cfu | IS:5402(P-1):2021       |
| 2                                     | Yeast & Mould Count cfu/gm | <1 cfu  | IS:5403:1999            |
| 3                                     | E.Coli/gm                  | Absent  | IS:5887(P-I)-1976       |
| 4                                     | Salmonella/25gm            | Absent  | IS:5887(P-3/Sec-1):2020 |
| 5                                     | S.aureus/25gm              | Absent  | IS:5887 (P-II)- 1976    |

Note : NM = Not Mentioned <1 cfu = absent Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

*Ketul Padhiyar*  
Reviewed By



For Verification

*Trupti Thakor*  
Autho. Signatory

#### Disclaimer Note

\*\*\* END OF REPORT \*\*\*

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.