

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400022234F

Page 1 of 1

Report Issued To: Ecclinicalworks India Pvt Ltd. 110 & 407-414, Venus Atlantis, 100 Feet Road, Prahladnagar . , Ahmedabad, Gujarat Phone No : 9099952763 Email : purvang.khatri@ecclinicalworks.com	Test Report No : GTL/04260929077 Date of Receipt : 24/09/2026 Date of Issue : 29/09/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Egg Bhurji Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Cooked Non Veg Food Sampling Location : Ecclinicalworks India Pvt Ltd. Sample Drawn By : Mr. Vishal (Representative Of Gujarat TestLab Pvt. Ltd) Date of Starting of Test : 24/09/2026	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 24/09/2026 Environ. Condition : 6.6 Deg.C Date of Completion : 29/09/2026
---	--

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	870 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Yeast & Mould Count cfu/gm	<10 cfu	IS:5403:1999	Not Prescribed
3	Coliform Cfug/gm	<10 cfu	IS:5401 (P-1) : 2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
5	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
6	S.aureus/25gm	Absent	IS:5887(P-2):1976	Absent
7	Shigella/25 gm	Absent	IS 5887(P-7):1999	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT., LTD



For NABL Scope

Ketul
Ketul Padhiyar

Reviewed By



For Verification

80mora
Krishna Amin

Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400022235F

Report Issued To: Ecclinicalworks India Pvt Ltd. 110 & 407-414, Venus Atlantis, 100 Feet Road, Prahladnagar . , Ahmedabad, Gujarat Phone No : 9099952763 Email : purvang.khatri@ecclinicalworks.com	Test Report No : GTL/04260929078 Date of Receipt : 24/09/2026 Date of Issue : 29/09/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Paneer Butter Masala Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Cooked Food Sampling Location : Ecclinicalworks India Pvt Ltd. Sample Drawn By : Mr. Vishal(Representative Of Gujarat TestLab Pvt. Ltd) Date of Starting of Test : 24/09/2026	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 24/09/2026 Environ. Condition : 6.8 Deg.C Date of Completion : 29/09/2026
--	--

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	1400 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Yeast & Mould Count cfu/gm	<10 cfu	IS:5403:1999	Not Prescribed
3	Coliform Cfu/gm	<10 cfu	IS:5401 (P-1) : 2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
5	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
6	S.aureus/25gm	Absent	IS:5887(P-2):1976	Absent
7	Shigella/25 gm	Absent	IS 5887(P-7):1999	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400022236F

Report Issued To: Ecliclinicalworks India Pvt Ltd. 110 & 407-414, Venus Atlantis, 100 Feet Road, Prahladnagar, , Ahmedabad, Gujarat Phone No : 9099952763 Email : purvang.khatri@ecliclinicalworks.com	Test Report No : GTL/04260929079 Date of Receipt : 24/09/2026 Date of Issue : 29/09/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Khaman Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Cooked Food Sampling Location : Ecliclinicalworks India Pvt Ltd. Sample Drawn By : Mr. Vishal (Representative Of Gujarat TestLab Pvt. Ltd) Date of Starting of Test : 24/09/2026	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 24/09/2026 Environ. Condition : 7.0 Deg.C Date of Completion : 29/09/2026
---	--

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	650 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Yeast & Mould Count cfu/gm	<10 cfu	IS:5403:1999	Not Prescribed
3	Coliform Cfu/gm	<10 cfu	IS:5401 (P-1) : 2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
5	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
6	S.aureus/25gm	Absent	IS:5887(P-2):1976	Absent
7	Shigella/25 gm	Absent	IS 5887(P-7):1999	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

Krishna Amin
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

ULR-TC596126400022237F

Report Issued To: Ecliclinicalworks India Pvt Ltd. 110 & 407-414,Venus Atlantis,100 Feet Road, Prahladnagar . , Ahmedabad, Gujarat Phone No : 9099952763 Email : purvang.khatri@ecliclinicalworks.com	Test Report No : GTL/04260929080 Date of Receipt : 24/09/2026 Date of Issue : 29/09/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Gulab Jamun Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Sweet Product Sampling Location : Ecliclinicalworks India Pvt Ltd. Sample Drawn By : Mr. Vishal(Representative Of Gujarat TestLab Pvt. Ltd) Date of Starting of Test : 24/09/2026	Sampling Plan : as per GTL/GP/SOP/046 Sampling Date : 24/09/2026 Environ. Condition : 7.2 Deg.C Date of Completion : 29/09/2026
---	--

Sr No	Quality Characteristics	Result	Test Method	Customer / * GME-RTE Specification
Biological				
Food And Agricultural Products				
1	Total Plate count cfu/gm	1000 cfu	IS:5402 (P-1): 2021	Max. 10000 cfu
2	Yeast & Mould Count cfu/gm	<10 cfu	IS:5403:1999	Not Prescribed
3	Coliform Cfug/gm	<10 cfu	IS:5401 (P-1) : 2012	Not Prescribed
4	E.coli /gm	Absent	IS:5887(P-1):1976	Absent
5	Salmonella/25 gm	Absent	IS:5887(P-3/Sec-1) : 2020	Absent
6	S.aureus/25gm	Absent	IS:5887(P-2):1976	Absent
7	Shigella/25 gm	Absent	IS 5887(P-7):1999	Absent

Remark: In respect of the test performed the submitted sample to the above Specification for the tested parameters.

CONFORM

Note : NM = Not Mentioned, *GME of RTE Foods-Guidelines For Microbiological examination of Ready to Eat Foods, <10 cfu=Absent, Customer requested for the above test only



For NABL Scope

Ketul
Ketul Padhiyar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD

g.m.m.
Krishna Amin
Autho. Signatory

*** END OF REPORT ***

Disclaimer Note

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.