

TEST REPORT

Doc. No : GTL/D/7.5/02

ULR-TC596126400022605F

Page 1 of 2

Report Issued To: Shri Harsh Dairy & Food Products Pvt. Ltd. Plot : 14/15, Gopi shri Industrial Estate, Nr. Gopal Estate Village : Dhamatvan, Taluka : Daskroi-382440, Ahmedabad, Gujarat Phone No : 6354016304 Email : shriharshdairy@gmail.com	Test Report No : GTL/04261001111 Date of Receipt : 29/09/2026 Date of Issue : 01/10/2026 Customer's Ref. No : N.M
---	--

Sample Described as : Ghee Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Brand : Gopishri, Product Name : Gopishri Desi Cow Ghee	Mfg. Date : 29.09.2026 Exp. Date : 28.05.2027. B.No : 126
Sample Drawn By : Customer Date of Starting of Test : 29/09/2026	Date of Completion : 01/10/2026

Sr No	Quality Characteristics	Result	Test Method	Prescribed Standards as per Food Safety and Standards Regulations, 2011
Chemical Food And Agricultural Products				
1	Butyric Acid (C4:0) %	1.54	FSSAI Manual of Milk & Milk Products 01.093	1.0 to 5.0
2	Caproic Acid (C6:0) %	0.82	FSSAI Manual of Milk & Milk Products 01.093	0.5 to 2.2
3	Caprylic Acid (C8:0)%	0.44	FSSAI Manual of Milk & Milk Products 01.093	0.4 to 1.5
4	Capric Acid (C10:0) %	1.17	FSSAI Manual of Milk & Milk Products 01.093	0.8 to 5.0
5	Lauric Acid (C12:0) %	1.82	FSSAI Manual of Milk & Milk Products 01.093	1.5 to 4.0
6	Myristic Acid (C14:0) %	9.80	FSSAI Manual of Milk & Milk Products 01.093	6.0 to 13.0
7	Palmitic Acid (C16:0) %	37.72	FSSAI Manual of Milk & Milk Products 01.093	22 to 38
8	Stearic Acid (C18:0) %	13.32	FSSAI Manual of Milk & Milk Products 01.093	8.0 to 19.0
9	Palmitoleic Acid (C16:1)%	1.22	FSSAI Manual of Milk & Milk Products 01.093	0.9 to 2.8
10	Oleic Acid (18:1) %	25.82	FSSAI Manual of Milk & Milk Products 01.093	19 to 32
11	Linoleic Acid (C18:2) %	3.08	FSSAI Manual of Milk & Milk Products 01.093	0.5 to 3.5
12	Octadecatrienoic Acid (C18:3) %	0.59	FSSAI Manual of Milk & Milk Products 01.093	0.3 to 1.0
13	Reichert Meissel Value	28.11	IS 3508:1966	Min.24
14	B.R. reading at 40 Deg C	42.4	IS 3508:1966	40.0 - 44.0

Test Report No : GTL/04261001111

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method	Prescribed Standards as per Food Safety and Standards Regulations, 2011
-------	-------------------------	--------	-------------	---

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope


Mamta Bhavsar
Reviewed By



For Verification


Hemal Darji
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126400022606F

Report Issued To:	Shri Harsh Dairy & Food Products Pvt. Ltd. Plot : 14/15, Gopi shri Industrial Estate, Nr. Gopal Estate Village : Dhamatvan, Taluka : Daskroi-382440, Ahmedabad, Gujarat Phone No : 6354016304 Email : shriharshdairy@gmail.com	Test Report No : GTL/04261001112 Date of Receipt : 29/09/2026 Date of Issue : 01/10/2026 Customer's Ref. No : N.M
--------------------------	--	--

Sample Described as	: Ghee	Mfg. Date	: 29.09.2026
Sample Qty	: 200 gm	Exp. Date	: 28.05.2027.
Packing Mode	: Sample Packed in Plastic Container	B.No	: 127
Sample Condition	: Satisfactory		
Marking	: Brand : Gopishri, Product Name :Gopishri Desi Ghee		
Sample Drawn By	: Customer		
Date of Starting of Test	: 29/09/2026	Date of Completion	: 01/10/2026

Sr No	Quality Characteristics	Result	Test Method	Prescribed Standards as per Food Safety and Standards Regulations, 2011
Chemical				
Food And Agricultural Products				
1	Butyric Acid (C4:0) %	1.53	FSSAI Manual of Milk & Milk Products 01.093	1.0 to 5.0
2	Caproic Acid (C6:0) %	0.80	FSSAI Manual of Milk & Milk Products 01.093	0.5 to 2.2
3	Caprylic Acid (C8:0)%	0.48	FSSAI Manual of Milk & Milk Products 01.093	0.4 to 1.5
4	Capric Acid (C10:0) %	1.18	FSSAI Manual of Milk & Milk Products 01.093	0.8 to 5.0
5	Lauric Acid (C12:0) %	1.79	FSSAI Manual of Milk & Milk Products 01.093	1.5 to 4.0
6	Myristic Acid (C14:0) %	9.71	FSSAI Manual of Milk & Milk Products 01.093	6.0 to 13.0
7	Palmitic Acid (C16:0) %	37.60	FSSAI Manual of Milk & Milk Products 01.093	22 to 38
8	Stearic Acid (C18:0) %	13.36	FSSAI Manual of Milk & Milk Products 01.093	8.0 to 19.0
9	Palmitoleic Acid (C16:1)%	1.22	FSSAI Manual of Milk & Milk Products 01.093	0.9 to 2.8
10	Oleic Acid (18:1) %	25.70	FSSAI Manual of Milk & Milk Products 01.093	19 to 32
11	Linoleic Acid (C18:2) %	3.40	FSSAI Manual of Milk & Milk Products 01.093	0.5 to 3.5
12	Octadecatrienoic Acid (C18:3) %	0.60	FSSAI Manual of Milk & Milk Products 01.093	0.3 to 1.0
13	Reichert Meissel Value	26.55	IS 3508:1966	Min.24
14	B.R. reading at 40 Deg C	43.0	IS 3508:1966	40.0 - 44.0

Test Report No : GTL/04261001112

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method	Prescribed Standards as per Food Safety and Standards Regulations, 2011
-------	-------------------------	--------	-------------	---

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope



Mamta Bhavsar

Reviewed By



For Verification



Hemal Darji
Autho. Signatory

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126400022607F

Report Issued To: Shri Harsh Dairy & Food Products Pvt. Ltd. Plot : 14/15, Gopi shri Industrial Estate, Nr. Gopal Estate Village : Dhamatvan, Taluka : Daskroi-382440, Ahmedabad, Gujarat Phone No : 6354016304 Email : shriharshdairy@gmail.com	Test Report No : GTL/04261001113 Date of Receipt : 29/09/2026 Date of Issue : 01/10/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Ghee Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Brand : Gopishri Pakwano,, Product Name : Gopishri Desi Cow Ghee Pakwano	Mfg. Date : 29.09.2026 Exp. Date : 28.05.2027. B.No : 129
Sample Drawn By : Customer Date of Starting of Test : 29/09/2026	Date of Completion : 01/10/2026

Sr No	Quality Characteristics	Result	Test Method	Prescribed Standards as per Food Safety and Standards Regulations, 2011
Chemical Food And Agricultural Products				
1	Butyric Acid (C4:0) %	1.90	FSSAI Manual of Milk & Milk Products 01.093	1.0 to 5.0
2	Caproic Acid (C6:0) %	0.92	FSSAI Manual of Milk & Milk Products 01.093	0.5 to 2.2
3	Caprylic Acid (C8:0)%	0.50	FSSAI Manual of Milk & Milk Products 01.093	0.4 to 1.5
4	Capric Acid (C10:0) %	1.21	FSSAI Manual of Milk & Milk Products 01.093	0.8 to 5.0
5	Lauric Acid (C12:0) %	1.84	FSSAI Manual of Milk & Milk Products 01.093	1.5 to 4.0
6	Myristic Acid (C14:0) %	9.77	FSSAI Manual of Milk & Milk Products 01.093	6.0 to 13.0
7	Palmitic Acid (C16:0) %	37.62	FSSAI Manual of Milk & Milk Products 01.093	22 to 38
8	Stearic Acid (C18:0) %	12.93	FSSAI Manual of Milk & Milk Products 01.093	8.0 to 19.0
9	Palmitoleic Acid (C16:1)%	1.23	FSSAI Manual of Milk & Milk Products 01.093	0.9 to 2.8
10	Oleic Acid (18:1) %	25.28	FSSAI Manual of Milk & Milk Products 01.093	19 to 32
11	Linoleic Acid (C18:2) %	3.63	FSSAI Manual of Milk & Milk Products 01.093	0.5 to 3.5
12	Octadecatrienoic Acid (C18:3) %	0.56	FSSAI Manual of Milk & Milk Products 01.093	0.3 to 1.0
13	Reichert Meissel Value	26.34	IS 3508:1966	Min.24
14	B.R. reading at 40 Deg C	42.8	IS 3508:1966	40.0 - 44.0

Test Report No : GTL/04261001113

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method	Prescribed Standards as per Food Safety and Standards Regulations, 2011
-------	-------------------------	--------	-------------	---

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope


Mamta Bhavsar
Reviewed By



For Verification


Hemal Darji
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 2

ULR-TC596126400022608F

Report Issued To: Shri Harsh Dairy & Food Products Pvt. Ltd. Plot : 14/15, Gopi shri Industrial Estate, Nr. Gopal Estate Village : Dhamatvan, Taluka : Daskroi-382440, Ahmedabad, Gujarat Phone No : 6354016304 Email : shriharshdairy@gmail.com	Test Report No : GTL/04261001114 Date of Receipt : 29/09/2026 Date of Issue : 01/10/2026 Customer's Ref. No : N.M
--	--

Sample Described as : Ghee Sample Qty : 200 gm Packing Mode : Sample Packed in Plastic Container Sample Condition : Satisfactory Marking : Brand : Gopishri Pakwano, Product Name : Gopishri Shuddh Desi Ghee Pakwano Sample Drawn By : Customer Date of Starting of Test : 29/09/2026	Mfg. Date : 29.09.2026 Exp. Date : 28.05.2027. B.No : 130 Date of Completion : 01/10/2026
---	--

Sr No	Quality Characteristics	Result	Test Method	Prescribed Standards as per Food Safety and Standards Regulations, 2011
Chemical				
Food And Agricultural Products				
1	Butyric Acid (C4:0) %	1.97	FSSAI Manual of Milk & Milk Products 01.093	1.0 to 5.0
2	Caproic Acid (C6:0) %	0.94	FSSAI Manual of Milk & Milk Products 01.093	0.5 to 2.2
3	Caprylic Acid (C8:0)%	0.54	FSSAI Manual of Milk & Milk Products 01.093	0.4 to 1.5
4	Capric Acid (C10:0) %	1.32	FSSAI Manual of Milk & Milk Products 01.093	0.8 to 5.0
5	Lauric Acid (C12:0) %	1.86	FSSAI Manual of Milk & Milk Products 01.093	1.5 to 4.0
6	Myristic Acid (C14:0) %	9.66	FSSAI Manual of Milk & Milk Products 01.093	6.0 to 13.0
7	Palmitic Acid (C16:0) %	37.41	FSSAI Manual of Milk & Milk Products 01.093	22 to 38
8	Stearic Acid (C18:0) %	13.04	FSSAI Manual of Milk & Milk Products 01.093	8.0 to 19.0
9	Palmitoleic Acid (C16:1)%	1.21	FSSAI Manual of Milk & Milk Products 01.093	0.9 to 2.8
10	Oleic Acid (18:1) %	25.44	FSSAI Manual of Milk & Milk Products 01.093	19 to 32
11	Linoleic Acid (C18:2) %	3.40	FSSAI Manual of Milk & Milk Products 01.093	0.5 to 3.5
12	Octadecatrienoic Acid (C18:3) %	0.59	FSSAI Manual of Milk & Milk Products 01.093	0.3 to 1.0
13	Reichert Meissel Value	27.04	IS 3508:1966	Min.24
14	B.R. reading at 40 Deg C	42.5	IS 3508:1966	40.0 - 44.0

Test Report No : GTL/04261001114

Doc. No : GTL/D/7.5/02

Page 2 of 2

Sr No	Quality Characteristics	Result	Test Method	Prescribed Standards as per Food Safety and Standards Regulations, 2011
-------	-------------------------	--------	-------------	---

Note : NM = Not Mentioned, Customer requested for the above test only

FOR, GUJARAT TESTLAB PVT. LTD



For NABL Scope


Mamta Bhavsar
Reviewed By



For Verification


Hemal Darji
Autho. Signatory

Disclaimer Note

*** END OF REPORT ***

(1) The test results relate only to the tested sample(s) and the applicable parameter(s). Endorsement or certification of the product is neither inferred nor implied. (2) This test report shall not be reproduced, either wholly or in part, and shall not be used as evidence in any court of law or for any advertising or promotional purpose without the prior written approval of Gujarat Testlab Private Limited. (3) Customer requested for the above test only. (4) Unless otherwise agreed with the customer or required by a regulatory authority, tested samples will be disposed of after 21 days from the date of issue of the test report. Perishable samples will be destroyed after testing. (5) Samples not drawn by us unless otherwise stated (6) The total liability of the laboratory is limited to the amount invoiced for the testing services. (7) Test reports are issued based on the information and/or data provided by the customer. (8) The accuracy and validity of the test results may be affected if such information or data is incorrect, incomplete, or misleading. (9) Subject to the Ahmedabad Jurisdiction Only.