

TEST REPORT

Doc. No : GTL/D/7.5/02


Page 1 of 1

Report Issued To :	Narmada Bio Chem Ltd Narmada House, Plot No : 252, TP NO : 50. Opp. Mantavya News Sindhu Bhavan Road, Off. S.G. Highway, Thaltej-Bokakdev, Ahmedabad, Gujarat Phone No : 9316731598 Email : lab@nbclindia.com	Test Report No : GTL/07260805003/NS Date of Receipt : 31/07/2026 Date of Issue : 05/08/2026 Customer's Ref. No : N.M
--------------------	--	---

Sample Described as	: Calcium Nitrate Fortified With Magnesium	Mfg. Date	: May 2026
Sample Qty	: 500 ml	Exp. Date	: 3 Years from DOM
Packing Mode	: Sample Packed in Plastic Bottle	B.No	: JC/CFM.500/026/001
Sample Condition	: Satisfactory		
Marking	: N.M		
Sample Drawn By	: Customer		
Date of Starting of Test	: 31/07/2026	Date of Completion	: 05/08/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical Fertilizers			
1	Total Nitrogen as N, %	10.23	FCO-1985
2	Nitrate Nitroten (as N) %	8.53	FCO-1985
3	Water Soluble Calcium (as Ca) %	15.68	FCO-1985
4	Water Soluble Magnesium as MgO %	2.05	FCO-1985
5	PH (10 % Solution)	8.26	FCO-1985
6	Total Chloride %	0.85	FCO-1985

Note : NM = Not Mentioned, Customer requested for the above test only


Mamta Bhavsar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02


Page 1 of 1

Report Issued To : Narmada Bio Chem Ltd Narmada House, Plot No : 252, TP NO : 50. Opp. Mantavya News Sindhu Bhavan Road, Off. S.G. Highway, Thaltej-Bokakdev, Ahmedabad, Gujarat Phone No : 9316731598 Email : lab@nbclindia.com	Test Report No : GTL/07260805004/NS Date of Receipt : 31/07/2026 Date of Issue : 05/08/2026 Customer's Ref. No : N.M
--	---

Sample Described as : NPK 11:11:8 Fortified With Zine & Boron Sample Qty : 500 ml Packing Mode : Sample Packed in Plastic Bottle Sample Condition : Satisfactory Marking : N.M	Mfg. Date : July 2026 Exp. Date : 3 Years from DOM B.No : JC/NZB.500/026/03
Sample Drawn By : Customer Date of Starting of Test : 31/07/2026	Date of Completion : 05/08/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical Fertilizers			
1	Total Nitrogen % by wt	11.32	FCO-1985
2	Urea Nitrogen % wt	7.21	FCO-1985
3	Ammonical Nitrogen % by mass	3.11	FCO-1985
4	Water Soluble Phosphate (as P2O5) %	11.05	FCO-1985
5	Water Soluble Potash as K2O % by wt%	8.20	FCO-1985
6	Zinc (as Zn) %	0.75	FCO-1985
7	Boron (as B) %	0.55	FCO-1985
8	PH (10 % Solution)	7.26	FCO-1985

Note : NM = Not Mentioned, Customer requested for the above test only


Mamta Bhavsar
 Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
 Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : Narmada Bio Chem Ltd Narmada House, Plot No : 252, TP NO : 50. Opp. Mantavya News Sindhu Bhavan Road, Off. S.G. Highway, Thaltej-Bokakdev, Ahmedabad, Gujarat Phone No : 9316731598 Email : lab@nbclindia.com	Test Report No : GTL/07260805005/NS Date of Receipt : 31/07/2026 Date of Issue : 05/08/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Potassium Thiosulphate Sample Qty : 1 Ltr Packing Mode : Sample Packed in Plastic Bottle Sample Condition : Satisfactory Marking : N.M	Mfg. Date : July 2026 Exp. Date : 3 Years from DOM B.No : JO/KTS/026/010
Sample Drawn By : Customer Date of Starting of Test : 31/07/2026	Date of Completion : 05/08/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical Fertilizers			
1	Sulphur (as S) %	12.20	FCO-1985
2	Lead (as Pb) %	0.00053	FCO-1985
3	Water Soluble Potash (as K ₂ O) %	25.31	FCO-1985
4	Density gm/ml	1.4733	FCO-1985
5	Arsenic (as As) %	B.L.Q.(Q.L.=0.000005)	FCO-1985

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only


Mamta Bhavsar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02


Page 1 of 1

Report Issued To : Narmada Bio Chem Ltd Narmada House, Plot No : 252, TP NO : 50. Opp. Mantavya News Sindhu Bhavan Road, Off. S.G. Highway, Thaltej-Bokakdev, Ahmedabad, Gujarat Phone No : 9316731598 Email : lab@nbclindia.com	Test Report No : GTL/07260805006/NS Date of Receipt : 31/07/2026 Date of Issue : 05/08/2026 Customer's Ref. No : N.M
--	---

Sample Described as : Concentrated Liquid Calcium (Ca-11%)	Mfg. Date : July 2026
Sample Qty : 500 ml	Exp. Date : 3 Years from DOM
Packing Mode : Sample Packed in Plastic Bottle	B.No : JC/CLC.500/026/04
Sample Condition : Satisfactory	
Marking : N.M	
Sample Drawn By : Customer	
Date of Starting of Test : 31/07/2026	Date of Completion : 05/08/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical Fertilizers			
1	Water Soluble Calcium (as Ca) %	9.53	FCO-1985
2	pH	11.09	FCO-1985
3	Specific Gravity gm/ml	1.3202	FCO-1985

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only


Mamta Bhavsar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
Autho. Signatory

*** END OF REPORT ***

TEST REPORT

Doc. No : GTL/D/7.5/02

Page 1 of 1

Report Issued To : Narmada Bio Chem Ltd Narmada House, Plot No : 252, TP NO : 50. Opp. Mantavya News Sindhu Bhavan Road, Off. S.G. Highway, Thaltej-Bokakdev, Ahmedabad, Gujarat Phone No : 9316731598 Email : lab@nbclindia.com	Test Report No : GTL/07260805007/NS Date of Receipt : 31/07/2026 Date of Issue : 05/08/2026 Customer's Ref. No : N.M
--	---

Sample Described as : Fortified NP (7:21:0) Liquid	Mfg. Date : July 2026
Sample Qty : 500 ml	Exp. Date : 3 Years from DOM
Packing Mode : Sample Packed in Plastic Bottle	B.No : JC/FNP.500/026/004
Sample Condition : Satisfactory	
Marking : N.M	
Sample Drawn By : Customer	
Date of Starting of Test : 31/07/2026	Date of Completion : 05/08/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical Fertilizers			
1	Total Nitrogen % by wt	7.15	FCO-1985
2	Water Soluble Phosphate (as P2O5) %	21.75	FCO-1985
3	Specific Gravity gm/ml	1.2985	FCO-1985
4	pH	6.25	FCO-1985
5	Zinc (as Zn) % by mass	0.25	FCO-1985

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only


Mamta Bhavsar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02


Page 1 of 1

Report Issued To : Narmada Bio Chem Ltd Narmada House, Plot No : 252, TP NO : 50. Opp. Mantavya News Sindhu Bhavan Road, Off. S.G. Highway, Thaltej-Bokakdev, Ahmedabad, Gujarat Phone No : 9316731598 Email : lab@nbclindia.com	Test Report No : GTL/07260805008/NS Date of Receipt : 31/07/2026 Date of Issue : 05/08/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Zinc Oxide Suspension Concentrate (39.5% Zn)	Mfg. Date : Jun 2026
Sample Qty : 500 ml	Exp. Date : 3 Years from DOM
Packing Mode : Sample Packed in Plastic Bottle	B.No : JC/ZNO.500/026/002
Sample Condition : Satisfactory	
Marking : N.M	
Sample Drawn By : Customer	
Date of Starting of Test : 31/07/2026	Date of Completion : 05/08/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical Fertilizers			
1	Zinc (as Zn) %	39.68	FCO-1985
2	pH (5% solution)	9.03	FCO-1985
3	Arsenic (as As) %	B.L.Q.(Q.L.=0.000005)	FCO-1985
4	Lead (as Pb), %	0.00045	FCO-1985
5	Cadmium (as Cd) %	B.L.Q.(Q.L.=0.000005)	FCO-1985
6	Specific Gravity at 15 Deg.C.	1.7205	FCO-1985

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only


Mamta Bhavsar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02


Page 1 of 1

Report Issued To : Narmada Bio Chem Ltd Narmada House, Plot No : 252, TP NO : 50. Opp. Mantavya News Sindhu Bhavan Road, Off. S.G. Highway, Thaltej-Bokakdev, Ahmedabad, Gujarat Phone No : 9316731598 Email : lab@nbclindia.com	Test Report No : GTL/07260805009/NS Date of Receipt : 31/07/2026 Date of Issue : 05/08/2026 Customer's Ref. No : N.M
---	---

Sample Described as : Ammonium Poly Phosphate (10:34:0) Sample Qty : 500 ml Packing Mode : Sample Packed in Plastic Bottle Sample Condition : Satisfactory Marking : N.M	Mfg. Date : July 2026 Exp. Date : 3 Years from DOM B.No : JC/APP/026025
Sample Drawn By : Customer Date of Starting of Test : 31/07/2026	Date of Completion : 05/08/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical Fertilizers			
1	Ammonical Nitrogen %	10.31	FCO-1985
2	Total Phosphorous as P ₂ O ₅ , %	34.10	FCO-1985
3	pH (5% solution)	5.92	FCO-1985
4	Specific Gravity gm/ml	1.4202	FCO-1985

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification,
Q.L.=Quantification Limit, Customer requested for the above test only


Mamta Bhavsar
Reviewed By



For Verification

*** END OF REPORT ***

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
Autho. Signatory

TEST REPORT

Doc. No : GTL/D/7.5/02


Page 1 of 1

Report Issued To : Narmada Bio Chem Ltd Narmada House, Plot No : 252, TP NO : 50. Opp. Mantavya News Sindhu Bhavan Road, Off. S.G. Highway, Thaltej-Bokakdev, Ahmedabad, Gujarat Phone No : 9316731598 Email : lab@nbclindia.com	Test Report No : GTL/07260805010/NS Date of Receipt : 31/07/2026 Date of Issue : 05/08/2026 Customer's Ref. No : N.M
--	---

Sample Described as : Liquid Potassium Carbonate Sample Qty : 500 ml Packing Mode : Sample Packed in Plastic Bottle Sample Condition : Satisfactory Marking : N.M	Mfg. Date : July 2026 Exp. Date : 3 Years from DOM B.No : JC/LPC.500/026/001
Sample Drawn By : Customer Date of Starting of Test : 31/07/2026	Date of Completion : 05/08/2026

Sr No	Quality Characteristics	Result	Test Method
Chemical Fertilizers			
1	Water Soluble Potash (as K ₂ O) %	29.15	FCO-1985
2	Lead (as Pb) ppm	8.2	FCO-1985
3	Specific Gravity gm/ml	1.4685	FCO-1985
4	Arsenic (as As) ppm	B.L.Q.(Q.L.=0.05)	FCO-1985

Note : N.M.=Not Mentioned, B.L.Q.=Below Limit of Quantification, Q.L.=Quantification Limit, Customer requested for the above test only


Mamta Bhavsar
Reviewed By



For Verification

FOR, GUJARAT TESTLAB PVT. LTD


Hemal Darji
Autho. Signatory

*** END OF REPORT ***